

Table 8 - Hospitalization Rate for All Privately Insured Enrollees with A Primary Diagnosis of Urolithiasis, 2002 - 2006

	2002			2003			2004			2005			2006		
	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator
<b>Total</b>	5,458	8,824	-	7,361	8,187	-	9,548	7,450	-	9,604	6,613	-	12,305	6,430	-
<b>Age</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
< 18	174	10,761	-	314	11,782	-	379	9,523	-	412	8,128	-	539	7,885	-
18-24	249	9,098	-	355	9,019	-	403	7,512	-	435	7,159	-	567	6,777	-
25-34	731	9,123	-	985	8,069	-	1,260	7,349	-	1,333	6,529	-	1,842	6,608	-
35-39	534	8,784	R	765	8,232	R	1,006	7,700	R	1,009	6,623	R	1,279	6,245	R
40-44	648	8,822	*	987	8,469	*	1,244	7,559	*	1,216	6,418	*	1,561	6,194	*
45-54	1,739	8,916	*	2,248	7,857	*	3,060	7,450	*	3,065	6,567	*	3,897	6,407	*
55-64	1,383	8,351	*	1,707	7,923	*	2,196	7,066	*	2,134	6,506	*	2,620	6,269	*
<b>Region</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northeast	416	7,971	-	629	7,283	-	841	7,474	-	966	6,932	-	1,219	6,108	-
South	2,873	9,280	-	3,416	8,566	-	4,794	7,411	-	4,648	6,312	*	6,287	6,228	-
Midwest	1,596	8,677	R	1,895	8,525	R	2,443	8,327	R	2,492	7,571	R	3,587	7,269	R
West	573	7,864	*	1,421	7,415	*	1,470	6,424	*	1,498	6,056	*	1,212	5,734	*
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2,399	9,812	-	3,314	8,974	-	4,366	8,170	-	4,555	7,372	-	5,858	7,116	-
Male	3,059	8,178	*	4,047	7,638	*	5,182	6,935	*	5,049	6,051	*	6,447	5,911	*

SOURCE: Truven Health MarketScan®, 2002-2011.

NOTE: X represents the number of privately insured enrollees with a primary diagnosis of urolithiasis.

NOTE: \* indicates that the rate is significantly different from reference group.

NOTE: R indicates the reference group.

Table 8 - Hospitalization Rate for All Privately Insured Enrollees with A Primary Diagnosis of Urolithiasis, 2007 - 2011

	2007			2008			2009			2010			2011		
	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator
<b>Total</b>	12,606	5,860	-	16,176	5,433	-	16,360	5,019	-	14,942	4,765	-	17,074	4,506	-
<b>Age</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
< 18	516	6,470	-	689	6,463	-	701	5,920	-	657	5,708	-	736	5,244	-
18-24	548	5,751	-	685	5,202	-	698	4,705	-	642	4,471	-	851	4,138	-
25-34	1,897	5,886	-	2,262	5,157	-	2,448	4,924	-	2,140	4,422	-	2,295	4,106	-
35-39	1,386	5,832	R	1,769	5,369	R	1,761	4,827	R	1,661	4,619	R	1,779	4,270	R
40-44	1,608	5,696	*	2,107	5,410	*	2,052	4,803	*	1,978	4,736	*	2,133	4,360	*
45-54	4,112	5,949	*	5,115	5,401	*	5,348	5,115	*	4,865	4,794	*	5,698	4,727	*
55-64	2,539	5,735	*	3,549	5,591	*	3,352	5,091	*	2,999	4,990	*	3,582	4,635	*
<b>Region</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northeast	1,261	5,890	-	2,892	5,483	-	2,546	5,013	-	2,654	5,078	-	3,648	4,629	-
South	6,131	5,519	*	6,740	5,090	-	6,874	4,687	*	5,938	4,219	*	6,436	3,978	*
Midwest	3,935	6,842	R	4,545	6,101	R	4,903	5,877	R	4,216	5,683	R	4,746	5,530	R
West	1,279	5,091	*	1,999	5,245	*	2,037	4,517	*	2,134	4,602	*	2,244	4,276	*
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6,161	6,581	-	7,921	6,013	-	8,167	5,580	-	7,615	5,375	-	8,775	5,098	-
Male	6,445	5,304	*	8,255	4,972	*	8,193	4,561	*	7,327	4,263	*	8,299	4,013	*

SOURCE: Truven Health MarketScan®, 2002-2011.

NOTE: X represents the number of privately insured enrollees with a primary diagnosis of urolithiasis.

NOTE: \* indicates that the rate is significantly different from reference group.

NOTE: R indicates the reference group.