

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>PCNL</b>	12,600	2,780.4	12,280	2,528.8	12,520	2,359.6	11,760	2,075.5	13,200	2,256.7
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	2,660	2,175.0	2,960	2,187.1	2,420	1,643.6	2,760	1,755.3	3,260	1,996.1
70-74	2,860	2,403.4	2,640	2,108.0	3,100	2,291.2	2,600	1,832.3	2,860	1,931.1
75-79	3,380	3,228.9	2,500	2,298.2	2,900	2,442.3	2,660	2,139.3	2,800	2,230.0
80-84	2,180	3,293.1	2,440	3,422.2	2,240	2,865.2	2,320	2,669.1	2,600	2,953.9
85+	1,520	3,707.3	1,740	3,871.8	1,860	3,637.1	1,420	2,526.7	1,680	2,803.7
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	10,820	2,682.3	10,980	2,552.1	10,640	2,269.8	10,340	2,063.5	11,320	2,182.4
Black	1,260	4,876.2	800	2,824.9	1,280	4,121.1	1,000	2,917.2	1,320	3,812.8
Hispanic	260	3,963.4	260	3,439.2	240	2,696.6	140	1,576.6	180	1,807.2
Asian	80	1,574.8	100	1,886.8	140	2,083.3	120	1,530.6	200	2,427.2
Other	180	1,461.0	140	987.3	220	1,451.2	160	1,101.9	180	1,343.3
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	3,160	2,848.9	2,880	2,494.4	2,760	2,254.5	2,940	2,273.4	3,100	2,292.6
South	4,300	2,429.9	4,440	2,318.5	4,800	2,282.9	3,960	1,761.3	4,640	1,976.8
Midwest	3,560	3,484.7	3,040	2,798.7	3,260	2,706.7	3,160	2,434.9	3,560	2,701.9
West	1,580	2,502.4	1,920	2,742.1	1,700	2,194.1	1,700	2,056.6	1,900	2,283.1
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	4,900	2,674.7	4,420	2,259.0	5,320	2,464.3	4,820	2,094.4	5,580	2,334.7
Male	7,700	2,852.1	7,860	2,710.9	7,200	2,287.7	6,940	2,062.7	7,620	2,202.8

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>ESWL</b>	42,160	9,303.1	45,180	9,304.0	48,660	9,170.8	50,420	8,898.7	46,800	8,001.1
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	15,260	12,477.5	15,340	11,334.4	16,060	10,907.4	18,240	11,600.1	16,560	10,139.6
70-74	11,120	9,344.5	12,100	9,661.5	13,380	9,889.1	14,340	10,105.7	12,880	8,696.8
75-79	9,140	8,731.4	10,260	9,431.9	10,940	9,213.4	9,580	7,704.7	9,660	7,693.5
80-84	4,540	6,858.0	5,160	7,237.0	5,400	6,907.1	5,620	6,465.7	5,220	5,930.5
85+	2,100	5,122.0	2,320	5,162.4	2,880	5,631.6	2,640	4,697.5	2,480	4,138.9
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	38,080	9,440.2	41,000	9,529.6	43,960	9,377.9	46,320	9,244.0	43,380	8,363.2
Black	2,400	9,287.9	2,140	7,556.5	2,920	9,401.2	2,600	7,584.6	1,620	4,679.4
Hispanic	740	11,280.5	880	11,640.2	820	9,213.5	800	9,009.0	600	6,024.1
Asian	360	7,086.6	360	6,792.5	60	892.9	140	1,785.7	440	5,339.8
Other	580	4,707.8	800	5,641.7	900	5,936.7	560	3,856.7	760	5,671.6
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	7,500	6,761.6	7,940	6,876.8	8,940	7,302.7	8,620	6,665.6	8,460	6,256.5
South	19,280	10,895.1	19,920	10,402.1	21,620	10,282.5	23,000	10,229.5	20,940	8,921.3
Midwest	9,240	9,044.6	10,640	9,795.6	11,860	9,847.2	12,660	9,755.0	11,500	8,728.0
West	6,140	9,724.4	6,680	9,540.1	6,240	8,053.7	6,140	7,428.0	5,900	7,089.6
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	14,900	8,133.2	15,940	8,146.8	18,100	8,384.3	18,260	7,934.3	17,480	7,313.8
Male	27,260	10,097.0	29,240	10,084.8	30,560	9,710.2	32,160	9,558.3	29,320	8,475.9

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Open Stone Surgery</b>	1,340	295.7	1,160	238.9	1,340	252.5	1,180	208.3	740	126.5
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	280	228.9	200	147.8	320	217.3	280	178.1	140	85.7
70-74	340	285.7	340	271.5	320	236.5	200	140.9	200	135.0
75-79	500	477.6	320	294.2	340	286.3	260	209.1	180	143.4
80-84	140	211.5	200	280.5	200	255.8	260	299.1	140	159.1
85+	80	195.1	100	222.5	160	312.9	180	320.3	80	133.5
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	1,140	282.6	1,000	232.4	1,100	234.7	1,000	199.6	700	135.0
Black	120	464.4	120	423.7	60	193.2	180	525.1	0	0.0
Hispanic	60	914.6	20	264.6	120	1,348.3	0	0.0	20	200.8
Asian	20	393.7	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	20	141.0	60	395.8	0	0.0	20	149.3
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	320	288.5	260	225.2	300	245.1	120	92.8	120	88.7
South	600	339.1	440	229.8	540	256.8	640	284.6	260	110.8
Midwest	240	234.9	320	294.6	360	298.9	300	231.2	240	182.1
West	180	285.1	140	199.9	140	180.7	120	145.2	120	144.2
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	500	272.9	500	255.5	520	240.9	480	208.6	220	92.1
Male	840	311.1	660	227.6	820	260.5	700	208.0	520	150.3

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Ureteroscopy</b>	34,120	7,529.0	36,600	7,537.1	40,400	7,614.0	41,440	7,313.8	41,920	7,166.8
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	10,800	8,830.7	11,400	8,423.2	12,640	8,584.6	12,340	7,847.9	12,920	7,910.8
70-74	8,440	7,092.4	10,020	8,000.6	10,940	8,085.7	11,040	7,780.1	11,280	7,616.5
75-79	7,680	7,336.6	8,380	7,703.6	8,920	7,512.2	9,140	7,350.8	8,320	6,626.3
80-84	4,700	7,099.7	4,380	6,143.1	5,080	6,497.8	5,580	6,419.7	5,980	6,793.9
85+	2,500	6,097.6	2,420	5,385.0	2,820	5,514.3	3,340	5,943.1	3,420	5,707.6
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	31,220	7,739.6	33,360	7,753.8	37,040	7,901.7	38,680	7,719.3	38,780	7,476.4
Black	1,860	7,198.1	1,780	6,285.3	1,720	5,537.7	1,600	4,667.4	1,460	4,217.2
Hispanic	340	5,182.9	720	9,523.8	760	8,539.3	500	5,630.6	600	6,024.1
Asian	160	3,149.6	260	4,905.7	180	2,678.6	240	3,061.2	340	4,126.2
Other	540	4,383.1	480	3,385.0	700	4,617.4	420	2,892.6	740	5,522.4
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	7,020	6,328.9	7,420	6,426.5	6,820	5,571.0	6,700	5,180.9	8,480	6,271.3
South	14,280	8,069.6	15,100	7,885.1	16,600	7,895.0	17,340	7,712.2	17,600	7,498.3
Midwest	9,020	8,829.3	9,500	8,746.1	11,200	9,299.2	12,220	9,415.9	10,460	7,938.7
West	3,800	6,018.4	4,580	6,541.0	5,780	7,460.0	5,180	6,266.6	5,380	6,464.8
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	11,480	6,266.4	12,720	6,501.1	14,120	6,540.7	13,880	6,031.1	15,200	6,359.8
Male	22,640	8,385.8	23,880	8,236.2	26,280	8,350.3	27,560	8,191.2	26,720	7,724.3

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Laparoscopic Removal</b>	0	0.0	60	12.4	20	3.8	20	3.5	0	0.0
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	0	0.0	20	14.8	20	13.6	20	12.7	0	0.0
70-74	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
75-79	0	0.0	20	18.4	0	0.0	0	0.0	0	0.0
80-84	0	0.0	20	28.1	0	0.0	0	0.0	0	0.0
85+	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	0	0.0	60	13.9	20	4.3	20	4.0	0	0.0
Black	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Asian	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
South	0	0.0	0	0.0	0	0.0	20	8.9	0	0.0
Midwest	0	0.0	60	55.2	20	16.6	0	0.0	0	0.0
West	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	0	0.0	20	10.2	0	0.0	0	0.0	0	0.0
Male	0	0.0	40	13.8	20	6.4	20	5.9	0	0.0

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts hve been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2002 - 2006

	2002		2003		2004		2005		2006	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>All Procedures</b>	90,220	19,908.2	95,280	19,621.1	102,940	19,400.7	104,820	18,499.8	102,660	17,551.1
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	29,000	23,712.2	29,920	22,107.3	31,460	21,366.5	33,640	21,394.0	32,880	20,132.3
70-74	22,760	19,126.1	25,100	20,041.5	27,740	20,502.6	28,180	19,859.1	27,220	18,379.5
75-79	20,700	19,774.6	21,480	19,746.3	23,100	19,454.3	21,640	17,403.9	20,960	16,693.2
80-84	11,560	17,462.2	12,200	17,110.8	12,920	16,526.0	13,780	15,853.7	13,940	15,837.3
85+	6,200	15,122.0	6,580	14,641.7	7,720	15,095.8	7,580	13,487.5	7,660	12,783.7
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	81,260	20,144.8	86,400	20,081.8	92,760	19,788.4	96,360	19,230.5	94,180	18,156.9
Black	5,640	21,826.6	4,840	17,090.4	5,980	19,253.1	5,380	15,694.3	4,400	12,709.4
Hispanic	1,400	21,341.5	1,880	24,867.7	1,940	21,797.8	1,440	16,216.2	1,400	14,056.2
Asian	620	12,204.7	720	13,584.9	380	5,654.8	500	6,377.6	980	11,893.2
Other	1,300	10,551.9	1,440	10,155.1	1,880	12,401.1	1,140	7,851.2	1,700	12,686.6
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	18,000	16,227.9	18,500	16,022.9	18,820	15,373.3	18,380	14,212.8	20,160	14,909.0
South	38,460	21,733.7	39,900	20,835.5	43,560	20,717.2	44,960	19,996.4	43,440	18,507.2
Midwest	22,060	21,593.6	23,560	21,690.3	26,700	22,168.7	28,340	21,837.0	25,760	19,550.7
West	11,700	18,530.3	13,320	19,023.1	13,860	17,888.5	13,140	15,896.4	13,300	15,981.7
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	31,780	17,347.2	33,600	17,172.6	38,060	17,630.2	37,440	16,268.4	38,480	16,100.4
Male	58,440	21,646.0	61,680	21,273.4	64,880	20,615.1	67,380	20,026.2	64,180	18,553.4

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>PCNL</b>	12,240	2,112.6	13,460	2,195.9	12,640	1,956.0	13,760	2,020.2	15,540	2,153.2
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	3,160	1,951.6	3,480	2,007.4	2,880	1,567.3	3,280	1,681.5	3,840	1,824.2
70-74	2,180	1,523.0	3,000	1,955.7	3,340	2,041.6	3,120	1,817.8	3,400	1,874.9
75-79	2,660	2,158.4	2,540	2,044.8	2,380	1,826.0	2,860	2,091.9	3,140	2,202.6
80-84	2,180	2,413.1	2,760	2,896.1	2,180	2,230.9	2,440	2,439.5	2,480	2,369.6
85+	2,060	3,391.5	1,680	2,519.5	1,860	2,627.1	2,060	2,651.9	2,680	3,243.0
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	10,340	2,002.9	11,820	2,171.0	11,020	1,918.5	11,760	1,943.9	13,660	2,130.4
Black	1,300	4,127.0	1,180	3,375.3	1,240	3,174.6	1,420	3,478.7	1,180	2,764.8
Hispanic	180	1,902.7	260	3,030.3	40	446.4	140	1,341.0	200	1,814.9
Asian	120	1,360.5	80	811.4	80	898.9	180	1,730.8	180	1,672.9
Other	300	2,245.5	120	794.7	260	1,745.0	260	1,795.6	320	1,992.5
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	3,100	2,299.0	3,520	2,553.3	2,540	1,779.5	3,180	2,146.9	3,480	2,248.1
South	4,080	1,763.9	4,880	1,960.8	4,560	1,719.3	4,720	1,681.0	5,760	1,911.5
Midwest	3,440	2,621.2	3,240	2,359.1	3,380	2,371.9	3,780	2,509.3	4,080	2,679.3
West	1,620	1,975.6	1,820	2,047.7	2,160	2,255.6	2,080	2,047.6	2,220	1,959.7
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	5,180	2,202.8	5,220	2,097.9	4,860	1,872.5	5,740	2,098.3	6,440	2,229.1
Male	7,060	2,051.0	8,240	2,262.9	7,780	2,012.0	8,020	1,967.8	9,100	2,102.6

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>ESWL</b>	39,980	6,900.5	46,720	7,622.0	45,380	7,022.4	48,500	7,120.6	48,120	6,667.6
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	14,720	9,090.9	17,240	9,944.6	16,680	9,077.1	17,080	8,756.3	18,180	8,636.6
70-74	11,200	7,824.5	13,100	8,539.8	12,540	7,665.0	14,120	8,226.5	13,380	7,378.4
75-79	7,740	6,280.4	8,900	7,164.7	8,200	6,291.2	10,120	7,402.0	9,460	6,635.8
80-84	4,680	5,180.4	4,840	5,078.7	5,300	5,423.7	5,360	5,358.9	4,700	4,490.7
85+	1,640	2,700.0	2,640	3,959.2	2,660	3,757.1	1,820	2,342.9	2,400	2,904.2
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	36,920	7,151.7	43,340	7,960.2	41,680	7,256.3	45,200	7,471.3	44,060	6,871.7
Black	1,540	4,888.9	1,820	5,205.9	2,060	5,273.9	2,120	5,193.5	2,060	4,826.6
Hispanic	580	6,131.1	840	9,790.2	720	8,035.7	560	5,364.0	760	6,896.6
Asian	400	4,535.1	380	3,854.0	340	3,820.2	240	2,307.7	340	3,159.9
Other	540	4,041.9	340	2,251.7	580	3,892.6	380	2,624.3	900	5,604.0
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	7,280	5,399.0	8,520	6,180.2	8,380	5,870.8	8,700	5,873.6	8,360	5,400.5
South	17,640	7,626.5	21,280	8,550.3	20,380	7,684.2	22,420	7,984.9	22,140	7,347.2
Midwest	9,760	7,436.8	10,540	7,674.4	11,000	7,719.3	11,140	7,395.1	10,180	6,685.1
West	5,300	6,463.4	6,380	7,178.2	5,620	5,868.8	6,240	6,142.9	7,440	6,567.8
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	14,720	6,259.6	17,560	7,057.3	17,200	6,627.1	17,500	6,397.1	17,500	6,057.5
Male	25,260	7,338.3	29,160	8,007.9	28,180	7,287.7	30,980	7,601.3	30,620	7,074.9

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.



Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Open Stone Surgery</b>	800	138.1	1,040	169.7	620	95.9	500	73.4	600	83.1
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	100	61.8	420	242.3	200	108.8	160	82.0	180	85.5
70-74	200	139.7	220	143.4	120	73.3	120	69.9	100	55.1
75-79	280	227.2	120	96.6	200	153.4	100	73.1	200	140.3
80-84	120	132.8	140	146.9	60	61.4	100	100.0	120	114.7
85+	100	164.6	140	210.0	40	56.5	20	25.7	0	0.0
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	720	139.5	960	176.3	460	80.1	420	69.4	500	78.0
Black	60	190.5	40	114.4	60	153.6	80	196.0	80	187.4
Hispanic	0	0.0	0	0.0	60	669.6	0	0.0	0	0.0
Asian	20	226.8	40	405.7	0	0.0	0	0.0	20	185.9
Other	0	0.0	0	0.0	40	268.5	0	0.0	0	0.0
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	200	148.3	240	174.1	140	98.1	60	40.5	160	103.4
South	280	121.1	400	160.7	180	67.9	220	78.4	260	86.3
Midwest	240	182.9	340	247.6	140	98.2	100	66.4	40	26.3
West	80	97.6	60	67.5	160	167.1	120	118.1	140	123.6
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	260	110.6	280	112.5	280	107.9	180	65.8	260	90.0
Male	540	156.9	760	208.7	340	87.9	320	78.5	340	78.6

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts hve been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Ureteroscopy</b>	41,160	7,104.1	44,380	7,240.3	44,480	6,883.1	50,700	7,443.6	54,820	7,596.0
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	13,000	8,028.7	14,580	8,410.2	14,380	7,825.4	16,180	8,294.9	17,540	8,332.5
70-74	10,140	7,084.0	11,900	7,757.5	11,320	6,919.3	13,740	8,005.1	14,560	8,029.1
75-79	8,280	6,718.6	8,260	6,649.5	8,680	6,659.5	9,440	6,904.6	10,300	7,225.0
80-84	6,140	6,796.5	5,740	6,023.1	6,060	6,201.4	7,260	7,258.5	6,780	6,478.1
85+	3,600	5,926.9	3,900	5,848.8	4,040	5,706.2	4,080	5,252.3	5,640	6,824.8
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	37,980	7,357.0	41,000	7,530.4	41,120	7,158.8	46,980	7,765.5	50,680	7,904.2
Black	1,620	5,142.9	1,920	5,492.0	1,580	4,045.1	2,180	5,340.5	2,140	5,014.1
Hispanic	500	5,285.4	620	7,226.1	840	9,375.0	460	4,406.1	580	5,263.2
Asian	300	3,401.4	400	4,056.8	400	4,494.4	380	3,653.8	420	3,903.3
Other	760	5,688.6	440	2,913.9	540	3,624.2	700	4,834.3	1,000	6,226.7
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	8,040	5,962.6	7,760	5,628.9	8,260	5,786.7	8,920	6,022.1	9,880	6,382.4
South	16,140	6,978.0	19,140	7,690.5	18,100	6,824.5	20,940	7,457.8	24,080	7,991.0
Midwest	11,300	8,610.2	11,620	8,460.8	12,000	8,421.1	13,420	8,908.7	13,660	8,970.3
West	5,680	6,926.8	5,860	6,593.2	6,120	6,391.0	7,420	7,304.6	7,200	6,355.9
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	14,520	6,174.5	15,500	6,229.4	15,640	6,026.0	17,760	6,492.2	19,500	6,749.7
Male	26,640	7,739.2	28,880	7,931.0	28,840	7,458.4	32,940	8,082.2	35,320	8,160.8

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>Laparoscopic Removal</b>	20	3.5	0	0.0	0	0.0	40	5.9	100	13.9
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	0	0.0	0	0.0	0	0.0	0	0.0	40	19.0
70-74	0	0.0	0	0.0	0	0.0	40	23.3	20	11.0
75-79	20	16.2	0	0.0	0	0.0	0	0.0	0	0.0
80-84	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
85+	0	0.0	0	0.0	0	0.0	0	0.0	40	48.4
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	20	3.9	0	0.0	0	0.0	40	6.6	60	9.4
Black	0	0.0	0	0.0	0	0.0	0	0.0	20	46.9
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Asian	0	0.0	0	0.0	0	0.0	0	0.0	20	185.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	20	14.8	0	0.0	0	0.0	0	0.0	60	38.8
South	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Midwest	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
West	0	0.0	0	0.0	0	0.0	40	39.4	40	35.3
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	20	8.5	0	0.0	0	0.0	40	14.6	40	13.8
Male	0	0.0	0	0.0	0	0.0	0	0.0	60	13.9

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts hve been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

Table 11 - Surgical Procedures among Medicare Beneficiaries for Treatment of Urolithiasis, 2007 - 2011

	2007		2008		2009		2010		2011	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
<b>All Procedures</b>	94,200	16,258.8	105,600	17,227.9	103,120	15,957.4	113,500	16,663.7	119,180	16,513.8
<b>Age</b>	-	-	-	-	-	-	-	-	-	-
65-69	30,980	19,132.9	35,720	20,604.5	34,140	18,578.6	36,700	18,814.7	39,780	18,897.9
70-74	23,720	16,571.2	28,220	18,396.3	27,320	16,699.3	31,140	18,142.6	31,460	17,348.6
75-79	18,980	15,400.8	19,820	15,955.6	19,460	14,930.2	22,520	16,471.6	23,100	16,203.7
80-84	13,120	14,522.9	13,480	14,144.8	13,600	13,917.3	15,160	15,157.0	14,080	13,453.1
85+	7,400	12,183.1	8,360	12,537.5	8,600	12,146.9	7,980	10,272.9	10,760	13,020.3
<b>Race</b>	-	-	-	-	-	-	-	-	-	-
White	85,980	16,655.0	97,120	17,837.9	94,280	16,413.6	104,400	17,256.8	108,960	16,993.7
Black	4,520	14,349.2	4,960	14,187.6	4,940	12,647.2	5,800	14,208.7	5,480	12,839.7
Hispanic	1,260	13,319.2	1,720	20,046.6	1,660	18,526.8	1,160	11,111.1	1,540	13,974.6
Asian	840	9,523.8	900	9,127.8	820	9,213.5	800	7,692.3	980	9,107.8
Other	1,600	11,976.0	900	5,960.3	1,420	9,530.2	1,340	9,254.1	2,220	13,823.2
<b>Region</b>	-	-	-	-	-	-	-	-	-	-
Northeast	18,640	13,823.8	20,040	14,536.5	19,320	13,535.1	20,860	14,083.2	21,940	14,173.1
South	38,140	16,489.4	45,700	18,362.3	43,220	16,295.9	48,300	17,202.1	52,240	17,335.9
Midwest	24,740	18,851.0	25,740	18,741.8	26,520	18,610.5	28,440	18,879.4	27,960	18,360.9
West	12,680	15,463.4	14,120	15,886.6	14,060	14,682.5	15,900	15,652.7	17,040	15,042.4
<b>Gender</b>	-	-	-	-	-	-	-	-	-	-
Female	34,700	14,755.9	38,560	15,497.1	37,980	14,633.6	41,220	15,068.0	43,740	15,140.2
Male	59,500	17,285.5	67,040	18,410.5	65,140	16,846.0	72,260	17,729.9	75,440	17,430.7

SOURCE: Centers for Medicare and Medicaid Services, 5% Carrier and Outpatient Files, 2002-2011

NOTE: X represents all adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: Unweighted counts hve been multiplied by 20 to arrive at the number of counts.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.