

Table 7a - Other Ambulatory Visit Rates for Medicare Beneficiaries with a Diagnosis of Urolithiasis, 2002 - 2006

	2002			2003			2004			2005			2006		
	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator
Total	55,860	12,326	-	60,260	12,409	-	67,740	12,767	-	71,040	12,538	-	71,480	12,220	-
Age	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	17,680	14,456	R	20,120	14,866	R	21,560	14,643	R	23,000	14,627	R	22,960	14,058	R
70-74	15,220	12,790	*	15,880	12,680	*	18,920	13,984	*	20,280	14,292	*	20,080	13,558	*
75-79	13,080	12,495	*	13,580	12,484	*	14,580	12,279	*	14,500	11,662	*	14,360	11,437	*
80-84	6,300	9,517	*	7,040	9,874	*	7,900	10,105	*	8,540	9,825	*	8,800	9,998	*
85+	3,580	8,732	*	3,640	8,100	*	4,780	9,347	*	4,720	8,399	*	5,280	8,812	*
Race	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	49,160	12,187	R	52,660	12,240	R	58,820	12,548	R	63,080	12,589	R	64,600	12,454	R
Black	3,700	14,319	*	3,700	13,065	*	4,780	15,390	*	4,320	12,602	*	3,540	10,225	*
Hispanic	740	11,280	*	1,280	16,931	*	1,200	13,483	*	840	9,460	*	1,000	10,040	*
Asian	580	11,417	*	540	10,189	*	640	9,524	*	680	8,674	*	820	9,952	*
Other	1,680	13,636	*	2,080	14,669	*	2,300	15,172	*	2,120	14,601	*	1,520	11,343	*
Region	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northeast	12,680	11,432	*	12,940	11,207	*	15,420	12,596	*	14,480	11,197	*	16,180	11,966	*
South	19,640	11,099	*	21,440	11,196	*	22,020	10,473	*	23,180	10,310	*	24,480	10,429	*
Midwest	15,880	15,544	R	17,680	16,277	R	20,560	17,071	R	23,280	17,938	R	21,520	16,333	R
West	7,660	12,132	*	8,200	11,711	*	9,740	12,571	*	10,100	12,219	*	9,300	11,175	*
Gender	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	21,760	11,878	R	23,980	12,256	R	27,200	12,600	R	27,260	11,845	R	29,480	12,335	R
Male	34,100	12,631	*	36,280	12,513	*	40,540	12,881	*	43,780	13,012	*	42,000	12,142	*

SOURCE: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

NOTE: X represents the number of Medicare beneficiaries diagnosed with any diagnosis of urolithiasis

NOTE: Unweighted counts have been multiplied by 20 to arrive at counts in table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: * indicates that the rate is significantly different from reference group (R)

NOTE: R indicates the reference group

Table 7a - Other Ambulatory Visit Rates for Medicare Beneficiaries with a Diagnosis of Urolithiasis, 2007 - 2011

	2007			2008			2009			2010			2011		
	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator	Count of X	Rate per 100,000 Patients	95% Significance Indicator
Total	73,900	12,755	-	85,780	13,994	-	89,600	13,865	-	102,500	15,049	-	112,940	15,649	-
Age	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	24,480	15,119	R	29,900	17,247	R	29,700	16,162	R	34,300	17,584	R	39,820	18,917	R
70-74	18,700	13,064	*	22,920	14,941	*	24,400	14,914	*	26,980	15,719	*	30,480	16,808	*
75-79	15,760	12,788	*	16,100	12,961	*	16,760	12,859	*	20,620	15,082	*	21,640	15,180	*
80-84	9,460	10,472	*	10,560	11,081	*	12,360	12,648	*	13,040	13,037	*	13,220	12,631	*
85+	5,500	9,055	*	6,300	9,448	*	6,380	9,011	*	7,560	9,732	*	7,780	9,414	*
Race	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	66,120	12,808	R	75,980	13,955	R	80,420	14,001	R	92,700	15,323	R	101,660	15,855	R
Black	3,780	12,000	*	5,080	14,531	*	5,020	12,852	*	5,540	13,572	*	5,680	13,308	*
Hispanic	1,200	12,685	*	960	11,189	*	820	9,152	*	1,240	11,877	*	1,240	11,252	*
Asian	780	8,844	*	820	8,316	*	1,100	12,360	*	1,000	9,615	*	1,660	15,428	*
Other	2,020	15,120	*	2,940	19,470	*	2,240	15,034	*	2,020	13,950	*	2,700	16,812	*
Region	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northeast	16,680	12,370	*	19,600	14,217	*	19,700	13,801	*	22,180	14,974	*	24,620	15,904	*
South	23,400	10,117	*	30,160	12,118	*	30,380	11,455	*	33,920	12,081	*	40,240	13,354	*
Midwest	23,140	17,632	R	23,960	17,446	R	26,340	18,484	R	30,660	20,353	R	31,140	20,449	R
West	10,680	13,024	*	12,060	13,569	*	13,180	13,764	*	15,740	15,495	*	16,940	14,954	*
Gender	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	28,580	12,153	R	33,280	13,375	R	34,660	13,354	R	38,860	14,205	R	42,740	14,794	R
Male	45,320	13,166	*	52,500	14,418	*	54,940	14,208	*	63,640	15,615	*	70,200	16,220	*

SOURCE: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

NOTE: X represents the number of Medicare beneficiaries diagnosed with any diagnosis of urolithiasis

NOTE: Unweighted counts have been multiplied by 20 to arrive at counts in table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 adult Medicare beneficiaries with a diagnosis of urolithiasis.

NOTE: * indicates that the rate is significantly different from reference group (R)

NOTE: R indicates the reference group