

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,572,600	1,558,965	43.64%	1,215,160	34.01%	373,356	10.45%	244,265	6.84%	180,853	5.06%	0	0.00%	0	0.00%
30-39	7,678,692	2,186,558	28.48%	2,425,821	31.59%	1,292,156	16.83%	1,313,066	17.10%	461,091	6.00%	0	0.00%	0	0.00%
40-49	11,180,818	2,767,588	24.75%	3,629,857	32.47%	2,992,442	26.76%	1,307,430	11.69%	474,032	4.24%	9,469	0.08%	0	0.00%
50-59	10,205,687	2,379,144	23.31%	3,653,488	35.80%	2,282,429	22.36%	1,406,949	13.79%	483,678	4.74%	0	0.00%	0	0.00%
60-64	2,894,093	635,688	21.97%	1,226,724	42.39%	510,430	17.64%	183,094	6.33%	318,551	11.01%	19,607	0.68%	0	0.00%
65-69	3,113,945	750,260	24.09%	926,702	29.76%	788,255	25.31%	439,244	14.11%	209,483	6.73%	0	0.00%	0	0.00%
70-74	2,496,191	604,095	24.20%	1,071,940	42.94%	371,073	14.87%	259,299	10.39%	157,193	6.30%	32,591	1.31%	0	0.00%
75-79	2,948,350	786,171	26.66%	973,138	33.01%	722,548	24.51%	231,803	7.86%	193,679	6.57%	41,011	1.39%	0	0.00%
80-84	1,888,506	404,706	21.43%	567,746	30.06%	531,538	28.15%	196,659	10.41%	169,325	8.97%	18,532	0.98%	0	0.00%
85+	1,436,839	400,270	27.86%	433,924	30.20%	259,325	18.05%	79,079	5.50%	247,120	17.20%	17,121	1.19%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	2,718,243	1,040,075	38.26%	829,914	30.53%	498,937	18.36%	201,351	7.41%	138,498	5.10%	9,469	0.35%	0	0.00%
Other Hispanic	2,222,528	841,590	37.87%	754,555	33.95%	181,661	8.17%	239,816	10.79%	185,300	8.34%	19,607	0.88%	0	0.00%
Non-Hispanic White	36,773,932	9,244,415	25.14%	12,463,086	33.89%	8,215,952	22.34%	4,592,307	12.49%	2,148,916	5.84%	109,255	0.30%	0	0.00%
Non-Hispanic Black	3,451,308	796,896	23.09%	1,106,123	32.05%	764,824	22.16%	554,015	16.05%	229,450	6.65%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,298,987	579,423	25.20%	970,821	42.23%	462,178	20.10%	93,722	4.08%	192,843	8.39%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,147,523	365,690	31.87%	281,291	24.51%	312,647	27.25%	184,540	16.08%	3,355	0.29%	0	0.00%	0	0.00%
Less Than 9th Grade	3,648,026	1,057,952	29.00%	1,045,887	28.67%	724,137	19.85%	374,540	10.27%	358,304	9.82%	87,207	2.39%	0	0.00%
9-11th Grade	5,689,145	1,687,125	29.66%	2,104,996	37.00%	920,458	16.18%	685,828	12.06%	290,738	5.11%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	36,955,169	9,384,915	25.40%	12,676,123	34.30%	8,166,310	22.10%	4,436,302	12.00%	2,240,396	6.06%	51,123	0.14%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	28,943,639	7,907,281	27.32%	9,807,022	33.88%	6,423,653	22.19%	3,183,036	11.00%	1,570,449	5.43%	52,198	0.18%	0	0.00%
Widowed	6,231,408	1,343,200	21.56%	2,263,885	36.33%	1,172,229	18.81%	870,307	13.97%	522,244	8.38%	59,543	0.96%	0	0.00%
Divorced	4,912,696	1,273,248	25.92%	1,332,830	27.13%	1,051,138	21.40%	730,228	14.86%	508,131	10.34%	17,121	0.35%	0	0.00%
Separated	1,496,357	304,312	20.34%	831,764	55.59%	103,511	6.92%	159,057	10.63%	97,712	6.53%	0	0.00%	0	0.00%
Never Married	4,174,795	1,245,063	29.82%	1,230,016	29.46%	960,435	23.01%	575,234	13.78%	154,578	3.70%	9,469	0.23%	0	0.00%
Living with Partner	1,537,737	418,005	27.18%	584,993	38.04%	354,292	23.04%	138,555	9.01%	41,892	2.72%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,840,140	926,227	32.61%	795,030	27.99%	502,097	17.68%	405,098	14.26%	153,557	5.41%	58,132	2.05%	0	0.00%
Poverty income ratio less than 1	6,126,491	1,665,160	27.18%	2,131,150	34.79%	1,094,537	17.87%	658,829	10.75%	547,739	8.94%	29,075	0.47%	0	0.00%
Poverty income ratio 1 or greater	38,498,366	9,911,012	25.74%	13,198,319	34.28%	8,526,919	22.15%	4,617,283	11.99%	2,193,710	5.70%	51,123	0.13%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,457,815	539,575	21.95%	559,687	22.77%	535,535	21.79%	134,087	5.46%	660,931	26.89%	28,001	1.14%	0	0.00%
Normal: less than 25	14,775,941	4,750,623	32.15%	5,674,095	38.40%	2,250,583	15.23%	1,697,734	11.49%	385,786	2.61%	17,121	0.12%	0	0.00%
Overweight: 25.0 - 29.9	13,204,493	3,433,314	26.00%	4,954,351	37.52%	2,589,761	19.61%	1,574,779	11.93%	611,277	4.63%	41,011	0.31%	0	0.00%
Obese: 30 or higher	17,026,748	3,778,887	22.19%	4,936,367	28.99%	4,747,673	27.88%	2,274,610	13.36%	1,237,013	7.27%	52,198	0.31%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,136,003	214,698	18.90%	263,182	23.17%	230,829	20.32%	330,984	29.14%	96,311	8.48%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	35,757,787	10,017,307	28.01%	12,430,950	34.76%	7,384,404	20.65%	3,952,811	11.05%	1,913,134	5.35%	59,181	0.17%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	8,147,720	1,858,964	22.82%	2,627,903	32.25%	1,832,065	22.49%	1,055,510	12.95%	754,747	9.26%	18,532	0.23%	0	0.00%
Glycohemoglobin 6.5% or higher	2,423,486	411,430	16.98%	802,464	33.11%	676,255	27.90%	341,906	14.11%	130,814	5.40%	60,618	2.50%	0	0.00%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	3,400,429	517,188	15.21%	848,047	24.94%	1,090,121	32.06%	485,445	14.28%	366,419	10.78%	93,209	2.74%	0	0.00%
No	44,064,568	11,985,211	27.20%	15,276,452	34.67%	9,033,432	20.50%	5,195,765	11.79%	2,528,587	5.74%	45,122	0.10%	0	0.00%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	22,046,460	5,013,902	22.74%	7,201,802	32.67%	5,215,148	23.66%	2,871,035	13.02%	1,717,983	7.79%	26,590	0.12%	0	0.00%
No	25,349,918	7,430,011	29.31%	8,922,698	35.20%	4,898,272	19.32%	2,810,175	11.09%	1,177,023	4.64%	111,740	0.44%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Yes	16,482,833	3,656,091	22.18%	5,809,423	35.25%	3,645,432	22.12%	1,956,794	11.87%	1,395,486	8.47%	19,607	0.12%	0	0.00%
No	30,754,128	8,735,979	28.41%	10,197,369	33.16%	6,478,120	21.06%	3,724,416	12.11%	1,499,520	4.88%	118,724	0.39%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	4,054,628	430,182	10.61%	1,182,865	29.17%	929,356	22.92%	765,858	18.89%	705,355	17.40%	41,011	1.01%	0	0.00%
Mobility limitations	8,924,360	1,722,024	19.30%	2,596,425	29.09%	2,365,169	26.50%	1,280,332	14.35%	905,150	10.14%	55,260	0.62%	0	0.00%
No mobility limitations	9,994,909	3,190,254	31.92%	4,247,962	42.50%	1,742,649	17.44%	466,169	4.66%	315,285	3.15%	32,591	0.33%	0	0.00%
N/A - Respondent not asked mobility limitation questions	24,491,100	7,159,938	29.23%	8,097,247	33.06%	5,086,378	20.77%	3,168,851	12.94%	969,216	3.96%	9,469	0.04%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	2,390,395	261,335	10.93%	640,353	26.79%	901,213	37.70%	246,683	10.32%	340,811	14.26%	0	0.00%	0	0.00%
30 to 34	2,413,729	923,735	38.27%	487,777	20.21%	467,493	19.37%	258,179	10.70%	276,544	11.46%	0	0.00%	0	0.00%
35 to 39	3,044,250	671,757	22.07%	825,712	27.12%	696,267	22.87%	542,585	17.82%	307,928	10.12%	0	0.00%	0	0.00%
40 to 44	3,362,062	840,120	24.99%	1,031,180	30.67%	1,037,747	30.87%	224,825	6.69%	187,179	5.57%	41,011	1.22%	0	0.00%
45 to 49	5,551,790	1,486,576	26.78%	2,181,584	39.30%	819,460	14.76%	621,538	11.20%	374,387	6.74%	68,244	1.23%	0	0.00%
50 to 54	6,200,160	1,327,039	21.40%	2,723,037	43.92%	1,002,550	16.17%	538,832	8.69%	608,701	9.82%	0	0.00%	0	0.00%
55 or older	2,036,340	420,976	20.67%	627,751	30.83%	484,207	23.78%	271,685	13.34%	231,720	11.38%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	22,330,686	6,525,983	29.22%	7,601,280	34.04%	4,629,730	20.73%	2,976,883	13.33%	567,735	2.54%	29,075	0.13%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	676,346	216,799	32.05%	199,896	29.56%	208,853	30.88%	7,631	1.13%	23,561	3.48%	19,607	2.90%	0	0.00%
None	4,509,228	1,440,675	31.95%	1,598,470	35.45%	1,007,571	22.34%	419,118	9.29%	43,395	0.96%	0	0.00%	0	0.00%
1	5,200,552	1,931,774	37.15%	1,544,753	29.70%	907,039	17.44%	457,013	8.79%	359,973	6.92%	0	0.00%	0	0.00%
2	9,422,571	3,045,435	32.32%	2,811,625	29.84%	2,137,597	22.69%	1,016,827	10.79%	411,088	4.36%	0	0.00%	0	0.00%
More than 2	27,656,300	5,867,716	21.22%	9,969,755	36.05%	5,862,493	21.20%	3,780,622	13.67%	2,056,990	7.44%	118,724	0.43%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	938,708	257,118	27.39%	260,697	27.77%	276,442	29.45%	7,631	0.81%	117,215	12.49%	19,607	2.09%	0	0.00%
29 years old or younger	31,053,427	7,264,094	23.39%	10,826,052	34.86%	6,500,347	20.93%	4,163,620	13.41%	2,197,713	7.08%	101,603	0.33%	0	0.00%
30 - 40 years old	1,745,958	466,198	26.70%	635,440	36.39%	454,223	26.02%	106,230	6.08%	66,746	3.82%	17,121	0.98%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,509,228	1,440,675	31.95%	1,598,470	35.45%	1,007,571	22.34%	419,118	9.29%	43,395	0.96%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,354,891	2,188,117	29.75%	2,365,233	32.16%	1,593,627	21.67%	820,571	11.16%	387,343	5.27%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,846,854	870,267	47.12%	438,607	23.75%	291,343	15.78%	164,041	8.88%	82,595	4.47%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,773,094	922,134	24.44%	960,048	25.44%	1,020,457	27.05%	617,790	16.37%	233,057	6.18%	19,607	0.52%	0	0.00%
29 years old or younger	20,591,782	5,048,846	24.52%	7,006,333	34.02%	4,209,927	20.44%	2,838,282	13.78%	1,446,335	7.02%	42,060	0.20%	0	0.00%
30 - 40 years old	15,131,027	3,797,340	25.10%	5,546,725	36.66%	3,248,757	21.47%	1,461,202	9.66%	1,000,339	6.61%	76,664	0.51%	0	0.00%
41 years or older	1,570,123	423,137	26.95%	531,426	33.85%	345,497	22.00%	180,778	11.51%	89,285	5.69%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,509,228	1,440,675	31.95%	1,598,470	35.45%	1,007,571	22.34%	419,118	9.29%	43,395	0.96%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,846,854	870,267	47.12%	438,607	23.75%	291,343	15.78%	164,041	8.88%	82,595	4.47%	0	0.00%	0	0.00%
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,039,045	4,830,149	28.35%	6,322,653	37.11%	3,398,962	19.95%	2,123,227	12.46%	344,448	2.02%	19,607	0.12%	0	0.00%
Yes	13,907,890	2,938,418	21.13%	4,388,272	31.55%	3,369,064	24.22%	1,628,885	11.71%	1,583,251	11.38%	0	0.00%	0	0.00%
No	16,518,062	4,733,831	28.66%	5,413,575	32.77%	3,355,527	20.31%	1,929,098	11.68%	967,307	5.86%	118,724	0.72%	0	0.00%
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,071,788	4,830,149	28.29%	6,355,397	37.23%	3,398,962	19.91%	2,123,227	12.44%	344,448	2.02%	19,607	0.11%	0	0.00%
35 years old or younger	5,168,523	1,258,663	24.35%	1,266,778	24.51%	1,369,553	26.50%	618,697	11.97%	654,831	12.67%	0	0.00%	0	0.00%
36 - 50 years old	6,881,436	1,258,084	18.28%	2,478,346	36.01%	1,754,282	25.49%	773,797	11.24%	616,927	8.97%	0	0.00%	0	0.00%
51 years or older	1,655,099	398,674	24.09%	549,670	33.21%	245,229	14.82%	175,022	10.57%	286,503	17.31%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	16,518,062	4,733,831	28.66%	5,413,575	32.77%	3,355,527	20.31%	1,929,098	11.68%	967,307	5.86%	118,724	0.72%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	12,502,399	26.34%	16,124,499	33.97%	10,123,552	21.33%	5,681,210	11.97%	2,895,006	6.10%	138,330	0.29%	0	0.00%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	4,011,915	804,844	20.06%	1,584,831	39.50%	1,114,942	27.79%	452,257	11.27%	35,434	0.88%	19,607	0.49%	0	0.00%
Yes	13,907,890	2,938,418	21.13%	4,388,272	31.55%	3,369,064	24.22%	1,628,885	11.71%	1,583,251	11.38%	0	0.00%	0	0.00%
No	29,545,192	8,759,137	29.65%	10,151,397	34.36%	5,639,546	19.09%	3,600,068	12.18%	1,276,321	4.32%	118,724	0.40%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,608,846	1,027,784	28.48%	1,424,885	39.48%	633,849	17.56%	455,519	12.62%	66,810	1.85%	0	0.00%	0	0.00%
30-39	7,277,402	1,825,948	25.09%	3,322,951	45.66%	870,781	11.97%	854,446	11.74%	403,276	5.54%	0	0.00%	0	0.00%
40-49	10,952,929	2,465,834	22.51%	4,227,869	38.60%	2,424,181	22.13%	1,055,116	9.63%	779,929	7.12%	0	0.00%	0	0.00%
50-59	10,674,979	1,998,187	18.72%	4,238,712	39.71%	2,609,733	24.45%	1,376,912	12.90%	451,435	4.23%	0	0.00%	0	0.00%
60-64	2,899,455	769,568	26.54%	1,237,165	42.67%	557,856	19.24%	211,842	7.31%	123,024	4.24%	0	0.00%	0	0.00%
65-69	4,074,747	1,141,540	28.01%	1,173,773	28.81%	1,110,732	27.26%	595,926	14.62%	52,775	1.30%	0	0.00%	0	0.00%
70-74	3,191,932	521,799	16.35%	1,258,616	39.43%	990,621	31.04%	234,106	7.33%	182,087	5.70%	4,702	0.15%	0	0.00%
75-79	3,607,529	825,921	22.89%	1,562,988	43.33%	558,666	15.49%	314,566	8.72%	282,093	7.82%	63,293	1.75%	0	0.00%
80-84	1,806,355	620,664	34.36%	573,732	31.76%	377,394	20.89%	127,570	7.06%	106,997	5.92%	0	0.00%	0	0.00%
85+	1,282,311	357,669	27.89%	408,642	31.87%	261,584	20.40%	104,243	8.13%	150,173	11.71%	0	0.00%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	3,320,375	956,253	28.80%	1,279,421	38.53%	567,509	17.09%	377,748	11.38%	134,741	4.06%	4,702	0.14%	0	0.00%
Other Hispanic	1,612,394	450,681	27.95%	487,951	30.26%	503,806	31.25%	169,956	10.54%	0	0.00%	0	0.00%	0	0.00%
Non-Hispanic White	37,628,646	8,003,158	21.27%	15,556,172	41.34%	7,636,858	20.30%	4,233,511	11.25%	2,135,653	5.68%	63,293	0.17%	0	0.00%
Non-Hispanic Black	4,998,893	1,666,677	33.34%	1,428,353	28.57%	1,248,710	24.98%	446,970	8.94%	208,184	4.16%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,108,592	612,010	29.02%	761,953	36.14%	512,547	24.31%	102,060	4.84%	120,022	5.69%	0	0.00%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,565,375	473,361	30.24%	449,323	28.70%	419,234	26.78%	184,692	11.80%	38,765	2.48%	0	0.00%	0	0.00%
Less Than 9th Grade	3,808,148	1,051,255	27.61%	1,316,173	34.56%	629,855	16.54%	544,555	14.30%	261,607	6.87%	4,702	0.12%	0	0.00%
9-11th Grade	5,416,849	1,302,248	24.04%	1,674,842	30.92%	1,276,472	23.56%	698,787	12.90%	464,501	8.58%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	38,831,527	8,826,663	22.73%	16,065,119	41.37%	8,143,870	20.97%	3,898,855	10.04%	1,833,727	4.72%	63,293	0.16%	0	0.00%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	28,441,613	6,374,358	22.41%	11,965,718	42.07%	6,070,944	21.35%	2,851,954	10.03%	1,110,643	3.90%	67,996	0.24%	0	0.00%
Widowed	7,023,421	1,623,041	23.11%	2,575,189	36.67%	1,636,519	23.30%	868,178	12.36%	320,493	4.56%	0	0.00%	0	0.00%
Divorced	5,843,281	1,493,712	25.56%	1,728,619	29.58%	1,141,594	19.54%	708,204	12.12%	771,152	13.20%	0	0.00%	0	0.00%
Separated	988,558	117,564	11.89%	456,338	46.16%	294,278	29.77%	77,512	7.84%	42,866	4.34%	0	0.00%	0	0.00%
Never Married	4,823,731	1,507,357	31.25%	1,930,982	40.03%	852,719	17.68%	376,360	7.80%	156,313	3.24%	0	0.00%	0	0.00%
Living with Partner	2,422,887	527,038	21.75%	844,219	34.84%	439,617	18.14%	414,881	17.12%	197,132	8.14%	0	0.00%	0	0.00%
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,464,445	773,175	31.37%	1,030,345	41.81%	260,556	10.57%	248,322	10.08%	152,047	6.17%	0	0.00%	0	0.00%
Poverty income ratio less than 1	6,757,628	1,838,982	27.21%	2,555,750	37.82%	1,423,592	21.07%	707,289	10.47%	232,016	3.43%	0	0.00%	0	0.00%
Poverty income ratio 1 or greater	40,446,827	9,076,621	22.44%	15,927,756	39.38%	8,785,282	21.72%	4,374,636	10.82%	2,214,537	5.48%	67,996	0.17%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	746,870	162,885	21.81%	358,139	47.95%	28,301	3.79%	48,114	6.44%	144,728	19.38%	4,702	0.63%	0	0.00%
Normal: less than 25	14,598,962	3,634,602	24.90%	6,216,625	42.58%	2,700,390	18.50%	1,491,062	10.21%	556,284	3.81%	0	0.00%	0	0.00%
Overweight: 25.0 - 29.9	14,607,828	3,701,260	25.34%	5,711,764	39.10%	2,897,787	19.84%	1,523,570	10.43%	710,154	4.86%	63,293	0.43%	0	0.00%
Obese: 30 or higher	19,715,241	4,190,032	21.25%	7,227,323	36.66%	4,842,952	24.56%	2,267,500	11.50%	1,187,434	6.02%	0	0.00%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,123,877	203,428	18.10%	287,812	25.61%	480,118	42.72%	0	0.00%	152,518	13.57%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	36,705,283	9,342,940	25.45%	14,699,551	40.05%	7,112,918	19.38%	3,710,659	10.11%	1,771,219	4.83%	67,996	0.19%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	7,967,296	1,644,820	20.64%	2,830,665	35.53%	2,084,564	26.16%	866,494	10.88%	540,753	6.79%	0	0.00%	0	0.00%
Glycohemoglobin 6.5% or higher	3,872,445	497,589	12.85%	1,695,822	43.79%	791,831	20.45%	753,092	19.45%	134,110	3.46%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,238,254	793,085	15.14%	1,796,332	34.29%	1,469,740	28.06%	954,594	18.22%	224,504	4.29%	0	0.00%	0	0.00%
No	44,430,647	10,895,693	24.52%	17,717,519	39.88%	8,999,691	20.26%	4,375,652	9.85%	2,374,096	5.34%	67,996	0.15%	0	0.00%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	23,427,363	5,568,381	23.77%	8,979,235	38.33%	4,788,156	20.44%	2,516,438	10.74%	1,575,154	6.72%	0	0.00%	0	0.00%
No	26,236,835	6,120,398	23.33%	10,534,616	40.15%	5,681,275	21.65%	2,813,808	10.72%	1,023,446	3.90%	63,293	0.24%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Yes	18,880,048	3,662,773	19.40%	7,281,385	38.57%	4,564,732	24.18%	2,552,732	13.52%	755,134	4.00%	63,293	0.34%	0	0.00%
No	30,466,498	7,840,552	25.73%	12,202,331	40.05%	5,876,300	19.29%	2,777,514	9.12%	1,765,099	5.79%	4,702	0.02%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,973,085	1,847,655	23.17%	2,695,175	33.80%	1,671,093	20.96%	1,139,554	14.29%	614,905	7.71%	4,702	0.06%	0	0.00%
Mobility limitations	8,334,329	1,606,400	19.27%	2,888,905	34.66%	2,256,374	27.07%	825,432	9.90%	693,924	8.33%	63,293	0.76%	0	0.00%
No mobility limitations	11,263,149	2,776,201	24.65%	4,272,213	37.93%	2,501,557	22.21%	1,374,161	12.20%	339,017	3.01%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	22,098,338	5,458,522	24.70%	9,657,557	43.70%	4,040,406	18.28%	1,991,099	9.01%	950,754	4.30%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI0.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,398,757	381,236	27.26%	491,573	35.14%	313,290	22.40%	80,968	5.79%	131,690	9.41%	0	0.00%	0	0.00%
Younger than 30	1,813,301	452,997	24.98%	567,243	31.28%	445,768	24.58%	310,608	17.13%	36,686	2.02%	0	0.00%	0	0.00%
30 to 34	3,352,427	279,424	8.33%	1,255,612	37.45%	927,020	27.65%	565,111	16.86%	325,261	9.70%	0	0.00%	0	0.00%
35 to 39	3,917,954	779,439	19.89%	1,514,051	38.64%	685,222	17.49%	598,190	15.27%	341,052	8.70%	0	0.00%	0	0.00%
40 to 44	3,852,572	1,060,671	27.53%	1,402,292	36.40%	934,018	24.24%	166,338	4.32%	289,254	7.51%	0	0.00%	0	0.00%
45 to 49	6,311,824	1,299,209	20.58%	2,944,212	46.65%	1,064,977	16.87%	795,658	12.61%	207,767	3.29%	0	0.00%	0	0.00%
50 to 54	5,279,756	1,062,861	20.13%	2,186,497	41.41%	1,287,507	24.39%	503,446	9.54%	239,444	4.54%	0	0.00%	0	0.00%
55 or older	2,726,474	778,552	28.56%	968,545	35.52%	514,987	18.89%	249,979	9.17%	146,416	5.37%	67,996	2.49%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	20,937,698	5,577,200	26.64%	8,160,269	38.97%	4,277,613	20.43%	2,041,587	9.75%	881,029	4.21%	0	0.00%	0	0.00%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	958,973	274,660	28.64%	333,049	34.73%	215,264	22.45%	4,309	0.45%	131,690	13.73%	0	0.00%	0	0.00%
None	5,982,167	2,050,016	34.27%	1,966,182	32.87%	1,386,610	23.18%	500,146	8.36%	79,213	1.32%	0	0.00%	0	0.00%
1	6,362,208	1,418,419	22.29%	3,223,899	50.67%	1,020,408	16.04%	329,898	5.19%	369,582	5.81%	0	0.00%	0	0.00%
2	10,801,210	2,388,138	22.11%	4,267,738	39.51%	1,938,980	17.95%	1,506,554	13.95%	636,507	5.89%	63,293	0.59%	0	0.00%
More than 2	25,564,343	5,557,544	21.74%	9,722,983	38.03%	5,908,168	23.11%	2,989,338	11.69%	1,381,608	5.40%	4,702	0.02%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,076,075	374,975	34.85%	343,230	31.90%	221,871	20.62%	4,309	0.40%	131,690	12.24%	0	0.00%	0	0.00%
29 years old or younger	30,909,649	6,349,985	20.54%	12,170,774	39.38%	6,391,848	20.68%	4,161,907	13.46%	1,767,139	5.72%	67,996	0.22%	0	0.00%
30 - 40 years old	2,008,576	677,988	33.75%	369,379	18.39%	732,292	36.46%	23,580	1.17%	205,338	10.22%	0	0.00%	0	0.00%
41 years or older	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,982,167	2,050,016	34.27%	1,966,182	32.87%	1,386,610	23.18%	500,146	8.36%	79,213	1.32%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,964,471	1,417,017	17.79%	4,177,432	52.45%	1,445,134	18.14%	616,732	7.74%	308,157	3.87%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,665,033	755,868	45.40%	486,854	29.24%	291,676	17.52%	23,572	1.42%	107,062	6.43%	0	0.00%	0	0.00%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,574,328	1,044,174	29.21%	1,005,932	28.14%	987,213	27.62%	248,094	6.94%	288,915	8.08%	0	0.00%	0	0.00%
29 years old or younger	23,736,444	4,736,724	19.96%	10,197,250	42.96%	4,663,304	19.65%	2,696,112	11.36%	1,379,761	5.81%	63,293	0.27%	0	0.00%
30 - 40 years old	13,701,788	2,868,243	20.93%	5,318,451	38.82%	2,953,170	21.55%	1,813,574	13.24%	743,648	5.43%	4,702	0.03%	0	0.00%
41 years or older	960,358	233,754	24.34%	520,791	54.23%	182,233	18.98%	23,580	2.46%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,982,167	2,050,016	34.27%	1,966,182	32.87%	1,386,610	23.18%	500,146	8.36%	79,213	1.32%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,665,033	755,868	45.40%	486,854	29.24%	291,676	17.52%	23,572	1.42%	107,062	6.43%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,066,555	4,574,410	26.80%	6,659,121	39.02%	3,476,569	20.37%	1,628,729	9.54%	727,726	4.26%	0	0.00%	0	0.00%
Yes	14,431,796	2,332,703	16.16%	5,622,011	38.96%	3,326,328	23.05%	1,817,317	12.59%	1,333,438	9.24%	0	0.00%	0	0.00%
No	18,102,553	4,781,664	26.41%	7,232,719	39.95%	3,666,534	20.25%	1,884,200	10.41%	537,436	2.97%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,134,551	4,574,410	26.70%	6,659,121	38.86%	3,476,569	20.29%	1,628,729	9.51%	727,726	4.25%	67,996	0.40%	0	0.00%
35 years old or younger	5,505,373	683,820	12.42%	1,854,874	33.69%	1,458,607	26.49%	1,033,099	18.77%	474,973	8.63%	0	0.00%	0	0.00%
36 - 50 years old	6,930,919	1,348,622	19.46%	3,208,960	46.30%	1,399,426	20.19%	399,654	5.77%	574,258	8.29%	0	0.00%	0	0.00%
51 years or older	1,886,583	300,262	15.92%	467,615	24.79%	468,295	24.82%	366,204	19.41%	284,207	15.06%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	18,102,553	4,781,664	26.41%	7,232,719	39.95%	3,666,534	20.25%	1,884,200	10.41%	537,436	2.97%	0	0.00%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	11,688,778	23.53%	19,513,851	39.29%	10,469,430	21.08%	5,330,246	10.73%	2,598,600	5.23%	67,996	0.14%	0	0.00%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,019,234	356,255	34.95%	242,944	23.84%	284,036	27.87%	4,309	0.42%	131,690	12.92%	0	0.00%	0	0.00%
Yes	14,431,796	2,332,703	16.16%	5,622,011	38.96%	3,326,328	23.05%	1,817,317	12.59%	1,333,438	9.24%	0	0.00%	0	0.00%
No	34,149,874	8,999,820	26.35%	13,648,896	39.97%	6,859,067	20.09%	3,508,620	10.27%	1,133,471	3.32%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,941,809	1,839,187	46.66%	1,222,906	31.02%	489,113	12.41%	220,170	5.59%	116,106	2.95%	0	0.00%	54,327	1.38%
30-39	7,894,514	3,158,359	40.01%	2,204,763	27.93%	1,286,922	16.30%	686,603	8.70%	550,682	6.98%	7,185	0.09%	0	0.00%
40-49	11,905,894	4,182,893	35.13%	4,558,508	38.29%	1,627,320	13.67%	496,607	4.17%	1,040,565	8.74%	0	0.00%	0	0.00%
50-59	11,076,998	3,788,048	34.20%	3,404,282	30.73%	2,244,157	20.26%	959,118	8.66%	681,392	6.15%	0	0.00%	0	0.00%
60-64	4,306,761	1,371,668	31.85%	1,100,205	25.55%	892,364	20.72%	572,082	13.28%	370,441	8.60%	0	0.00%	0	0.00%
65-69	4,027,952	1,376,377	34.17%	1,806,098	44.84%	555,885	13.80%	181,375	4.50%	108,217	2.69%	0	0.00%	0	0.00%
70-74	3,416,773	1,099,050	32.17%	972,411	28.46%	859,418	25.15%	383,395	11.22%	102,499	3.00%	0	0.00%	0	0.00%
75-79	2,778,416	1,060,866	38.18%	1,018,074	36.64%	558,814	20.11%	0	0.00%	140,662	5.06%	0	0.00%	0	0.00%
80-84	1,929,806	631,934	32.75%	596,715	30.92%	475,022	24.62%	158,861	8.23%	19,209	1.00%	48,066	2.49%	0	0.00%
85+	1,352,603	500,160	36.98%	528,516	39.07%	224,495	16.60%	64,714	4.78%	34,717	2.57%	0	0.00%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	3,728,425	1,819,366	48.80%	1,224,340	32.84%	316,583	8.49%	285,251	7.65%	75,701	2.03%	7,185	0.19%	0	0.00%
Other Hispanic	1,850,588	1,026,154	55.45%	240,927	13.02%	378,521	20.45%	204,986	11.08%	0	0.00%	0	0.00%	0	0.00%
Non-Hispanic White	39,062,749	12,881,031	32.98%	13,886,406	35.55%	7,231,605	18.51%	2,434,058	6.23%	2,581,585	6.61%	48,066	0.12%	0	0.00%
Non-Hispanic Black	5,487,746	2,515,331	45.84%	1,264,206	23.04%	869,840	15.85%	455,675	8.30%	382,694	6.97%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,597,454	819,426	31.55%	839,270	32.31%	416,962	16.05%	342,956	13.20%	124,512	4.79%	0	0.00%	54,327	2.09%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	987,475	258,166	26.14%	401,340	40.64%	122,852	12.44%	22,961	2.33%	182,155	18.45%	0	0.00%	0	0.00%
Less Than 9th Grade	3,249,541	1,541,078	47.42%	967,006	29.76%	425,113	13.08%	192,435	5.92%	123,908	3.81%	0	0.00%	0	0.00%
9-11th Grade	6,419,605	2,675,614	41.68%	1,678,853	26.15%	1,085,581	16.91%	547,238	8.52%	432,320	6.73%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	42,033,567	14,549,676	34.61%	14,407,949	34.28%	7,579,965	18.03%	2,960,291	7.04%	2,426,109	5.77%	55,250	0.13%	54,327	0.13%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	30,891,097	11,128,224	36.02%	10,809,221	34.99%	5,003,896	16.20%	2,120,006	6.86%	1,768,238	5.72%	7,185	0.02%	54,327	0.18%
Widowed	5,387,335	1,814,594	33.68%	1,392,696	25.85%	1,273,213	23.63%	637,558	11.83%	221,210	4.11%	48,066	0.89%	0	0.00%
Divorced	6,926,457	2,607,069	37.64%	2,260,206	32.63%	1,348,398	19.47%	313,816	4.53%	396,968	5.73%	0	0.00%	0	0.00%
Separated	1,602,315	695,054	43.38%	398,874	24.89%	291,472	18.19%	190,982	11.92%	25,934	1.62%	0	0.00%	0	0.00%
Never Married	4,816,185	1,737,077	36.07%	1,526,979	31.71%	990,879	20.57%	314,144	6.52%	247,106	5.13%	0	0.00%	0	0.00%
Living with Partner	2,963,262	1,071,915	36.17%	934,237	31.53%	305,654	10.31%	146,420	4.94%	505,036	17.04%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,060,738	782,459	37.97%	614,591	29.82%	492,793	23.91%	14,432	0.70%	156,463	7.59%	0	0.00%	0	0.00%
Poverty income ratio less than 1	5,439,550	1,937,506	35.62%	1,396,729	25.68%	1,134,758	20.86%	445,984	8.20%	463,060	8.51%	7,185	0.13%	54,327	1.00%
Poverty income ratio 1 or greater	45,226,675	16,341,343	36.13%	15,443,829	34.15%	7,585,960	16.77%	3,262,509	7.21%	2,544,968	5.63%	48,066	0.11%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	564,713	83,542	14.79%	319,061	56.50%	150,366	26.63%	11,744	2.08%	0	0.00%	0	0.00%	0	0.00%
Normal: less than 25	16,462,167	7,011,882	42.59%	5,510,145	33.47%	2,402,556	14.59%	692,694	4.21%	796,824	4.84%	48,066	0.29%	0	0.00%
Overweight: 25.0 - 29.9	13,604,590	4,496,520	33.05%	4,350,450	31.98%	2,841,078	20.88%	960,444	7.06%	901,771	6.63%	0	0.00%	54,327	0.40%
Obese: 30 or higher	22,095,493	7,469,364	33.80%	7,275,493	32.93%	3,819,511	17.29%	2,058,043	9.31%	1,465,896	6.63%	7,185	0.03%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,130,605	332,944	29.45%	649,563	57.45%	100,049	8.85%	24,100	2.13%	23,950	2.12%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	37,712,559	13,727,206	36.40%	12,782,388	33.89%	6,604,250	17.51%	1,956,517	5.19%	2,587,870	6.86%	0	0.00%	54,327	0.14%
Glycohemoglobin 5.7% - 6.4%	9,679,205	3,390,367	35.03%	2,571,004	26.56%	2,024,349	20.91%	1,240,834	12.82%	445,466	4.60%	7,185	0.07%	0	0.00%
Glycohemoglobin 6.5% or higher	4,204,593	1,610,791	38.31%	1,452,193	34.54%	484,862	11.53%	501,474	11.93%	107,206	2.55%	48,066	1.14%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,890,347	2,078,908	35.29%	1,737,817	29.50%	1,023,805	17.38%	882,042	14.97%	119,710	2.03%	48,066	0.82%	0	0.00%
No	46,836,616	16,982,400	36.26%	15,717,332	33.56%	8,189,706	17.49%	2,840,884	6.07%	3,044,782	6.50%	7,185	0.02%	54,327	0.12%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	23,259,740	8,198,750	35.25%	7,812,028	33.59%	3,779,377	16.25%	1,729,668	7.44%	1,678,406	7.22%	7,185	0.03%	54,327	0.23%
No	29,458,736	10,854,072	36.85%	9,643,122	32.73%	5,434,134	18.45%	1,993,257	6.77%	1,486,085	5.04%	48,066	0.16%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	20,316,113	6,632,263	32.65%	7,068,333	34.79%	3,358,053	16.53%	1,895,079	9.33%	1,362,385	6.71%	0	0.00%	0	0.00%
No	32,204,718	12,368,633	38.41%	10,272,830	31.90%	5,823,725	18.08%	1,827,846	5.68%	1,802,107	5.60%	55,250	0.17%	54,327	0.17%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,607,759	1,949,763	25.63%	2,181,749	28.68%	1,946,616	25.59%	909,804	11.96%	571,761	7.52%	48,066	0.63%	0	0.00%
Mobility limitations	6,347,095	1,691,920	26.66%	2,620,079	41.28%	1,197,864	18.87%	369,372	5.82%	467,861	7.37%	0	0.00%	0	0.00%
No mobility limitations	12,359,990	4,873,562	39.43%	3,873,837	31.34%	2,127,129	17.21%	635,769	5.14%	849,694	6.87%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	26,412,119	10,546,064	39.93%	8,779,484	33.24%	3,941,902	14.92%	1,807,981	6.85%	1,275,176	4.83%	7,185	0.03%	54,327	0.21%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	4,500,857	1,274,926	28.33%	1,454,534	32.32%	738,396	16.41%	610,841	13.57%	422,159	9.38%	0	0.00%	0	0.00%
No	48,213,491	17,773,767	36.86%	16,000,615	33.19%	8,475,115	17.58%	3,112,084	6.45%	2,742,333	5.69%	55,250	0.11%	54,327	0.11%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	509,435	334,014	65.57%	0	0.00%	109,349	21.46%	11,744	2.31%	0	0.00%	0	0.00%	54,327	10.66%
2 or more times a day	6,903,066	2,355,605	34.12%	2,256,392	32.69%	1,377,668	19.96%	585,386	8.48%	328,015	4.75%	0	0.00%	0	0.00%
Once a day	4,756,242	1,467,581	30.86%	1,578,856	33.20%	1,077,367	22.65%	512,440	10.77%	119,998	2.52%	0	0.00%	0	0.00%
2 or more time a week	5,982,021	2,097,093	35.06%	2,431,311	40.64%	834,984	13.96%	434,353	7.26%	184,281	3.08%	0	0.00%	0	0.00%
Once a week	3,547,839	1,246,915	35.15%	1,078,223	30.39%	828,623	23.36%	278,378	7.85%	115,700	3.26%	0	0.00%	0	0.00%
1-3 times a month	8,401,712	2,291,776	27.28%	3,162,301	37.64%	1,695,033	20.17%	693,637	8.26%	558,965	6.65%	0	0.00%	0	0.00%
Never	22,545,806	9,235,548	40.96%	6,948,067	30.82%	3,290,487	14.59%	1,206,987	5.35%	1,857,533	8.24%	7,185	0.03%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	509,435	334,014	65.57%	0	0.00%	109,349	21.46%	11,744	2.31%	0	0.00%	0	0.00%	54,327	10.66%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	917,586	164,683	17.95%	375,521	40.92%	214,654	23.39%	50,841	5.54%	111,887	12.19%	0	0.00%	0	0.00%
Never	50,692,795	18,375,230	36.25%	17,010,589	33.56%	8,860,125	17.48%	3,481,487	6.87%	2,958,179	5.84%	7,185	0.01%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,824,552	639,340	35.04%	311,648	17.08%	461,718	25.31%	206,391	11.31%	205,456	11.26%	0	0.00%	0	0.00%
30 to 34	1,997,986	713,530	35.71%	669,646	33.52%	106,719	5.34%	0	0.00%	508,091	25.43%	0	0.00%	0	0.00%
35 to 39	3,238,424	1,008,865	31.15%	1,075,732	33.22%	678,218	20.94%	428,739	13.24%	46,870	1.45%	0	0.00%	0	0.00%
40 to 44	4,893,379	1,195,731	24.44%	2,061,382	42.13%	995,115	20.34%	380,135	7.77%	253,830	5.19%	7,185	0.15%	0	0.00%
45 to 49	6,724,172	1,972,177	29.33%	2,381,058	35.41%	1,559,328	23.19%	368,577	5.48%	443,033	6.59%	0	0.00%	0	0.00%
50 to 54	7,899,526	2,970,609	37.60%	2,770,803	35.08%	1,204,799	15.25%	611,412	7.74%	341,903	4.33%	0	0.00%	0	0.00%
55 or older	2,465,597	868,255	35.21%	813,764	33.00%	493,531	20.02%	143,208	5.81%	98,774	4.01%	48,066	1.95%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	23,295,515	9,482,853	40.71%	7,256,993	31.15%	3,682,348	15.81%	1,552,459	6.66%	1,266,535	5.44%	0	0.00%	54,327	0.23%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
None	4,625,041	1,704,575	36.86%	1,569,460	33.93%	968,020	20.93%	238,797	5.16%	96,124	2.08%	48,066	1.04%	0	0.00%
1	6,051,577	2,175,597	35.95%	2,374,760	39.24%	626,194	10.35%	621,089	10.26%	253,936	4.20%	0	0.00%	0	0.00%
2	11,218,022	4,408,319	39.30%	3,569,153	31.82%	1,939,158	17.29%	590,990	5.27%	656,075	5.85%	0	0.00%	54,327	0.48%
More than 2	30,832,322	10,772,818	34.94%	9,941,775	32.24%	5,680,138	18.42%	2,272,049	7.37%	2,158,357	7.00%	7,185	0.02%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	261,752	69,101	26.40%	169,905	64.91%	22,746	8.69%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
None	11,854,360	4,416,465	37.26%	4,020,829	33.92%	2,109,007	17.79%	844,500	7.12%	415,493	3.50%	48,066	0.41%	0	0.00%
1	7,825,805	2,776,272	35.48%	2,660,045	33.99%	1,191,705	15.23%	801,329	10.24%	396,454	5.07%	0	0.00%	0	0.00%
2	12,790,074	4,808,127	37.59%	3,641,456	28.47%	2,488,469	19.46%	876,158	6.85%	921,536	7.21%	0	0.00%	54,327	0.42%
More than 2	19,994,971	6,991,343	34.97%	6,962,913	34.82%	3,401,584	17.01%	1,200,938	6.01%	1,431,008	7.16%	7,185	0.04%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	261,752	69,101	26.40%	169,905	64.91%	22,746	8.69%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
None	17,652,821	6,201,309	35.13%	5,988,748	33.93%	2,728,350	15.46%	1,567,584	8.88%	1,166,831	6.61%	0	0.00%	0	0.00%
1	4,695,588	1,994,932	42.49%	1,057,644	22.52%	1,122,301	23.90%	189,134	4.03%	331,578	7.06%	0	0.00%	0	0.00%
2	2,784,155	967,594	34.75%	1,096,704	39.39%	347,653	12.49%	220,140	7.91%	152,063	5.46%	0	0.00%	0	0.00%
More than 2	776,865	153,859	19.81%	174,751	22.49%	252,623	32.52%	131,858	16.97%	63,774	8.21%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Vaginal delivery/deliveries only	26,447,433	9,674,514	36.58%	8,967,397	33.91%	4,631,491	17.51%	1,614,209	6.10%	1,450,245	5.48%	55,250	0.21%	54,327	0.21%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,659,608	696,708	41.98%	535,255	32.25%	242,824	14.63%	158,888	9.57%	25,934	1.56%	0	0.00%	0	0.00%
29 years old or younger	34,383,269	12,270,716	35.69%	11,086,456	32.24%	5,956,399	17.32%	2,347,823	6.83%	2,660,364	7.74%	7,185	0.02%	54,327	0.16%
30 - 40 years old	2,208,454	690,119	31.25%	641,569	29.05%	736,083	33.33%	63,251	2.86%	77,432	3.51%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,625,041	1,704,575	36.86%	1,569,460	33.93%	968,020	20.93%	238,797	5.16%	96,124	2.08%	48,066	1.04%	0	0.00%
Only 1 live birth - see age at last live birth	8,001,034	3,001,660	37.52%	2,764,152	34.55%	1,168,255	14.60%	820,719	10.26%	246,248	3.08%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,694,986	640,237	37.77%	760,981	44.90%	141,931	8.37%	93,448	5.51%	58,390	3.44%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,659,608	696,708	41.98%	535,255	32.25%	242,824	14.63%	158,888	9.57%	25,934	1.56%	0	0.00%	0	0.00%
29 years old or younger	23,327,162	8,317,013	35.65%	6,923,975	29.68%	4,187,394	17.95%	1,998,523	8.57%	1,845,930	7.91%	0	0.00%	54,327	0.23%
30 - 40 years old	20,224,723	7,270,772	35.95%	7,257,365	35.88%	3,415,608	16.89%	1,135,679	5.62%	1,138,115	5.63%	7,185	0.04%	0	0.00%
41 years or older	892,812	296,596	33.22%	278,290	31.17%	225,729	25.28%	92,196	10.33%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	302,631	135,409	44.74%	129,822	42.90%	32,005	10.58%	5,394	1.78%	0	0.00%	0	0.00%	0	0.00%
N/A - Never pregnant	4,625,041	1,704,575	36.86%	1,569,460	33.93%	968,020	20.93%	238,797	5.16%	96,124	2.08%	48,066	1.04%	0	0.00%
No pregnancies resulting in live births	1,694,986	640,237	37.77%	760,981	44.90%	141,931	8.37%	93,448	5.51%	58,390	3.44%	0	0.00%	0	0.00%
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	18,596,543	7,059,029	37.96%	5,863,536	31.53%	2,930,578	15.76%	1,441,490	7.75%	1,247,584	6.71%	0	0.00%	54,327	0.29%
Yes	13,722,942	3,868,091	28.19%	4,496,970	32.77%	2,840,305	20.70%	1,358,498	9.90%	1,159,078	8.45%	0	0.00%	0	0.00%
No	20,374,110	8,100,821	39.76%	7,094,643	34.82%	3,442,628	16.90%	922,937	4.53%	757,830	3.72%	55,250	0.27%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	18,629,911	7,092,397	38.07%	5,863,536	31.47%	2,930,578	15.73%	1,441,490	7.74%	1,247,584	6.70%	0	0.00%	54,327	0.29%
35 years old or younger	3,946,323	1,339,882	33.95%	918,416	23.27%	589,409	14.94%	385,069	9.76%	713,546	18.08%	0	0.00%	0	0.00%
36 - 50 years old	7,781,942	1,811,389	23.28%	3,054,916	39.26%	1,635,824	21.02%	834,281	10.72%	445,532	5.73%	0	0.00%	0	0.00%
51 years or older	1,747,855	673,750	38.55%	351,891	20.13%	583,067	33.36%	139,147	7.96%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	20,374,110	8,100,821	39.76%	7,094,643	34.82%	3,442,628	16.90%	922,937	4.53%	757,830	3.72%	55,250	0.27%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	19,061,308	36.15%	17,455,149	33.10%	9,213,511	17.47%	3,722,925	7.06%	3,164,492	6.00%	55,250	0.10%	54,327	0.10%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	13,722,942	3,868,091	28.19%	4,496,970	32.77%	2,840,305	20.70%	1,358,498	9.90%	1,159,078	8.45%	0	0.00%	0	0.00%
No	38,970,652	15,159,849	38.90%	12,958,179	33.25%	6,373,206	16.35%	2,364,427	6.07%	2,005,413	5.15%	55,250	0.14%	54,327	0.14%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,182,912	1,664,278	52.29%	863,529	27.13%	320,504	10.07%	221,207	6.95%	113,394	3.56%	0	0.00%	0	0.00%
30-39	6,918,439	2,519,413	36.42%	2,406,979	34.79%	923,789	13.35%	566,675	8.19%	501,583	7.25%	0	0.00%	0	0.00%
40-49	12,492,517	4,708,282	37.69%	3,901,808	31.23%	2,326,124	18.62%	725,914	5.81%	745,041	5.96%	85,350	0.68%	0	0.00%
50-59	12,594,999	3,708,300	29.44%	4,570,229	36.29%	2,503,293	19.88%	580,077	4.61%	1,197,347	9.51%	35,753	0.28%	0	0.00%
60-64	4,552,494	1,503,290	33.02%	1,595,292	35.04%	852,483	18.73%	368,664	8.10%	232,765	5.11%	0	0.00%	0	0.00%
65-69	4,705,139	1,698,678	36.10%	1,819,415	38.67%	738,846	15.70%	307,849	6.54%	82,340	1.75%	30,046	0.64%	27,966	0.59%
70-74	3,894,677	1,227,788	31.52%	1,288,615	33.09%	798,329	20.50%	273,690	7.03%	292,460	7.51%	13,795	0.35%	0	0.00%
75-79	3,060,873	1,163,441	38.01%	1,120,614	36.61%	349,337	11.41%	302,617	9.89%	91,018	2.97%	33,847	1.11%	0	0.00%
80+	3,633,887	1,009,443	27.78%	1,096,641	30.18%	841,013	23.14%	492,335	13.55%	125,432	3.45%	69,023	1.90%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	4,071,673	1,670,371	41.02%	1,173,211	28.81%	554,131	13.61%	497,954	12.23%	148,039	3.64%	0	0.00%	27,966	0.69%
Other Hispanic	2,405,234	1,013,438	42.13%	594,942	24.74%	262,740	10.92%	366,521	15.24%	167,591	6.97%	0	0.00%	0	0.00%
Non-Hispanic White	40,870,046	13,074,685	31.99%	14,686,271	35.93%	7,858,589	19.23%	2,441,189	5.97%	2,593,062	6.34%	216,250	0.53%	0	0.00%
Non-Hispanic Black	5,876,222	2,630,610	44.77%	1,735,098	29.53%	771,469	13.13%	398,410	6.78%	311,540	5.30%	29,095	0.50%	0	0.00%
Other Race - Including Multi-Racial	2,031,819	861,005	42.38%	498,246	24.52%	317,948	15.65%	171,002	8.42%	161,147	7.93%	22,470	1.11%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,407,816	468,485	33.28%	599,153	42.56%	246,027	17.48%	58,641	4.17%	35,509	2.52%	0	0.00%	0	0.00%
Less Than 9th Grade	4,092,738	1,579,070	38.58%	1,207,888	29.51%	667,592	16.31%	421,024	10.29%	189,198	4.62%	0	0.00%	27,966	0.68%
9-11th Grade	7,310,642	2,698,986	36.92%	1,993,088	27.26%	1,208,650	16.53%	687,654	9.41%	524,561	7.18%	197,703	2.70%	0	0.00%
High School Grad/GED or Equivalent	42,432,181	14,503,569	34.18%	14,876,023	35.06%	7,642,607	18.01%	2,707,757	6.38%	2,632,111	6.20%	70,112	0.17%	0	0.00%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	452,036	122,416	27.08%	24,648	5.45%	224,805	49.73%	41,151	9.10%	39,016	8.63%	0	0.00%	0	0.00%
Married	32,317,208	10,884,108	33.68%	11,802,906	36.52%	5,612,963	17.37%	1,947,270	6.03%	1,884,452	5.83%	185,508	0.57%	0	0.00%
Widowed	6,068,669	2,061,851	33.98%	2,060,379	33.95%	1,069,304	17.62%	529,788	8.73%	272,828	4.50%	46,553	0.77%	27,966	0.46%
Divorced	7,535,511	2,467,525	32.75%	2,434,621	32.31%	1,067,531	14.17%	863,029	11.45%	667,052	8.85%	35,753	0.47%	0	0.00%
Separated	1,434,023	558,573	38.95%	430,636	30.03%	214,995	14.99%	96,854	6.75%	132,965	9.27%	0	0.00%	0	0.00%
Never Married	4,683,803	2,036,576	43.48%	1,084,520	23.15%	926,125	19.77%	357,137	7.62%	279,445	5.97%	0	0.00%	0	0.00%
Living with Partner	2,737,359	1,092,676	39.92%	850,059	31.05%	649,155	23.71%	39,848	1.46%	105,621	3.86%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,595,462	1,347,689	37.48%	1,022,247	28.43%	751,259	20.89%	197,657	5.50%	276,609	7.69%	0	0.00%	0	0.00%
Poverty income ratio less than 1	7,088,380	2,793,368	39.41%	1,830,142	25.82%	1,156,941	16.32%	735,391	10.37%	550,067	7.76%	22,470	0.32%	0	0.00%
Poverty income ratio 1 or greater	44,571,151	15,109,053	33.90%	15,835,379	35.53%	7,856,677	17.63%	2,942,028	6.60%	2,554,703	5.73%	245,345	0.55%	27,966	0.06%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	646,049	255,456	39.54%	215,896	33.42%	27,357	4.23%	60,658	9.39%	72,887	11.28%	13,795	2.14%	0	0.00%
Normal: less than 25	16,148,519	6,293,177	38.97%	5,131,945	31.78%	2,324,581	14.40%	1,263,820	7.83%	1,004,095	6.22%	130,900	0.81%	0	0.00%
Overweight: 25.0 - 29.9	15,692,750	4,582,138	29.20%	6,221,720	39.65%	3,119,348	19.88%	981,671	6.26%	702,524	4.48%	85,350	0.54%	0	0.00%
Obese: 30 or higher	22,767,675	8,119,339	35.66%	7,118,208	31.26%	4,293,591	18.86%	1,568,927	6.89%	1,601,873	7.04%	37,770	0.17%	27,966	0.12%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,536,929	622,099	40.48%	387,370	25.20%	251,663	16.37%	120,124	7.82%	112,407	7.31%	15,300	1.00%	27,966	1.82%
Glycohemoglobin < 5.7%	33,413,569	12,073,489	36.13%	12,244,586	36.65%	5,132,052	15.36%	1,997,967	5.98%	1,826,402	5.47%	139,073	0.42%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	15,105,548	4,836,175	32.02%	4,703,478	31.14%	3,098,551	20.51%	1,443,648	9.56%	940,300	6.22%	83,395	0.55%	0	0.00%
Glycohemoglobin 6.5% or higher	5,198,947	1,718,347	33.05%	1,352,335	26.01%	1,282,611	24.67%	313,338	6.03%	502,269	9.66%	30,046	0.58%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	6,970,907	2,411,644	34.60%	1,652,549	23.71%	1,635,463	23.46%	566,236	8.12%	674,968	9.68%	30,046	0.43%	0	0.00%
No	48,284,086	16,838,466	34.87%	17,035,220	35.28%	8,129,415	16.84%	3,308,841	6.85%	2,706,411	5.61%	237,768	0.49%	27,966	0.06%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	24,409,633	8,329,616	34.12%	7,657,651	31.37%	4,587,812	18.80%	1,504,840	6.16%	2,159,463	8.85%	170,250	0.70%	0	0.00%
No	30,845,360	10,920,494	35.40%	11,030,117	35.76%	5,177,065	16.78%	2,370,237	7.68%	1,221,916	3.96%	97,565	0.32%	27,966	0.09%
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	22,774,299	7,732,974	33.95%	7,668,848	33.67%	4,057,742	17.82%	1,723,028	7.57%	1,444,994	6.34%	146,712	0.64%	0	0.00%
No	32,480,694	11,517,136	35.46%	11,018,920	33.92%	5,707,135	17.57%	2,152,049	6.63%	1,936,385	5.96%	121,103	0.37%	27,966	0.09%
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,426,918	2,579,087	34.73%	2,261,154	30.45%	1,095,118	14.75%	929,716	12.52%	525,579	7.08%	36,265	0.49%	0	0.00%
Mobility limitations	7,358,320	2,298,202	31.23%	2,045,247	27.80%	1,596,218	21.69%	712,774	9.69%	567,465	7.71%	110,447	1.50%	27,966	0.38%
No mobility limitations	12,909,086	4,323,273	33.49%	4,762,133	36.89%	2,389,118	18.51%	623,037	4.83%	690,423	5.35%	121,103	0.94%	0	0.00%
N/A - Respondent not asked mobility limitation questions	27,560,669	10,049,549	36.46%	9,619,234	34.90%	4,684,424	17.00%	1,609,550	5.84%	1,597,912	5.80%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	4,870,121	1,292,264	26.53%	1,645,677	33.79%	1,052,140	21.60%	262,361	5.39%	595,209	12.22%	22,470	0.46%	0	0.00%
No	50,295,493	17,941,967	35.67%	16,995,728	33.79%	8,685,600	17.27%	3,612,716	7.18%	2,786,170	5.54%	245,345	0.49%	27,966	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	382,322	179,976	47.07%	31,576	8.26%	0	0.00%	72,692	19.01%	0	0.00%	70,112	18.34%	27,966	7.31%
2 or more times a day	6,277,306	1,685,123	26.84%	2,446,958	38.98%	1,189,130	18.94%	549,092	8.75%	407,003	6.48%	0	0.00%	0	0.00%
Once a day	4,903,241	1,485,666	30.30%	1,951,141	39.79%	617,706	12.60%	457,159	9.32%	391,569	7.99%	0	0.00%	0	0.00%
2 or more time a week	4,905,793	1,318,053	26.87%	1,721,215	35.09%	978,892	19.95%	505,938	10.31%	381,694	7.78%	0	0.00%	0	0.00%
Once a week	4,625,573	1,515,789	32.77%	1,533,136	33.14%	1,300,524	28.12%	134,872	2.92%	141,252	3.05%	0	0.00%	0	0.00%
1-3 times a month	8,831,478	3,096,894	35.07%	2,249,828	25.48%	1,988,942	22.52%	882,562	9.99%	613,252	6.94%	0	0.00%	0	0.00%
Never	25,216,053	9,936,223	39.40%	8,717,440	34.57%	3,689,682	14.63%	1,258,443	4.99%	1,446,609	5.74%	167,656	0.66%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	382,322	179,976	47.07%	31,576	8.26%	0	0.00%	72,692	19.01%	0	0.00%	70,112	18.34%	27,966	7.31%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	1,328,473	154,630	11.64%	418,039	31.47%	275,657	20.75%	322,983	24.31%	157,164	11.83%	0	0.00%	0	0.00%
Never	52,751,589	18,704,321	35.46%	17,972,713	34.07%	9,388,955	17.80%	3,407,220	6.46%	3,146,477	5.96%	131,904	0.25%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,553,160	435,044	28.01%	332,636	21.42%	336,289	21.65%	65,598	4.22%	368,293	23.71%	15,300	0.99%	0	0.00%
30 to 34	1,880,705	364,370	19.37%	822,673	43.74%	292,615	15.56%	97,052	5.16%	303,996	16.16%	0	0.00%	0	0.00%
35 to 39	3,535,465	1,235,250	34.94%	1,179,108	33.35%	595,422	16.84%	403,407	11.41%	122,278	3.46%	0	0.00%	0	0.00%
40 to 44	5,262,758	1,281,902	24.36%	2,086,641	39.65%	1,358,640	25.82%	317,566	6.03%	182,257	3.46%	35,753	0.68%	0	0.00%
45 to 49	7,787,025	2,488,802	31.96%	2,578,907	33.12%	1,479,531	19.00%	747,889	9.60%	430,596	5.53%	61,300	0.79%	0	0.00%
50 to 54	6,764,134	2,737,641	40.47%	2,013,962	29.77%	1,197,218	17.70%	603,069	8.92%	212,245	3.14%	0	0.00%	0	0.00%
55 or older	3,975,633	1,272,679	32.01%	1,448,449	36.43%	794,650	19.99%	125,258	3.15%	312,126	7.85%	22,470	0.57%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	24,229,111	9,396,645	38.78%	8,073,914	33.32%	3,680,410	15.19%	1,515,239	6.25%	1,449,587	5.98%	85,350	0.35%	27,966	0.12%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	6,302,817	2,602,100	41.28%	1,940,032	30.78%	1,377,805	21.86%	87,072	1.38%	267,841	4.25%	0	0.00%	27,966	0.44%
1	6,110,529	2,270,670	37.16%	2,253,441	36.88%	833,937	13.65%	361,301	5.91%	355,427	5.82%	35,753	0.59%	0	0.00%
2	12,563,352	4,159,977	33.11%	4,370,896	34.79%	2,220,611	17.68%	596,924	4.75%	1,151,050	9.16%	63,894	0.51%	0	0.00%
More than 2	30,220,672	10,159,739	33.62%	10,123,399	33.50%	5,332,523	17.65%	2,829,781	9.36%	1,607,061	5.32%	168,168	0.56%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	13,145,375	4,694,780	35.71%	4,430,453	33.70%	2,775,773	21.12%	413,054	3.14%	767,597	5.84%	35,753	0.27%	27,966	0.21%
1	9,225,483	3,544,756	38.42%	2,889,111	31.32%	1,419,392	15.39%	623,815	6.76%	718,363	7.79%	30,046	0.33%	0	0.00%
2	14,193,456	4,440,587	31.29%	4,796,638	33.79%	2,759,350	19.44%	979,128	6.90%	1,084,761	7.64%	132,992	0.94%	0	0.00%
More than 2	18,349,130	6,311,911	34.40%	6,550,884	35.70%	2,810,362	15.32%	1,796,291	9.79%	810,659	4.42%	69,023	0.38%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	364,303	264,897	72.71%	20,683	5.68%	0	0.00%	78,723	21.61%	0	0.00%	0	0.00%	0	0.00%
None	15,099,244	4,543,859	30.09%	5,097,667	33.76%	2,781,149	18.42%	1,500,103	9.93%	1,016,021	6.73%	160,445	1.06%	0	0.00%
1	5,006,103	1,954,607	39.04%	1,467,514	29.31%	840,764	16.79%	357,469	7.14%	349,996	6.99%	35,753	0.71%	0	0.00%
2	2,687,078	869,955	32.38%	806,187	30.00%	683,128	25.42%	23,857	0.89%	303,951	11.31%	0	0.00%	0	0.00%
More than 2	1,662,174	602,618	36.25%	526,456	31.67%	240,343	14.46%	173,147	10.42%	119,611	7.20%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Vaginal delivery/deliveries only	30,421,771	11,014,175	36.20%	10,769,261	35.40%	5,219,493	17.16%	1,727,458	5.68%	1,591,801	5.23%	71,617	0.24%	27,966	0.09%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,490,183	3,336,749	39.30%	2,678,435	31.55%	1,817,226	21.40%	332,788	3.92%	297,019	3.50%	0	0.00%	27,966	0.33%
Yes	8,532,270	2,978,961	34.91%	3,021,733	35.42%	1,374,203	16.11%	774,289	9.07%	349,235	4.09%	33,847	0.40%	0	0.00%
No	38,178,210	12,924,225	33.85%	12,970,721	33.97%	6,573,448	17.22%	2,763,193	7.24%	2,735,125	7.16%	211,498	0.55%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,544,513	3,346,924	39.17%	2,695,315	31.54%	1,817,226	21.27%	337,594	3.95%	297,019	3.48%	22,470	0.26%	27,966	0.33%
35 years old or younger	7,821,671	2,736,884	34.99%	2,714,504	34.70%	1,247,930	15.95%	746,129	9.54%	342,375	4.38%	33,847	0.43%	0	0.00%
36 years or older	702,686	242,077	34.45%	299,316	42.60%	126,273	17.97%	28,160	4.01%	6,860	0.98%	0	0.00%	0	0.00%
Refused/Don't know	*	*		*		*		*		*		*		*	
N/A - Did not have baby weighing 9 lbs or more	38,178,210	12,924,225	33.85%	12,970,721	33.97%	6,573,448	17.22%	2,763,193	7.24%	2,735,125	7.16%	211,498	0.55%	0	0.00%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,187,367	734,648	33.59%	738,403	33.76%	439,421	20.09%	245,717	11.23%	29,178	1.33%	0	0.00%	0	0.00%
29 years old or younger	34,586,909	11,888,522	34.37%	11,819,699	34.17%	5,666,608	16.38%	2,931,716	8.48%	2,092,144	6.05%	188,221	0.54%	0	0.00%
30 - 40 years old	3,268,792	1,005,491	30.76%	1,073,622	32.84%	932,326	28.52%	143,846	4.40%	113,506	3.47%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	6,302,817	2,602,100	41.28%	1,940,032	30.78%	1,377,805	21.86%	87,072	1.38%	267,841	4.25%	0	0.00%	27,966	0.44%
Only 1 live birth - see age at last live birth	8,746,482	2,949,737	33.72%	3,059,159	34.98%	1,326,349	15.16%	466,727	5.34%	878,711	10.05%	65,799	0.75%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,875,976	934,123	32.48%	903,297	31.41%	556,840	19.36%	261,537	9.09%	220,179	7.66%	0	0.00%	0	0.00%
29 years old or younger	26,428,836	8,906,534	33.70%	8,992,112	34.02%	4,421,019	16.73%	2,071,383	7.84%	1,819,521	6.88%	218,267	0.83%	0	0.00%
30 - 40 years old	18,150,685	6,334,632	34.90%	6,434,731	35.45%	2,908,818	16.03%	1,424,955	7.85%	1,011,796	5.57%	35,753	0.20%	0	0.00%
41 years or older	1,135,527	382,303	33.67%	209,116	18.42%	478,027	42.10%	15,811	1.39%	50,270	4.43%	0	0.00%	0	0.00%
Refused/Don't know	258,179	66,666	25.82%	151,627	58.73%	0	0.00%	14,320	5.55%	11,771	4.56%	13,795	5.34%	0	0.00%
N/A - Never pregnant	6,302,817	2,602,100	41.28%	1,940,032	30.78%	1,377,805	21.86%	87,072	1.38%	267,841	4.25%	0	0.00%	27,966	0.44%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	14,948,548	4,033,893	26.99%	4,946,910	33.09%	3,228,092	21.59%	1,523,848	10.19%	1,150,705	7.70%	65,101	0.44%	0	0.00%
No	40,268,951	15,216,217	37.79%	13,703,365	34.03%	6,536,786	16.23%	2,351,229	5.84%	2,230,674	5.54%	202,714	0.50%	27,966	0.07%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35 years old or younger	3,434,280	668,063	19.45%	1,229,605	35.80%	702,330	20.45%	315,104	9.18%	519,177	15.12%	0	0.00%	0	0.00%
36 - 50 years old	9,424,613	2,839,485	30.13%	2,981,121	31.63%	2,091,246	22.19%	1,020,961	10.83%	457,952	4.86%	33,847	0.36%	0	0.00%
51 years or older	1,775,979	430,736	24.25%	666,019	37.50%	388,250	21.86%	173,462	9.77%	117,511	6.62%	0	0.00%	0	0.00%
Refused/Don't know	313,677	95,609	30.48%	70,165	22.37%	46,266	14.75%	14,320	4.57%	56,064	17.87%	31,253	9.96%	0	0.00%
N/A - Did not have procedure	40,268,951	15,216,217	37.79%	13,703,365	34.03%	6,536,786	16.23%	2,351,229	5.84%	2,230,674	5.54%	202,714	0.50%	27,966	0.07%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	834,063	438,234	52.54%	292,847	35.11%	0	0.00%	102,983	12.35%	0	0.00%	0	0.00%	0	0.00%
Yes	8,428,117	2,502,914	29.70%	2,499,402	29.66%	1,877,268	22.27%	893,410	10.60%	623,868	7.40%	31,253	0.37%	0	0.00%
No	45,666,685	16,209,724	35.50%	15,784,492	34.56%	7,841,206	17.17%	2,843,072	6.23%	2,757,511	6.04%	202,714	0.44%	27,966	0.06%
Don't know	326,128	99,238	30.43%	111,027	34.04%	46,403	14.23%	35,612	10.92%	0	0.00%	33,847	10.38%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,160,191	537,472	46.33%	403,874	34.81%	46,403	4.00%	138,595	11.95%	0	0.00%	33,847	2.92%	0	0.00%
35 years old or younger	1,147,976	148,901	12.97%	424,760	37.00%	254,053	22.13%	73,899	6.44%	246,363	21.46%	0	0.00%	0	0.00%
36 - 50 years old	5,268,764	1,699,901	32.26%	1,392,408	26.43%	1,275,590	24.21%	677,049	12.85%	223,815	4.25%	0	0.00%	0	0.00%
51 years or older	1,814,685	609,859	33.61%	624,140	34.39%	324,788	17.90%	102,207	5.63%	153,690	8.47%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	45,666,685	16,209,724	35.50%	15,784,492	34.56%	7,841,206	17.17%	2,843,072	6.23%	2,757,511	6.04%	202,714	0.44%	27,966	0.06%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	14,751,624	3,992,720	27.07%	4,825,797	32.71%	3,198,729	21.68%	1,518,574	10.29%	1,150,705	7.80%	65,101	0.44%	0	0.00%
No	40,465,875	15,257,390	37.70%	13,824,479	34.16%	6,566,148	16.23%	2,356,503	5.82%	2,230,674	5.51%	202,714	0.50%	27,966	0.07%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	21,195,240	39.90%	17,026,091	32.05%	8,080,897	15.21%	3,938,704	7.41%	2,743,801	5.17%	110,106	0.21%	25,427	0.05%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	262,709	195,760	74.52%	51,438	19.58%	15,510	5.90%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
20-29	4,065,787	2,443,421	60.10%	875,372	21.53%	237,469	5.84%	292,632	7.20%	216,893	5.33%	0	0.00%	0	0.00%
30-39	6,839,684	3,012,613	44.05%	2,185,731	31.96%	871,026	12.73%	410,842	6.01%	359,473	5.26%	0	0.00%	0	0.00%
40-49	10,250,083	4,196,118	40.94%	2,780,408	27.13%	1,621,567	15.82%	759,105	7.41%	878,987	8.58%	13,897	0.14%	0	0.00%
50-59	12,355,481	4,638,346	37.54%	4,226,194	34.21%	2,316,825	18.75%	912,223	7.38%	236,465	1.91%	0	0.00%	25,427	0.21%
60-64	5,026,629	1,610,234	32.03%	1,811,218	36.03%	880,128	17.51%	446,101	8.87%	278,947	5.55%	0	0.00%	0	0.00%
65-69	3,883,820	1,551,876	39.96%	1,496,044	38.52%	482,967	12.44%	205,591	5.29%	147,343	3.79%	0	0.00%	0	0.00%
70-74	3,780,684	1,215,752	32.16%	1,568,736	41.49%	592,472	15.67%	172,504	4.56%	208,584	5.52%	22,636	0.60%	0	0.00%
75-79	2,933,187	1,120,876	38.21%	930,709	31.73%	462,775	15.78%	278,684	9.50%	94,621	3.23%	45,521	1.55%	0	0.00%
80+	3,722,204	1,210,244	32.51%	1,100,241	29.56%	600,157	16.12%	461,022	12.39%	322,488	8.66%	28,052	0.75%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	4,069,163	2,136,805	52.51%	900,750	22.14%	535,260	13.15%	393,512	9.67%	102,836	2.53%	0	0.00%	0	0.00%
Other Hispanic	2,732,072	1,449,805	53.07%	729,678	26.71%	306,825	11.23%	189,237	6.93%	56,526	2.07%	0	0.00%	0	0.00%
Non-Hispanic White	37,988,402	13,547,681	35.66%	12,999,054	34.22%	6,421,605	16.90%	2,902,444	7.64%	2,018,617	5.31%	73,573	0.19%	25,427	0.07%
Non-Hispanic Black	5,747,915	2,915,362	50.72%	1,428,663	24.86%	589,952	10.26%	323,657	5.63%	476,384	8.29%	13,897	0.24%	0	0.00%
Other Race - Including Multi-Racial	2,582,715	1,145,588	44.36%	967,946	37.48%	227,256	8.80%	129,853	5.03%	89,437	3.46%	22,636	0.88%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,313,679	509,351	38.77%	562,820	42.84%	92,147	7.01%	78,709	5.99%	70,653	5.38%	0	0.00%	0	0.00%
Less Than 9th Grade	3,531,136	1,544,758	43.75%	1,066,525	30.20%	404,357	11.45%	439,889	12.46%	52,971	1.50%	22,636	0.64%	0	0.00%
9-11th Grade	6,443,993	2,462,056	38.21%	1,968,865	30.55%	1,002,741	15.56%	534,747	8.30%	461,687	7.16%	13,897	0.22%	0	0.00%
High School Grad/GED or Equivalent	41,666,441	16,592,696	39.82%	13,380,439	32.11%	6,581,652	15.80%	2,854,163	6.85%	2,158,490	5.18%	73,573	0.18%	25,427	0.06%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	262,709	195,760	74.52%	51,438	19.58%	15,510	5.90%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Married	31,320,097	12,250,649	39.11%	10,764,117	34.37%	4,782,350	15.27%	2,408,584	7.69%	1,052,437	3.36%	36,533	0.12%	25,427	0.08%
Widowed	5,725,689	1,545,283	26.99%	1,697,209	29.64%	1,265,473	22.10%	581,634	10.16%	562,516	9.82%	73,573	1.28%	0	0.00%
Divorced	5,876,548	2,318,044	39.45%	2,081,789	35.43%	756,504	12.87%	302,752	5.15%	417,459	7.10%	0	0.00%	0	0.00%
Separated	1,156,763	541,653	46.82%	219,353	18.96%	136,235	11.78%	132,815	11.48%	126,707	10.95%	0	0.00%	0	0.00%
Never Married	5,312,504	2,777,424	52.28%	1,055,324	19.86%	741,238	13.95%	265,029	4.99%	473,491	8.91%	0	0.00%	0	0.00%
Living with Partner	3,263,310	1,516,011	46.46%	1,004,631	30.79%	383,587	11.75%	247,892	7.60%	111,190	3.41%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,461,346	1,566,992	45.27%	992,010	28.66%	316,942	9.16%	423,412	12.23%	161,991	4.68%	0	0.00%	0	0.00%
Poverty income ratio less than 1	7,420,707	2,908,691	39.20%	2,043,091	27.53%	1,139,069	15.35%	748,811	10.09%	558,409	7.53%	22,636	0.31%	0	0.00%
Poverty income ratio 1 or greater	42,238,215	16,719,558	39.58%	13,990,990	33.12%	6,624,887	15.68%	2,766,481	6.55%	2,023,401	4.79%	87,471	0.21%	25,427	0.06%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	293,341	50,949	17.37%	75,907	25.88%	109,373	37.29%	0	0.00%	57,113	19.47%	0	0.00%	0	0.00%
Normal: less than 25	14,584,986	5,675,025	38.91%	5,866,594	40.22%	2,006,710	13.76%	664,411	4.56%	335,713	2.30%	36,533	0.25%	0	0.00%
Overweight: 25.0 - 29.9	14,911,333	6,397,581	42.90%	4,577,705	30.70%	2,136,227	14.33%	994,619	6.67%	777,150	5.21%	28,052	0.19%	0	0.00%
Obese: 30 or higher	23,330,608	9,071,686	38.88%	6,505,886	27.89%	3,828,588	16.41%	2,279,674	9.77%	1,573,826	6.75%	45,521	0.20%	25,427	0.11%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,668,099	813,403	48.76%	393,490	23.59%	373,889	22.41%	15,292	0.92%	72,026	4.32%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	30,602,649	12,586,991	41.13%	9,916,790	32.41%	4,604,998	15.05%	1,801,748	5.89%	1,666,695	5.45%	0	0.00%	25,427	0.08%
Glycohemoglobin 5.7% - 6.4%	16,073,315	6,181,955	38.46%	4,955,437	30.83%	2,412,112	15.01%	1,585,991	9.87%	855,766	5.32%	82,054	0.51%	0	0.00%
Glycohemoglobin 6.5% or higher	4,776,203	1,612,892	33.77%	1,760,374	36.86%	689,899	14.44%	535,674	11.22%	149,314	3.13%	28,052	0.59%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	6,380,242	2,084,549	32.67%	2,222,902	34.84%	1,109,129	17.38%	615,429	9.65%	334,335	5.24%	13,897	0.22%	0	0.00%
No	46,740,025	19,110,691	40.89%	14,803,189	31.67%	6,971,768	14.92%	3,323,275	7.11%	2,409,466	5.16%	96,209	0.21%	25,427	0.05%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	21,778,096	7,974,556	36.62%	6,590,406	30.26%	4,180,035	19.19%	1,696,224	7.79%	1,297,551	5.96%	13,897	0.06%	25,427	0.12%
No	31,342,171	13,220,685	42.18%	10,435,685	33.30%	3,900,862	12.45%	2,242,480	7.15%	1,446,250	4.61%	96,209	0.31%	0	0.00%
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	20,351,258	7,072,230	34.75%	6,344,134	31.17%	3,653,220	17.95%	1,858,641	9.13%	1,369,553	6.73%	28,052	0.14%	25,427	0.12%
No	32,736,151	14,090,151	43.04%	10,681,958	32.63%	4,427,677	13.53%	2,080,063	6.35%	1,374,248	4.20%	82,054	0.25%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,647,500	2,765,661	36.16%	2,411,321	31.53%	892,760	11.67%	875,148	11.44%	651,922	8.52%	50,687	0.66%	0	0.00%
Mobility limitations	6,972,640	2,438,314	34.97%	2,224,513	31.90%	935,209	13.41%	746,717	10.71%	588,562	8.44%	13,897	0.20%	25,427	0.36%
No mobility limitations	12,437,902	4,336,107	34.86%	4,481,290	36.03%	2,364,151	19.01%	672,464	5.41%	538,370	4.33%	45,521	0.37%	0	0.00%
N/A - Respondent not asked mobility limitation questions	26,062,226	11,655,159	44.72%	7,908,967	30.35%	3,888,777	14.92%	1,644,376	6.31%	964,948	3.70%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,143,753	1,565,305	30.43%	1,411,596	27.44%	724,140	14.08%	783,220	15.23%	659,491	12.82%	0	0.00%	0	0.00%
No	47,900,575	19,629,935	40.98%	15,545,469	32.45%	7,356,757	15.36%	3,148,571	6.57%	2,084,310	4.35%	110,106	0.23%	25,427	0.05%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	307,782	87,039	28.28%	142,909	46.43%	0	0.00%	10,457	3.40%	0	0.00%	41,949	13.63%	25,427	8.26%
2 or more times a day	5,686,523	2,015,708	35.45%	1,850,376	32.54%	1,030,799	18.13%	406,711	7.15%	382,929	6.73%	0	0.00%	0	0.00%
Once a day	5,070,887	2,587,570	51.03%	1,356,390	26.75%	667,474	13.16%	347,388	6.85%	112,066	2.21%	0	0.00%	0	0.00%
2 or more time a week	5,295,409	1,518,352	28.67%	2,301,414	43.46%	542,714	10.25%	603,801	11.40%	329,128	6.22%	0	0.00%	0	0.00%
Once a week	3,199,487	1,115,037	34.85%	863,433	26.99%	838,339	26.20%	220,750	6.90%	161,928	5.06%	0	0.00%	0	0.00%
1-3 times a month	7,825,512	2,441,875	31.20%	2,927,464	37.41%	1,166,301	14.90%	498,844	6.37%	791,027	10.11%	0	0.00%	0	0.00%
Never	25,655,477	11,410,947	44.48%	7,566,640	29.49%	3,835,270	14.95%	1,850,752	7.21%	946,347	3.69%	45,521	0.18%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	364,879	87,039	23.85%	200,006	54.81%	0	0.00%	10,457	2.87%	0	0.00%	41,949	11.50%	25,427	6.97%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	1,098,379	228,081	20.77%	429,034	39.06%	238,148	21.68%	81,943	7.46%	121,173	11.03%	0	0.00%	0	0.00%
Never	50,874,001	20,700,148	40.69%	16,379,585	32.20%	7,534,714	14.81%	3,670,300	7.21%	2,543,733	5.00%	45,521	0.09%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,713,383	527,394	30.78%	272,398	15.90%	447,812	26.14%	287,138	16.76%	178,640	10.43%	0	0.00%	0	0.00%
30 to 34	1,802,726	512,058	28.40%	487,854	27.06%	390,791	21.68%	240,415	13.34%	157,709	8.75%	13,897	0.77%	0	0.00%
35 to 39	2,569,168	713,383	27.77%	789,134	30.72%	513,797	20.00%	266,795	10.38%	286,059	11.13%	0	0.00%	0	0.00%
40 to 44	5,071,108	1,796,948	35.44%	1,727,029	34.06%	1,136,684	22.41%	199,135	3.93%	165,790	3.27%	45,521	0.90%	0	0.00%
45 to 49	6,526,244	2,363,824	36.22%	2,272,780	34.83%	1,206,970	18.49%	369,036	5.65%	313,635	4.81%	0	0.00%	0	0.00%
50 to 54	9,200,275	3,311,110	35.99%	3,651,330	39.69%	1,233,771	13.41%	732,084	7.96%	249,345	2.71%	22,636	0.25%	0	0.00%
55 or older	3,421,372	1,143,704	33.43%	923,252	26.98%	467,661	13.67%	515,933	15.08%	370,822	10.84%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	22,444,285	10,673,844	47.56%	6,802,258	30.31%	2,650,329	11.81%	1,270,625	5.66%	1,021,801	4.55%	0	0.00%	25,427	0.11%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	5,537,317	2,876,938	51.96%	1,451,987	26.22%	569,481	10.28%	379,450	6.85%	259,462	4.69%	0	0.00%	0	0.00%
1	5,977,406	2,569,986	43.00%	2,118,633	35.44%	755,532	12.64%	380,968	6.37%	152,287	2.55%	0	0.00%	0	0.00%
2	13,552,903	5,122,392	37.80%	4,837,221	35.69%	1,755,853	12.96%	1,267,364	9.35%	544,645	4.02%	0	0.00%	25,427	0.19%
More than 2	27,978,806	10,574,848	37.80%	8,618,250	30.80%	4,977,273	17.79%	1,910,921	6.83%	1,787,407	6.39%	110,106	0.39%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	12,945,501	6,397,962	49.42%	3,420,509	26.42%	1,634,315	12.62%	945,038	7.30%	522,250	4.03%	0	0.00%	25,427	0.20%
1	8,115,599	2,711,815	33.41%	3,078,926	37.94%	1,482,794	18.27%	519,839	6.41%	322,224	3.97%	0	0.00%	0	0.00%
2	14,716,051	5,385,863	36.60%	5,112,536	34.74%	2,106,324	14.31%	1,288,376	8.75%	822,952	5.59%	0	0.00%	0	0.00%
More than 2	17,104,005	6,478,392	37.88%	5,414,120	31.65%	2,857,464	16.71%	1,185,451	6.93%	1,058,473	6.19%	110,106	0.64%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	568,872	431,950	75.93%	0	0.00%	0	0.00%	94,304	16.58%	42,617	7.49%	0	0.00%	0	0.00%
None	15,677,793	5,822,131	37.14%	4,929,584	31.44%	3,054,683	19.48%	998,271	6.37%	847,698	5.41%	0	0.00%	25,427	0.16%
1	5,360,090	2,396,700	44.71%	1,576,997	29.42%	654,921	12.22%	431,199	8.04%	300,272	5.60%	0	0.00%	0	0.00%
2	2,754,921	1,183,179	42.95%	900,860	32.70%	387,916	14.08%	188,148	6.83%	94,818	3.44%	0	0.00%	0	0.00%
More than 2	1,252,718	513,893	41.02%	306,629	24.48%	170,976	13.65%	155,004	12.37%	106,215	8.48%	0	0.00%	0	0.00%
N/A - Vaginal delivery/deliveries only	27,505,875	10,847,387	39.44%	9,312,021	33.85%	3,812,401	13.86%	2,071,778	7.53%	1,352,181	4.92%	110,106	0.40%	0	0.00%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,351,508	4,461,395	53.42%	1,860,532	22.28%	1,137,361	13.62%	552,676	6.62%	314,118	3.76%	0	0.00%	25,427	0.30%
Yes	8,918,445	3,470,385	38.91%	2,962,043	33.21%	1,298,747	14.56%	608,663	6.82%	578,608	6.49%	0	0.00%	0	0.00%
No	35,572,114	13,193,698	37.09%	12,117,324	34.06%	5,623,600	15.81%	2,746,717	7.72%	1,845,254	5.19%	45,521	0.13%	0	0.00%
Don't know	278,200	69,763	25.08%	86,193	30.98%	21,189	7.62%	30,649	11.02%	5,822	2.09%	64,585	23.22%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,629,708	4,531,157	52.51%	1,946,725	22.56%	1,158,550	13.43%	583,324	6.76%	319,939	3.71%	64,585	0.75%	25,427	0.29%
35 years old or younger	8,040,593	3,157,917	39.27%	2,713,015	33.74%	1,131,958	14.08%	542,368	6.75%	495,335	6.16%	0	0.00%	0	0.00%
36 years or older	859,571	312,468	36.35%	249,028	28.97%	166,789	19.40%	66,295	7.71%	64,991	7.56%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have baby weighing 9 lbs or more	35,572,114	13,193,698	37.09%	12,117,324	34.06%	5,623,600	15.81%	2,746,717	7.72%	1,845,254	5.19%	45,521	0.13%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age of patient at 1st live birth	-	-		-		-		-		-		-		-	
Missing	2,814,191	1,584,457	56.30%	408,545	14.52%	567,880	20.18%	173,225	6.16%	54,656	1.94%	0	0.00%	25,427	0.90%
29 years old or younger	33,379,414	12,798,773	38.34%	10,954,732	32.82%	5,177,035	15.51%	2,471,310	7.40%	1,867,459	5.59%	110,106	0.33%	0	0.00%
30 - 40 years old	3,223,916	1,100,541	34.14%	1,198,731	37.18%	434,321	13.47%	268,977	8.34%	221,347	6.87%	0	0.00%	0	0.00%
N/A - Never pregnant	5,537,317	2,876,938	51.96%	1,451,987	26.22%	569,481	10.28%	379,450	6.85%	259,462	4.69%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,853,343	2,719,006	34.62%	2,906,094	37.00%	1,332,181	16.96%	555,184	7.07%	340,878	4.34%	0	0.00%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age of patient at last live birth	-	-		-		-		-		-		-		-	
Missing	3,438,662	1,716,189	49.91%	724,491	21.07%	702,161	20.42%	215,737	6.27%	54,656	1.59%	0	0.00%	25,427	0.74%
29 years old or younger	23,775,404	8,697,336	36.58%	7,614,945	32.03%	3,996,350	16.81%	2,015,733	8.48%	1,391,620	5.85%	59,419	0.25%	0	0.00%
30 - 40 years old	18,682,784	7,048,124	37.73%	6,810,079	36.45%	2,665,079	14.26%	1,181,388	6.32%	927,426	4.96%	50,687	0.27%	0	0.00%
41 years or older	1,231,955	643,669	52.25%	318,586	25.86%	147,826	12.00%	55,838	4.53%	66,035	5.36%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,537,317	2,876,938	51.96%	1,451,987	26.22%	569,481	10.28%	379,450	6.85%	259,462	4.69%	0	0.00%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
**Had hysterectomy	-	-		-		-		-		-		-		-	
Yes	13,766,152	3,934,682	28.58%	4,483,189	32.57%	3,058,611	22.22%	1,228,707	8.93%	1,060,963	7.71%	0	0.00%	0	0.00%
No	39,326,063	17,260,558	43.89%	12,542,902	31.89%	5,022,286	12.77%	2,709,997	6.89%	1,682,838	4.28%	82,054	0.21%	25,427	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	19,250,110	34.84%	18,687,769	33.82%	9,764,877	17.67%	3,875,077	7.01%	3,381,379	6.12%	267,815	0.48%	27,966	0.05%
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35 years old or younger	3,420,124	906,651	26.51%	1,006,995	29.44%	652,490	19.08%	602,082	17.60%	251,906	7.37%	0	0.00%	0	0.00%
36 - 50 years old	7,582,176	2,329,297	30.72%	2,237,697	29.51%	1,971,728	26.00%	474,231	6.25%	569,224	7.51%	0	0.00%	0	0.00%
51 years or older	2,488,392	611,902	24.59%	1,157,676	46.52%	407,521	16.38%	145,481	5.85%	165,812	6.66%	0	0.00%	0	0.00%
Refused/Don't know	275,460	86,832	31.52%	80,821	29.34%	26,873	9.76%	6,912	2.51%	74,022	26.87%	0	0.00%	0	0.00%
N/A - Did not have procedure	39,326,063	17,260,558	43.89%	12,542,902	31.89%	5,022,286	12.77%	2,709,997	6.89%	1,682,838	4.28%	82,054	0.21%	25,427	0.06%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,291,214	660,041	51.12%	255,511	19.79%	182,479	14.13%	126,402	9.79%	66,781	5.17%	0	0.00%	0	0.00%
Yes	6,929,756	1,766,110	25.49%	3,156,930	45.56%	1,392,994	20.10%	270,780	3.91%	342,942	4.95%	0	0.00%	0	0.00%
No	44,393,514	18,552,147	41.79%	13,557,545	30.54%	6,411,190	14.44%	3,464,721	7.80%	2,272,376	5.12%	110,106	0.25%	25,427	0.06%
Don't know	505,783	216,942	42.89%	56,104	11.09%	94,234	18.63%	76,800	15.18%	61,702	12.20%	0	0.00%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,796,997	876,983	48.80%	311,616	17.34%	276,713	15.40%	203,202	11.31%	128,483	7.15%	0	0.00%	0	0.00%
35 years old or younger	1,438,027	317,664	22.09%	439,997	30.60%	436,493	30.35%	153,593	10.68%	90,279	6.28%	0	0.00%	0	0.00%
36 - 50 years old	3,788,018	1,112,581	29.37%	1,781,492	47.03%	664,483	17.54%	117,187	3.09%	112,275	2.96%	0	0.00%	0	0.00%
51 years or older	1,523,012	300,483	19.73%	854,621	56.11%	292,019	19.17%	0	0.00%	75,889	4.98%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	44,393,514	18,552,147	41.79%	13,557,545	30.54%	6,411,190	14.44%	3,464,721	7.80%	2,272,376	5.12%	110,106	0.25%	25,427	0.06%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F06 -Level of bother among those women who responded 'yes' to experiencing any urinary incontinence, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	21,195,240	39.90%	17,026,091	32.05%	8,080,897	15.21%	3,938,704	7.41%	2,743,801	5.17%	110,106	0.21%	25,427	0.05%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	13,714,084	3,919,306	28.58%	4,467,280	32.57%	3,058,611	22.30%	1,228,707	8.96%	1,040,181	7.58%	0	0.00%	0	0.00%
No	39,378,131	17,275,935	43.87%	12,558,812	31.89%	5,022,286	12.75%	2,709,997	6.88%	1,703,620	4.33%	82,054	0.21%	25,427	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.050: During the past 12 months, how much did your/his/her leakage of urine bother you/him/her?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.