

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,572,600	3,056,955	85.57%	291,373	8.16%	192,735	5.39%	31,537	0.88%	0	0.00%	0	0.00%	0	0.00%
30-39	7,678,692	5,712,852	74.40%	1,274,823	16.60%	484,407	6.31%	44,937	0.59%	161,672	2.11%	0	0.00%	0	0.00%
40-49	11,180,818	8,204,308	73.38%	1,618,294	14.47%	1,323,854	11.84%	21,538	0.19%	3,355	0.03%	9,469	0.08%	0	0.00%
50-59	10,205,687	7,355,247	72.07%	1,765,715	17.30%	716,579	7.02%	282,944	2.77%	85,202	0.83%	0	0.00%	0	0.00%
60-64	2,894,093	2,034,145	70.29%	420,354	14.52%	235,307	8.13%	93,706	3.24%	110,581	3.82%	0	0.00%	0	0.00%
65-69	3,113,945	2,081,435	66.84%	493,754	15.86%	460,651	14.79%	70,406	2.26%	7,699	0.25%	0	0.00%	0	0.00%
70-74	2,496,191	1,821,255	72.96%	312,346	12.51%	242,518	9.72%	71,591	2.87%	48,482	1.94%	0	0.00%	0	0.00%
75-79	2,948,350	1,809,135	61.36%	752,822	25.53%	199,629	6.77%	120,841	4.10%	24,912	0.84%	41,011	1.39%	0	0.00%
80-84	1,888,506	1,055,886	55.91%	443,341	23.48%	201,240	10.66%	88,288	4.68%	70,076	3.71%	29,674	1.57%	0	0.00%
85+	1,436,839	814,896	56.71%	404,583	28.16%	67,863	4.72%	19,443	1.35%	112,933	7.86%	17,121	1.19%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	2,718,243	1,980,783	72.87%	447,554	16.46%	225,515	8.30%	21,133	0.78%	33,789	1.24%	9,469	0.35%	0	0.00%
Other Hispanic	2,222,528	1,385,146	62.32%	490,819	22.08%	134,865	6.07%	0	0.00%	211,698	9.53%	0	0.00%	0	0.00%
Non-Hispanic White	36,773,932	26,897,918	73.14%	5,575,643	15.16%	3,139,463	8.54%	711,918	1.94%	361,184	0.98%	87,806	0.24%	0	0.00%
Non-Hispanic Black	3,451,308	2,295,128	66.50%	553,891	16.05%	503,404	14.59%	80,644	2.34%	18,240	0.53%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,298,987	1,416,093	61.60%	709,497	30.86%	141,860	6.17%	31,537	1.37%	0	0.00%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,147,523	661,861	57.68%	404,994	35.29%	51,601	4.50%	25,713	2.24%	3,355	0.29%	0	0.00%	0	0.00%
Less Than 9th Grade	3,648,026	2,170,036	59.49%	717,122	19.66%	366,138	10.04%	96,194	2.64%	230,934	6.33%	67,601	1.85%	0	0.00%
9-11th Grade	5,689,145	4,156,999	73.07%	780,426	13.72%	471,307	8.28%	155,096	2.73%	125,318	2.20%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	36,955,169	26,966,761	72.97%	5,872,567	15.89%	3,252,634	8.80%	568,229	1.54%	265,305	0.72%	29,674	0.08%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	28,943,639	21,807,934	75.35%	4,468,776	15.44%	2,210,706	7.64%	188,991	0.65%	267,232	0.92%	0	0.00%	0	0.00%
Widowed	6,231,408	3,635,874	58.35%	1,434,578	23.02%	599,167	9.62%	273,782	4.39%	217,322	3.49%	70,685	1.13%	0	0.00%
Divorced	4,912,696	3,262,087	66.40%	759,825	15.47%	564,359	11.49%	224,857	4.58%	84,447	1.72%	17,121	0.35%	0	0.00%
Separated	1,496,357	834,239	55.75%	418,767	27.99%	173,297	11.58%	70,054	4.68%	0	0.00%	0	0.00%	0	0.00%
Never Married	4,174,795	3,092,451	74.07%	634,512	15.20%	294,903	7.06%	87,549	2.10%	55,911	1.34%	9,469	0.23%	0	0.00%
Living with Partner	1,537,737	1,222,051	79.47%	37,806	2.46%	277,880	18.07%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,840,140	2,007,813	70.69%	345,738	12.17%	260,289	9.16%	120,880	4.26%	47,287	1.66%	58,132	2.05%	0	0.00%
Poverty income ratio less than 1	6,126,491	4,056,917	66.22%	970,999	15.85%	542,401	8.85%	268,252	4.38%	278,453	4.55%	9,469	0.15%	0	0.00%
Poverty income ratio 1 or greater	38,498,366	27,910,338	72.50%	6,460,666	16.78%	3,342,416	8.68%	456,100	1.18%	299,172	0.78%	29,674	0.08%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,457,815	1,315,280	53.51%	325,487	13.24%	310,628	12.64%	246,494	10.03%	220,783	8.98%	39,143	1.59%	0	0.00%
Normal: less than 25	14,775,941	11,684,181	79.08%	1,766,163	11.95%	1,181,699	8.00%	114,260	0.77%	12,517	0.08%	17,121	0.12%	0	0.00%
Overweight: 25.0 - 29.9	13,204,493	9,676,349	73.28%	2,474,487	18.74%	674,712	5.11%	181,536	1.37%	156,398	1.18%	41,011	0.31%	0	0.00%
Obese: 30 or higher	17,026,748	11,299,257	66.36%	3,211,267	18.86%	1,978,067	11.62%	302,943	1.78%	235,213	1.38%	0	0.00%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,136,003	392,435	34.55%	280,154	24.66%	367,103	32.32%	37,646	3.31%	58,665	5.16%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	35,757,787	26,856,685	75.11%	5,407,413	15.12%	2,647,407	7.40%	428,862	1.20%	361,156	1.01%	56,264	0.16%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	8,147,720	5,086,578	62.43%	1,681,354	20.64%	920,942	11.30%	291,603	3.58%	167,244	2.05%	0	0.00%	0	0.00%
Glycohemoglobin 6.5% or higher	2,423,486	1,639,370	67.65%	408,483	16.86%	209,654	8.65%	87,122	3.59%	37,847	1.56%	41,011	1.69%	0	0.00%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	3,400,429	1,855,606	54.57%	621,459	18.28%	624,323	18.36%	141,380	4.16%	116,649	3.43%	41,011	1.21%	0	0.00%
No	44,064,568	32,119,462	72.89%	7,155,944	16.24%	3,520,782	7.99%	703,853	1.60%	508,263	1.15%	56,264	0.13%	0	0.00%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	22,046,460	15,666,966	71.06%	3,355,753	15.22%	2,069,577	9.39%	562,624	2.55%	364,950	1.66%	26,590	0.12%	0	0.00%
No	25,349,918	18,249,616	71.99%	4,411,518	17.40%	2,075,529	8.19%	282,609	1.11%	259,962	1.03%	70,685	0.28%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Yes	16,482,833	11,016,061	66.83%	2,801,418	17.00%	1,977,480	12.00%	383,250	2.33%	304,624	1.85%	0	0.00%	0	0.00%
No	30,754,128	22,821,721	74.21%	4,885,235	15.88%	2,167,626	7.05%	461,982	1.50%	320,288	1.04%	97,275	0.32%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	4,054,628	1,734,944	42.79%	1,110,933	27.40%	574,236	14.16%	293,914	7.25%	299,590	7.39%	41,011	1.01%	0	0.00%
Mobility limitations	8,924,360	5,308,190	59.48%	1,629,794	18.26%	1,486,887	16.66%	243,319	2.73%	209,374	2.35%	46,795	0.52%	0	0.00%
No mobility limitations	9,994,909	7,943,129	79.47%	1,367,786	13.68%	413,233	4.13%	263,063	2.63%	7,699	0.08%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	24,491,100	18,988,805	77.53%	3,668,890	14.98%	1,670,750	6.82%	44,937	0.18%	108,249	0.44%	9,469	0.04%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	2,390,395	1,570,192	65.69%	381,004	15.94%	376,255	15.74%	62,944	2.63%	0	0.00%	0	0.00%	0	0.00%
30 to 34	2,413,729	1,720,144	71.27%	174,576	7.23%	399,100	16.53%	116,413	4.82%	3,495	0.14%	0	0.00%	0	0.00%
35 to 39	3,044,250	1,733,432	56.94%	773,763	25.42%	383,249	12.59%	124,131	4.08%	0	0.00%	29,674	0.97%	0	0.00%
40 to 44	3,362,062	2,386,032	70.97%	463,857	13.80%	369,400	10.99%	72,715	2.16%	29,047	0.86%	41,011	1.22%	0	0.00%
45 to 49	5,551,790	3,831,722	69.02%	721,244	12.99%	626,505	11.28%	115,672	2.08%	239,525	4.31%	17,121	0.31%	0	0.00%
50 to 54	6,200,160	4,335,871	69.93%	1,197,803	19.32%	366,438	5.91%	91,281	1.47%	208,767	3.37%	0	0.00%	0	0.00%
55 or older	2,036,340	1,279,336	62.83%	538,768	26.46%	53,890	2.65%	145,941	7.17%	18,406	0.90%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	22,330,686	17,012,462	76.18%	3,520,564	15.77%	1,546,384	6.92%	116,135	0.52%	125,672	0.56%	9,469	0.04%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Total number of pregnancies	-	-		-		-		-		-		-		-	
Missing	676,346	514,903	76.13%	54,344	8.03%	67,908	10.04%	7,631	1.13%	31,560	4.67%	0	0.00%	0	0.00%
None	4,509,228	3,274,325	72.61%	965,091	21.40%	251,407	5.58%	0	0.00%	18,406	0.41%	0	0.00%	0	0.00%
1	5,200,552	3,972,066	76.38%	873,769	16.80%	256,328	4.93%	98,390	1.89%	0	0.00%	0	0.00%	0	0.00%
2	9,422,571	7,389,099	78.42%	955,336	10.14%	643,457	6.83%	310,894	3.30%	94,112	1.00%	29,674	0.31%	0	0.00%
More than 2	27,656,300	18,824,676	68.07%	4,928,864	17.82%	2,926,006	10.58%	428,319	1.55%	480,835	1.74%	67,601	0.24%	0	0.00%
Number of vaginal deliveries	-	-		-		-		-		-		-		-	
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Number of cesarean deliveries	-	-		-		-		-		-		-		-	
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Gave birth to any babies 9lb or more	-	-		-		-		-		-		-		-	
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-		-		-		-		-		-		-	
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age of patient at 1st live birth	-	-		-		-		-		-		-		-	
Missing	938,708	777,266	82.80%	54,344	5.79%	67,908	7.23%	7,631	0.81%	31,560	3.36%	0	0.00%	0	0.00%
29 years old or younger	31,053,427	21,700,365	69.88%	5,047,294	16.25%	3,216,412	10.36%	520,109	1.67%	518,767	1.67%	50,480	0.16%	0	0.00%
30 - 40 years old	1,745,958	1,359,803	77.88%	264,298	15.14%	79,023	4.53%	25,713	1.47%	0	0.00%	17,121	0.98%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,509,228	3,274,325	72.61%	965,091	21.40%	251,407	5.58%	0	0.00%	18,406	0.41%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,354,891	5,376,598	73.10%	1,279,207	17.39%	406,338	5.52%	206,894	2.81%	56,180	0.76%	29,674	0.40%	0	0.00%
No pregnancies resulting in live births	1,846,854	1,470,781	79.64%	167,169	9.05%	124,018	6.72%	84,886	4.60%	0	0.00%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,773,094	2,560,399	67.86%	616,650	16.34%	390,897	10.36%	143,914	3.81%	31,560	0.84%	29,674	0.79%	0	0.00%
29 years old or younger	20,591,782	14,591,244	70.86%	3,584,055	17.41%	1,888,456	9.17%	298,326	1.45%	220,232	1.07%	9,469	0.05%	0	0.00%
30 - 40 years old	15,131,027	11,140,103	73.62%	1,919,069	12.68%	1,394,127	9.21%	264,881	1.75%	354,715	2.34%	58,132	0.38%	0	0.00%
41 years or older	1,570,123	923,522	58.82%	497,174	31.66%	96,201	6.13%	53,226	3.39%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,509,228	3,274,325	72.61%	965,091	21.40%	251,407	5.58%	0	0.00%	18,406	0.41%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,846,854	1,470,781	79.64%	167,169	9.05%	124,018	6.72%	84,886	4.60%	0	0.00%	0	0.00%	0	0.00%
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,039,045	13,124,203	77.02%	2,543,383	14.93%	1,129,652	6.63%	116,135	0.68%	125,672	0.74%	0	0.00%	0	0.00%
Yes	13,907,890	8,561,988	61.56%	2,410,643	17.33%	2,002,253	14.40%	537,414	3.86%	365,919	2.63%	29,674	0.21%	0	0.00%
No	16,518,062	12,288,877	74.40%	2,823,378	17.09%	1,013,200	6.13%	191,684	1.16%	133,322	0.81%	67,601	0.41%	0	0.00%
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,071,788	13,156,947	77.07%	2,543,383	14.90%	1,129,652	6.62%	116,135	0.68%	125,672	0.74%	0	0.00%	0	0.00%
35 years old or younger	5,168,523	3,338,856	64.60%	692,538	13.40%	893,735	17.29%	239,898	4.64%	3,495	0.07%	0	0.00%	0	0.00%
36 - 50 years old	6,881,436	4,105,157	59.66%	1,286,434	18.69%	966,532	14.05%	225,065	3.27%	268,573	3.90%	29,674	0.43%	0	0.00%
51 years or older	1,655,099	969,388	58.57%	411,261	24.85%	108,150	6.53%	72,450	4.38%	93,851	5.67%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	16,518,062	12,288,877	74.40%	2,823,378	17.09%	1,013,200	6.13%	191,684	1.16%	133,322	0.81%	67,601	0.41%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2001 - 2002

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	47,464,997	33,975,068	71.58%	7,777,403	16.39%	4,145,106	8.73%	845,233	1.78%	624,912	1.32%	97,275	0.20%	0	0.00%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	4,011,915	2,880,858	71.81%	647,172	16.13%	336,190	8.38%	116,135	2.89%	31,560	0.79%	0	0.00%	0	0.00%
Yes	13,907,890	8,561,988	61.56%	2,410,643	17.33%	2,002,253	14.40%	537,414	3.86%	365,919	2.63%	29,674	0.21%	0	0.00%
No	29,545,192	22,532,223	76.26%	4,719,588	15.97%	1,806,663	6.11%	191,684	0.65%	227,434	0.77%	67,601	0.23%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,608,846	2,433,192	67.42%	833,384	23.09%	338,687	9.38%	3,583	0.10%	0	0.00%	0	0.00%	0	0.00%
30-39	7,277,402	5,522,246	75.88%	851,937	11.71%	845,272	11.62%	57,947	0.80%	0	0.00%	0	0.00%	0	0.00%
40-49	10,952,929	8,288,753	75.68%	1,793,013	16.37%	432,120	3.95%	203,807	1.86%	235,237	2.15%	0	0.00%	0	0.00%
50-59	10,674,979	7,193,426	67.39%	1,933,112	18.11%	1,187,058	11.12%	252,585	2.37%	108,797	1.02%	0	0.00%	0	0.00%
60-64	2,899,455	1,953,599	67.38%	383,997	13.24%	328,332	11.32%	101,177	3.49%	132,350	4.56%	0	0.00%	0	0.00%
65-69	4,074,747	2,705,012	66.38%	827,040	20.30%	484,004	11.88%	5,915	0.15%	52,775	1.30%	0	0.00%	0	0.00%
70-74	3,191,932	2,189,350	68.59%	441,618	13.84%	495,300	15.52%	53,993	1.69%	6,968	0.22%	4,702	0.15%	0	0.00%
75-79	3,607,529	2,553,880	70.79%	612,574	16.98%	357,759	9.92%	76,507	2.12%	6,809	0.19%	0	0.00%	0	0.00%
80-84	1,806,355	1,288,600	71.34%	280,727	15.54%	142,615	7.90%	45,914	2.54%	48,500	2.68%	0	0.00%	0	0.00%
85+	1,282,311	732,129	57.09%	239,699	18.69%	178,555	13.92%	51,503	4.02%	80,425	6.27%	0	0.00%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	3,320,375	2,160,165	65.06%	704,251	21.21%	264,236	7.96%	135,485	4.08%	51,536	1.55%	4,702	0.14%	0	0.00%
Other Hispanic	1,612,394	1,128,159	69.97%	368,700	22.87%	115,535	7.17%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Non-Hispanic White	37,628,646	27,085,297	71.98%	6,119,076	16.26%	3,453,795	9.18%	504,117	1.34%	466,362	1.24%	0	0.00%	0	0.00%
Non-Hispanic Black	4,998,893	3,603,381	72.08%	627,920	12.56%	520,321	10.41%	213,330	4.27%	33,941	0.68%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,108,592	1,175,602	55.75%	377,154	17.89%	435,814	20.67%	0	0.00%	120,022	5.69%	0	0.00%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,565,375	1,143,745	73.07%	287,932	18.39%	78,725	5.03%	54,973	3.51%	0	0.00%	0	0.00%	0	0.00%
Less Than 9th Grade	3,808,148	2,148,551	56.42%	806,494	21.18%	670,804	17.61%	143,295	3.76%	34,301	0.90%	4,702	0.12%	0	0.00%
9-11th Grade	5,416,849	3,347,797	61.80%	913,819	16.87%	826,098	15.25%	251,432	4.64%	77,703	1.43%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	38,831,527	28,468,867	73.31%	6,188,856	15.94%	3,210,716	8.27%	403,231	1.04%	559,857	1.44%	0	0.00%	0	0.00%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	28,441,613	21,123,149	74.27%	4,714,925	16.58%	2,302,260	8.09%	154,816	0.54%	141,761	0.50%	4,702	0.02%	0	0.00%
Widowed	7,023,421	4,515,798	64.30%	1,121,537	15.97%	851,493	12.12%	239,729	3.41%	294,864	4.20%	0	0.00%	0	0.00%
Divorced	5,843,281	3,469,426	59.37%	1,205,368	20.63%	670,431	11.47%	316,250	5.41%	181,806	3.11%	0	0.00%	0	0.00%
Separated	988,558	708,835	71.70%	68,623	6.94%	168,233	17.02%	23,376	2.36%	19,490	1.97%	0	0.00%	0	0.00%
Never Married	4,823,731	3,687,608	76.45%	724,103	15.01%	342,535	7.10%	35,544	0.74%	33,941	0.70%	0	0.00%	0	0.00%
Living with Partner	2,422,887	1,595,418	65.85%	298,350	12.31%	445,903	18.40%	83,217	3.43%	0	0.00%	0	0.00%	0	0.00%
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,464,445	1,817,490	73.75%	247,344	10.04%	329,038	13.35%	70,573	2.86%	0	0.00%	0	0.00%	0	0.00%
Poverty income ratio less than 1	6,757,628	4,268,392	63.16%	1,418,771	21.00%	723,159	10.70%	296,620	4.39%	50,686	0.75%	0	0.00%	0	0.00%
Poverty income ratio 1 or greater	40,446,827	29,066,722	71.86%	6,530,985	16.15%	3,737,503	9.24%	485,739	1.20%	621,175	1.54%	4,702	0.01%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	746,870	357,996	47.93%	193,094	25.85%	69,845	9.35%	0	0.00%	121,234	16.23%	4,702	0.63%	0	0.00%
Normal: less than 25	14,598,962	10,739,667	73.56%	2,364,828	16.20%	1,382,595	9.47%	47,776	0.33%	64,096	0.44%	0	0.00%	0	0.00%
Overweight: 25.0 - 29.9	14,607,828	10,414,294	71.29%	2,348,135	16.07%	1,246,747	8.53%	286,413	1.96%	312,238	2.14%	0	0.00%	0	0.00%
Obese: 30 or higher	19,715,241	13,640,647	69.19%	3,291,044	16.69%	2,090,513	10.60%	518,743	2.63%	174,293	0.88%	0	0.00%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,123,877	787,731	70.09%	186,113	16.56%	77,380	6.89%	3,533	0.31%	69,119	6.15%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	36,705,283	26,777,148	72.95%	5,749,602	15.66%	3,320,328	9.05%	474,936	1.29%	378,565	1.03%	4,702	0.01%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	7,967,296	5,386,374	67.61%	1,428,370	17.93%	802,395	10.07%	182,543	2.29%	167,613	2.10%	0	0.00%	0	0.00%
Glycohemoglobin 6.5% or higher	3,872,445	2,201,350	56.85%	833,015	21.51%	589,596	15.23%	191,921	4.96%	56,563	1.46%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,238,254	3,076,165	58.73%	927,184	17.70%	832,592	15.89%	287,536	5.49%	114,777	2.19%	0	0.00%	0	0.00%
No	44,430,647	32,076,439	72.19%	7,269,916	16.36%	3,957,109	8.91%	565,396	1.27%	557,084	1.25%	4,702	0.01%	0	0.00%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	23,427,363	16,745,028	71.48%	3,883,954	16.58%	1,995,870	8.52%	398,091	1.70%	404,419	1.73%	0	0.00%	0	0.00%
No	26,236,835	18,407,576	70.16%	4,313,146	16.44%	2,793,830	10.65%	454,840	1.73%	267,442	1.02%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Yes	18,880,048	12,668,419	67.10%	3,094,317	16.39%	2,355,425	12.48%	469,251	2.49%	292,636	1.55%	0	0.00%	0	0.00%
No	30,466,498	22,249,180	73.03%	5,045,263	16.56%	2,404,446	7.89%	383,681	1.26%	379,225	1.24%	4,702	0.02%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,973,085	4,928,294	61.81%	1,116,017	14.00%	1,280,444	16.06%	388,461	4.87%	255,167	3.20%	4,702	0.06%	0	0.00%
Mobility limitations	8,334,329	5,363,380	64.35%	1,661,532	19.94%	918,409	11.02%	264,202	3.17%	126,805	1.52%	0	0.00%	0	0.00%
No mobility limitations	11,263,149	8,209,665	72.89%	1,579,670	14.03%	1,262,716	11.21%	30,007	0.27%	181,091	1.61%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	22,098,338	16,651,265	75.35%	3,839,882	17.38%	1,328,132	6.01%	170,262	0.77%	108,797	0.49%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,398,757	974,564	69.67%	288,193	20.60%	0	0.00%	7,842	0.56%	128,158	9.16%	0	0.00%	0	0.00%
Younger than 30	1,813,301	1,271,939	70.14%	272,687	15.04%	268,676	14.82%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
30 to 34	3,352,427	2,172,061	64.79%	752,528	22.45%	370,631	11.06%	57,206	1.71%	0	0.00%	0	0.00%	0	0.00%
35 to 39	3,917,954	2,278,459	58.15%	833,967	21.29%	498,910	12.73%	286,094	7.30%	20,524	0.52%	0	0.00%	0	0.00%
40 to 44	3,852,572	2,857,392	74.17%	614,735	15.96%	298,950	7.76%	52,766	1.37%	28,729	0.75%	0	0.00%	0	0.00%
45 to 49	6,311,824	4,265,558	67.58%	1,071,027	16.97%	743,793	11.78%	55,737	0.88%	175,708	2.78%	0	0.00%	0	0.00%
50 to 54	5,279,756	3,650,126	69.13%	602,822	11.42%	821,629	15.56%	84,162	1.59%	121,017	2.29%	0	0.00%	0	0.00%
55 or older	2,726,474	1,897,027	69.58%	514,892	18.88%	164,198	6.02%	121,382	4.45%	24,272	0.89%	4,702	0.17%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	20,937,698	15,744,730	75.20%	3,246,248	15.50%	1,585,524	7.57%	187,743	0.90%	173,453	0.83%	0	0.00%	0	0.00%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	958,973	606,585	63.25%	216,388	22.56%	0	0.00%	7,842	0.82%	128,158	13.36%	0	0.00%	0	0.00%
None	5,982,167	4,537,735	75.85%	1,152,326	19.26%	250,112	4.18%	41,993	0.70%	0	0.00%	0	0.00%	0	0.00%
1	6,362,208	4,796,752	75.39%	1,130,098	17.76%	335,557	5.27%	71,402	1.12%	28,399	0.45%	0	0.00%	0	0.00%
2	10,801,210	7,717,973	71.45%	1,675,974	15.52%	1,036,302	9.59%	172,565	1.60%	198,395	1.84%	0	0.00%	0	0.00%
More than 2	25,564,343	17,493,558	68.43%	4,022,315	15.73%	3,167,729	12.39%	559,129	2.19%	316,910	1.24%	4,702	0.02%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,076,075	640,160	59.49%	299,915	27.87%	0	0.00%	7,842	0.73%	128,158	11.91%	0	0.00%	0	0.00%
29 years old or younger	30,909,649	21,071,205	68.17%	5,117,553	16.56%	3,566,648	11.54%	658,509	2.13%	491,033	1.59%	4,702	0.02%	0	0.00%
30 - 40 years old	2,008,576	1,578,163	78.57%	221,043	11.00%	209,369	10.42%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
41 years or older	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,982,167	4,537,735	75.85%	1,152,326	19.26%	250,112	4.18%	41,993	0.70%	0	0.00%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,964,471	5,970,253	74.96%	1,276,035	16.02%	561,176	7.05%	104,336	1.31%	52,671	0.66%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,665,033	1,292,157	77.61%	130,229	7.82%	202,394	12.16%	40,252	2.42%	0	0.00%	0	0.00%	0	0.00%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,574,328	2,168,956	60.68%	820,138	22.95%	303,702	8.50%	41,805	1.17%	239,728	6.71%	0	0.00%	0	0.00%
29 years old or younger	23,736,444	16,913,529	71.26%	3,459,317	14.57%	2,444,273	10.30%	513,490	2.16%	405,835	1.71%	0	0.00%	0	0.00%
30 - 40 years old	13,701,788	9,577,539	69.90%	2,455,459	17.92%	1,429,206	10.43%	215,391	1.57%	19,490	0.14%	4,702	0.03%	0	0.00%
41 years or older	960,358	644,297	67.09%	179,631	18.70%	136,430	14.21%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,982,167	4,537,735	75.85%	1,152,326	19.26%	250,112	4.18%	41,993	0.70%	0	0.00%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,665,033	1,292,157	77.61%	130,229	7.82%	202,394	12.16%	40,252	2.42%	0	0.00%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
**Had hysterectomy	-	-		-		-		-		-		-		-	
Missing	17,066,555	12,788,223	74.93%	2,652,450	15.54%	1,135,812	6.66%	188,460	1.10%	301,611	1.77%	0	0.00%	0	0.00%
Yes	14,431,796	9,086,082	62.96%	2,843,084	19.70%	1,849,912	12.82%	498,018	3.45%	154,699	1.07%	0	0.00%	0	0.00%
No	18,102,553	13,215,006	73.00%	2,701,567	14.92%	1,803,976	9.97%	166,454	0.92%	215,551	1.19%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	17,134,551	12,851,516	75.00%	2,652,450	15.48%	1,135,812	6.63%	188,460	1.10%	301,611	1.76%	4,702	0.03%	0	0.00%
35 years old or younger	5,505,373	3,332,346	60.53%	1,123,586	20.41%	836,632	15.20%	212,809	3.87%	0	0.00%	0	0.00%	0	0.00%
36 - 50 years old	6,930,919	4,813,331	69.45%	1,346,455	19.43%	480,694	6.94%	188,411	2.72%	102,029	1.47%	0	0.00%	0	0.00%
51 years or older	1,886,583	849,843	45.05%	373,044	19.77%	514,226	27.26%	96,799	5.13%	52,671	2.79%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	18,102,553	13,215,006	73.00%	2,701,567	14.92%	1,803,976	9.97%	166,454	0.92%	215,551	1.19%	0	0.00%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2003 - 2004

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	49,668,900	35,152,604	70.77%	8,197,100	16.50%	4,789,701	9.64%	852,932	1.72%	671,861	1.35%	4,702	0.01%	0	0.00%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,019,234	666,847	65.43%	216,388	21.23%	0	0.00%	7,842	0.77%	128,158	12.57%	0	0.00%	0	0.00%
Yes	14,431,796	9,086,082	62.96%	2,843,084	19.70%	1,849,912	12.82%	498,018	3.45%	154,699	1.07%	0	0.00%	0	0.00%
No	34,149,874	25,336,382	74.19%	5,137,628	15.04%	2,939,788	8.61%	347,072	1.02%	389,004	1.14%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,941,809	3,180,604	80.69%	386,960	9.82%	245,114	6.22%	45,065	1.14%	29,739	0.75%	0	0.00%	54,327	1.38%
30-39	7,894,514	6,133,469	77.69%	1,204,191	15.25%	336,582	4.26%	177,613	2.25%	35,475	0.45%	7,185	0.09%	0	0.00%
40-49	11,905,894	9,763,961	82.01%	1,215,748	10.21%	531,069	4.46%	229,217	1.93%	165,898	1.39%	0	0.00%	0	0.00%
50-59	11,076,998	8,131,947	73.41%	1,775,989	16.03%	910,163	8.22%	39,216	0.35%	219,683	1.98%	0	0.00%	0	0.00%
60-64	4,306,761	3,252,817	75.53%	341,965	7.94%	490,034	11.38%	79,022	1.83%	142,924	3.32%	0	0.00%	0	0.00%
65-69	4,027,952	3,275,900	81.33%	470,556	11.68%	244,538	6.07%	28,123	0.70%	8,836	0.22%	0	0.00%	0	0.00%
70-74	3,416,773	2,593,366	75.90%	436,491	12.77%	273,437	8.00%	98,859	2.89%	14,619	0.43%	0	0.00%	0	0.00%
75-79	2,778,416	2,377,702	85.58%	315,817	11.37%	66,399	2.39%	18,498	0.67%	0	0.00%	0	0.00%	0	0.00%
80-84	1,929,806	1,340,982	69.49%	269,294	13.95%	175,666	9.10%	60,673	3.14%	35,126	1.82%	48,066	2.49%	0	0.00%
85+	1,352,603	1,127,125	83.33%	105,014	7.76%	69,678	5.15%	50,785	3.75%	0	0.00%	0	0.00%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	3,728,425	2,894,701	77.64%	566,475	15.19%	165,109	4.43%	86,120	2.31%	8,836	0.24%	7,185	0.19%	0	0.00%
Other Hispanic	1,850,588	1,221,011	65.98%	294,518	15.91%	205,174	11.09%	129,884	7.02%	0	0.00%	0	0.00%	0	0.00%
Non-Hispanic White	39,062,749	30,740,896	78.70%	4,714,686	12.07%	2,639,470	6.76%	448,045	1.15%	471,586	1.21%	48,066	0.12%	0	0.00%
Non-Hispanic Black	5,487,746	4,412,025	80.40%	507,757	9.25%	269,121	4.90%	157,057	2.86%	141,787	2.58%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,597,454	1,980,026	76.23%	438,589	16.89%	88,457	3.41%	5,964	0.23%	30,091	1.16%	0	0.00%	54,327	2.09%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	987,475	725,457	73.47%	192,290	19.47%	69,728	7.06%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Less Than 9th Grade	3,249,541	2,497,365	76.85%	394,897	12.15%	224,088	6.90%	83,868	2.58%	49,323	1.52%	0	0.00%	0	0.00%
9-11th Grade	6,419,605	4,712,992	73.42%	816,983	12.73%	595,496	9.28%	251,449	3.92%	42,685	0.66%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	42,033,567	33,276,071	79.17%	5,117,856	12.18%	2,478,018	5.90%	491,753	1.17%	560,292	1.33%	55,250	0.13%	54,327	0.13%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Married	30,891,097	24,340,335	78.79%	3,795,763	12.29%	2,098,464	6.79%	197,508	0.64%	397,516	1.29%	7,185	0.02%	54,327	0.18%
Widowed	5,387,335	3,950,649	73.33%	876,909	16.28%	336,353	6.24%	140,233	2.60%	35,126	0.65%	48,066	0.89%	0	0.00%
Divorced	6,926,457	5,147,713	74.32%	1,034,994	14.94%	392,923	5.67%	238,297	3.44%	112,530	1.62%	0	0.00%	0	0.00%
Separated	1,602,315	1,177,189	73.47%	132,437	8.27%	248,850	15.53%	43,839	2.74%	0	0.00%	0	0.00%	0	0.00%
Never Married	4,816,185	4,143,818	86.04%	413,033	8.58%	181,756	3.77%	13,136	0.27%	64,442	1.34%	0	0.00%	0	0.00%
Living with Partner	2,963,262	2,355,586	79.49%	261,949	8.84%	108,985	3.68%	194,058	6.55%	42,685	1.44%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,060,738	1,693,978	82.20%	342,184	16.60%	24,576	1.19%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Poverty income ratio less than 1	5,439,550	3,678,252	67.62%	910,624	16.74%	538,115	9.89%	129,716	2.38%	121,330	2.23%	7,185	0.13%	54,327	1.00%
Poverty income ratio 1 or greater	45,226,675	35,876,429	79.33%	5,269,217	11.65%	2,804,639	6.20%	697,354	1.54%	530,970	1.17%	48,066	0.11%	0	0.00%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	564,713	271,451	48.07%	168,977	29.92%	105,505	18.68%	18,780	3.33%	0	0.00%	0	0.00%	0	0.00%
Normal: less than 25	16,462,167	13,752,830	83.54%	1,607,011	9.76%	896,416	5.45%	157,844	0.96%	0	0.00%	48,066	0.29%	0	0.00%
Overweight: 25.0 - 29.9	13,604,590	10,376,123	76.27%	2,100,275	15.44%	703,796	5.17%	199,579	1.47%	170,489	1.25%	0	0.00%	54,327	0.40%
Obese: 30 or higher	22,095,493	16,848,256	76.25%	2,645,763	11.97%	1,661,613	7.52%	450,866	2.04%	481,811	2.18%	7,185	0.03%	0	0.00%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,130,605	1,000,901	88.53%	89,360	7.90%	40,345	3.57%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	37,712,559	29,673,015	78.68%	4,509,783	11.96%	2,509,471	6.65%	450,465	1.19%	515,498	1.37%	0	0.00%	54,327	0.14%
Glycohemoglobin 5.7% - 6.4%	9,679,205	7,025,355	72.58%	1,568,544	16.21%	685,122	7.08%	307,719	3.18%	85,280	0.88%	7,185	0.07%	0	0.00%
Glycohemoglobin 6.5% or higher	4,204,593	3,549,388	84.42%	354,340	8.43%	132,392	3.15%	68,886	1.64%	51,521	1.23%	48,066	1.14%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,890,347	4,416,688	74.98%	659,563	11.20%	487,164	8.27%	214,841	3.65%	64,025	1.09%	48,066	0.82%	0	0.00%
No	46,836,616	36,831,971	78.64%	5,862,463	12.52%	2,880,166	6.15%	612,230	1.31%	588,274	1.26%	7,185	0.02%	54,327	0.12%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	23,259,740	18,575,415	79.86%	2,396,606	10.30%	1,620,738	6.97%	417,249	1.79%	188,221	0.81%	7,185	0.03%	54,327	0.23%
No	29,458,736	22,664,757	76.94%	4,125,420	14.00%	1,746,592	5.93%	409,821	1.39%	464,079	1.58%	48,066	0.16%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	20,316,113	15,394,963	75.78%	2,699,959	13.29%	1,472,470	7.25%	496,405	2.44%	252,316	1.24%	0	0.00%	0	0.00%
No	32,204,718	25,647,564	79.64%	3,822,067	11.87%	1,894,860	5.88%	330,666	1.03%	399,984	1.24%	55,250	0.17%	54,327	0.17%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,607,759	4,726,930	62.13%	1,245,476	16.37%	978,648	12.86%	228,357	3.00%	380,281	5.00%	48,066	0.63%	0	0.00%
Mobility limitations	6,347,095	4,838,455	76.23%	748,025	11.79%	497,496	7.84%	263,119	4.15%	0	0.00%	0	0.00%	0	0.00%
No mobility limitations	12,359,990	9,848,569	79.68%	1,677,636	13.57%	623,465	5.04%	35,731	0.29%	174,590	1.41%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	26,412,119	21,834,705	82.67%	2,850,889	10.79%	1,267,721	4.80%	299,863	1.14%	97,428	0.37%	7,185	0.03%	54,327	0.21%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	4,500,857	3,112,744	69.16%	404,926	9.00%	655,021	14.55%	157,533	3.50%	170,633	3.79%	0	0.00%	0	0.00%
No	48,213,491	38,123,300	79.07%	6,117,100	12.69%	2,712,309	5.63%	669,538	1.39%	481,666	1.00%	55,250	0.11%	54,327	0.11%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	509,435	390,329	76.62%	53,035	10.41%	11,744	2.31%	0	0.00%	0	0.00%	0	0.00%	54,327	10.66%
2 or more times a day	6,903,066	4,829,785	69.97%	1,202,944	17.43%	525,775	7.62%	131,039	1.90%	213,524	3.09%	0	0.00%	0	0.00%
Once a day	4,756,242	3,581,856	75.31%	840,146	17.66%	239,230	5.03%	95,010	2.00%	0	0.00%	0	0.00%	0	0.00%
2 or more time a week	5,982,021	4,822,721	80.62%	610,131	10.20%	367,282	6.14%	132,564	2.22%	49,323	0.82%	0	0.00%	0	0.00%
Once a week	3,547,839	2,672,400	75.32%	612,185	17.26%	222,869	6.28%	13,136	0.37%	27,250	0.77%	0	0.00%	0	0.00%
1-3 times a month	8,401,712	6,859,194	81.64%	725,477	8.63%	616,537	7.34%	200,504	2.39%	0	0.00%	0	0.00%	0	0.00%
Never	22,545,806	18,059,599	80.10%	2,478,109	10.99%	1,383,894	6.14%	254,817	1.13%	362,202	1.61%	7,185	0.03%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	509,435	390,329	76.62%	53,035	10.41%	11,744	2.31%	0	0.00%	0	0.00%	0	0.00%	54,327	10.66%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	917,586	806,108	87.85%	30,436	3.32%	46,339	5.05%	0	0.00%	34,704	3.78%	0	0.00%	0	0.00%
Never	50,692,795	39,671,235	78.26%	6,410,183	12.65%	3,293,002	6.50%	759,648	1.50%	551,542	1.09%	7,185	0.01%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,824,552	1,137,797	62.36%	488,599	26.78%	85,970	4.71%	16,223	0.89%	95,963	5.26%	0	0.00%	0	0.00%
30 to 34	1,997,986	1,557,966	77.98%	47,765	2.39%	199,676	9.99%	60,521	3.03%	132,058	6.61%	0	0.00%	0	0.00%
35 to 39	3,238,424	2,197,945	67.87%	475,841	14.69%	501,185	15.48%	48,835	1.51%	14,619	0.45%	0	0.00%	0	0.00%
40 to 44	4,893,379	3,866,386	79.01%	609,343	12.45%	382,343	7.81%	28,123	0.57%	0	0.00%	7,185	0.15%	0	0.00%
45 to 49	6,724,172	5,328,058	79.24%	733,143	10.90%	531,077	7.90%	67,099	1.00%	64,795	0.96%	0	0.00%	0	0.00%
50 to 54	7,899,526	6,086,307	77.05%	939,628	11.89%	611,704	7.74%	130,968	1.66%	130,919	1.66%	0	0.00%	0	0.00%
55 or older	2,465,597	2,094,428	84.95%	189,795	7.70%	105,692	4.29%	18,780	0.76%	8,836	0.36%	48,066	1.95%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	23,295,515	18,672,457	80.15%	3,008,164	12.91%	949,684	4.08%	405,773	1.74%	205,109	0.88%	0	0.00%	54,327	0.23%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
None	4,625,041	4,158,897	89.92%	315,249	6.82%	72,493	1.57%	30,336	0.66%	0	0.00%	48,066	1.04%	0	0.00%
1	6,051,577	4,819,193	79.64%	767,435	12.68%	399,909	6.61%	30,336	0.50%	34,704	0.57%	0	0.00%	0	0.00%
2	11,218,022	8,918,067	79.50%	1,297,850	11.57%	535,254	4.77%	238,402	2.13%	174,123	1.55%	0	0.00%	54,327	0.48%
More than 2	30,832,322	23,352,503	75.74%	4,141,491	13.43%	2,359,674	7.65%	527,995	1.71%	443,473	1.44%	7,185	0.02%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	261,752	235,515	89.98%	26,237	10.02%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
None	11,854,360	10,096,932	85.17%	1,104,415	9.32%	548,563	4.63%	56,385	0.48%	0	0.00%	48,066	0.41%	0	0.00%
1	7,825,805	6,001,204	76.68%	1,141,868	14.59%	523,563	6.69%	124,466	1.59%	34,704	0.44%	0	0.00%	0	0.00%
2	12,790,074	9,659,581	75.52%	1,733,457	13.55%	748,767	5.85%	326,515	2.55%	267,427	2.09%	0	0.00%	54,327	0.42%
More than 2	19,994,971	15,255,428	76.30%	2,516,049	12.58%	1,546,437	7.73%	319,705	1.60%	350,169	1.75%	7,185	0.04%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	261,752	235,515	89.98%	26,237	10.02%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
None	17,652,821	14,005,164	79.34%	2,268,945	12.85%	803,275	4.55%	344,819	1.95%	230,619	1.31%	0	0.00%	0	0.00%
1	4,695,588	3,212,435	68.41%	819,426	17.45%	395,763	8.43%	185,524	3.95%	82,439	1.76%	0	0.00%	0	0.00%
2	2,784,155	2,287,579	82.16%	324,039	11.64%	172,537	6.20%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
More than 2	776,865	621,053	79.94%	62,269	8.02%	93,543	12.04%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Vaginal delivery/deliveries only	26,447,433	20,778,565	78.57%	3,021,110	11.42%	1,902,211	7.19%	296,727	1.12%	339,242	1.28%	55,250	0.21%	54,327	0.21%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,659,608	1,519,819	91.58%	26,237	1.58%	113,552	6.84%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
29 years old or younger	34,383,269	26,138,151	76.02%	4,433,505	12.89%	2,592,528	7.54%	539,978	1.57%	617,596	1.80%	7,185	0.02%	54,327	0.16%
30 - 40 years old	2,208,454	1,786,567	80.90%	224,689	10.17%	132,868	6.02%	64,330	2.91%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	4,625,041	4,158,897	89.92%	315,249	6.82%	72,493	1.57%	30,336	0.66%	0	0.00%	48,066	1.04%	0	0.00%
Only 1 live birth - see age at last live birth	8,001,034	6,046,059	75.57%	1,305,305	16.31%	446,489	5.58%	168,476	2.11%	34,704	0.43%	0	0.00%	0	0.00%
No pregnancies resulting in live births	1,694,986	1,487,633	87.77%	174,004	10.27%	9,400	0.55%	23,950	1.41%	0	0.00%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,659,608	1,519,819	91.58%	26,237	1.58%	113,552	6.84%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
29 years old or younger	23,327,162	17,033,319	73.02%	3,854,140	16.52%	1,461,609	6.27%	608,286	2.61%	315,481	1.35%	0	0.00%	54,327	0.23%
30 - 40 years old	20,224,723	16,240,815	80.30%	1,941,627	9.60%	1,574,300	7.78%	159,104	0.79%	301,693	1.49%	7,185	0.04%	0	0.00%
41 years or older	892,812	586,524	65.69%	159,834	17.90%	111,327	12.47%	0	0.00%	35,126	3.93%	0	0.00%	0	0.00%
Refused/Don't know	302,631	221,652	73.24%	50,935	16.83%	24,649	8.14%	5,394	1.78%	0	0.00%	0	0.00%	0	0.00%
N/A - Never pregnant	4,625,041	4,158,897	89.92%	315,249	6.82%	72,493	1.57%	30,336	0.66%	0	0.00%	48,066	1.04%	0	0.00%
No pregnancies resulting in live births	1,694,986	1,487,633	87.77%	174,004	10.27%	9,400	0.55%	23,950	1.41%	0	0.00%	0	0.00%	0	0.00%
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	18,596,543	15,006,651	80.70%	2,193,768	11.80%	788,021	4.24%	348,665	1.87%	205,109	1.10%	0	0.00%	54,327	0.29%
Yes	13,722,942	9,957,921	72.56%	2,007,224	14.63%	1,265,063	9.22%	229,587	1.67%	263,147	1.92%	0	0.00%	0	0.00%
No	20,374,110	16,250,719	79.76%	2,321,033	11.39%	1,314,246	6.45%	248,818	1.22%	184,043	0.90%	55,250	0.27%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	18,629,911	15,040,020	80.73%	2,193,768	11.78%	788,021	4.23%	348,665	1.87%	205,109	1.10%	0	0.00%	54,327	0.29%
35 years old or younger	3,946,323	2,684,727	68.03%	565,507	14.33%	391,323	9.92%	76,744	1.94%	228,021	5.78%	0	0.00%	0	0.00%
36 - 50 years old	7,781,942	5,817,407	74.76%	1,042,396	13.40%	779,719	10.02%	107,293	1.38%	35,126	0.45%	0	0.00%	0	0.00%
51 years or older	1,747,855	1,380,712	78.99%	305,349	17.47%	16,245	0.93%	45,550	2.61%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	20,374,110	16,250,719	79.76%	2,321,033	11.39%	1,314,246	6.45%	248,818	1.22%	184,043	0.90%	55,250	0.27%	0	0.00%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A for these years of data	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2005 - 2006

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	52,726,963	41,248,659	78.23%	6,522,026	12.37%	3,367,330	6.39%	827,070	1.57%	652,300	1.24%	55,250	0.10%	54,327	0.10%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	13,722,942	9,957,921	72.56%	2,007,224	14.63%	1,265,063	9.22%	229,587	1.67%	263,147	1.92%	0	0.00%	0	0.00%
No	38,970,652	31,257,370	80.21%	4,514,802	11.59%	2,102,267	5.39%	597,483	1.53%	389,153	1.00%	55,250	0.14%	54,327	0.14%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20-29	3,182,912	2,834,561	89.06%	112,020	3.52%	148,694	4.67%	65,900	2.07%	21,737	0.68%	0	0.00%	0	0.00%
30-39	6,918,439	5,379,924	77.76%	816,657	11.80%	302,235	4.37%	248,583	3.59%	171,040	2.47%	0	0.00%	0	0.00%
40-49	12,492,517	10,286,329	82.34%	1,252,733	10.03%	618,414	4.95%	78,334	0.63%	256,708	2.05%	0	0.00%	0	0.00%
50-59	12,594,999	9,776,320	77.62%	1,526,812	12.12%	934,731	7.42%	321,382	2.55%	0	0.00%	35,753	0.28%	0	0.00%
60-64	4,552,494	3,151,719	69.23%	1,091,202	23.97%	218,051	4.79%	91,522	2.01%	0	0.00%	0	0.00%	0	0.00%
65-69	4,705,139	3,906,052	83.02%	323,987	6.89%	302,504	6.43%	38,059	0.81%	76,525	1.63%	30,046	0.64%	27,966	0.59%
70-74	3,894,677	3,168,732	81.36%	464,444	11.93%	161,567	4.15%	33,119	0.85%	53,020	1.36%	13,795	0.35%	0	0.00%
75-79	3,060,873	2,597,164	84.85%	234,586	7.66%	59,350	1.94%	75,010	2.45%	60,915	1.99%	33,847	1.11%	0	0.00%
80+	3,633,887	2,831,967	77.93%	436,920	12.02%	185,329	5.10%	133,117	3.66%	0	0.00%	46,553	1.28%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	4,071,673	2,843,101	69.83%	768,873	18.88%	278,940	6.85%	140,444	3.45%	12,349	0.30%	0	0.00%	27,966	0.69%
Other Hispanic	2,405,234	1,696,235	70.52%	344,424	14.32%	184,795	7.68%	152,169	6.33%	27,610	1.15%	0	0.00%	0	0.00%
Non-Hispanic White	40,870,046	32,939,752	80.60%	4,711,267	11.53%	1,907,073	4.67%	629,700	1.54%	551,355	1.35%	130,900	0.32%	0	0.00%
Non-Hispanic Black	5,876,222	4,912,878	83.61%	304,118	5.18%	418,784	7.13%	162,715	2.77%	48,631	0.83%	29,095	0.50%	0	0.00%
Other Race - Including Multi-Racial	2,031,819	1,612,646	79.37%	241,840	11.90%	177,332	8.73%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,407,816	1,170,934	83.17%	157,040	11.15%	70,246	4.99%	9,596	0.68%	0	0.00%	0	0.00%	0	0.00%
Less Than 9th Grade	4,092,738	2,948,714	72.05%	637,370	15.57%	290,321	7.09%	130,531	3.19%	57,836	1.41%	0	0.00%	27,966	0.68%
9-11th Grade	7,310,642	5,169,241	70.71%	788,897	10.79%	844,927	11.56%	250,074	3.42%	145,150	1.99%	112,353	1.54%	0	0.00%
High School Grad/GED or Equivalent	42,432,181	34,715,723	81.81%	4,775,600	11.25%	1,761,430	4.15%	694,827	1.64%	436,958	1.03%	47,642	0.11%	0	0.00%
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	452,036	260,708	57.67%	138,772	30.70%	41,151	9.10%	11,405	2.52%	0	0.00%	0	0.00%	0	0.00%
Married	32,317,208	26,120,761	80.83%	3,575,462	11.06%	1,654,216	5.12%	547,276	1.69%	341,805	1.06%	77,688	0.24%	0	0.00%
Widowed	6,068,669	4,839,700	79.75%	692,098	11.40%	266,538	4.39%	123,490	2.03%	72,323	1.19%	46,553	0.77%	27,966	0.46%
Divorced	7,535,511	5,816,837	77.19%	737,022	9.78%	662,806	8.80%	136,178	1.81%	146,915	1.95%	35,753	0.47%	0	0.00%
Separated	1,434,023	1,091,438	76.11%	221,964	15.48%	71,596	4.99%	44,388	3.10%	4,637	0.32%	0	0.00%	0	0.00%
Never Married	4,683,803	3,576,667	76.36%	660,993	14.11%	188,885	4.03%	222,292	4.75%	34,966	0.75%	0	0.00%	0	0.00%
Living with Partner	2,737,359	2,272,117	83.00%	344,211	12.57%	81,733	2.99%	0	0.00%	39,298	1.44%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,595,462	2,590,586	72.05%	755,852	21.02%	163,104	4.54%	18,237	0.51%	67,682	1.88%	0	0.00%	0	0.00%
Poverty income ratio less than 1	7,088,380	5,277,990	74.46%	801,252	11.30%	465,268	6.56%	440,856	6.22%	103,015	1.45%	0	0.00%	0	0.00%
Poverty income ratio 1 or greater	44,571,151	36,136,037	81.07%	4,813,419	10.80%	2,338,552	5.25%	625,934	1.40%	469,248	1.05%	159,995	0.36%	27,966	0.06%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	646,049	375,592	58.14%	176,594	27.33%	50,194	7.77%	29,874	4.62%	0	0.00%	13,795	2.14%	0	0.00%
Normal: less than 25	16,148,519	13,233,967	81.95%	2,036,436	12.61%	489,855	3.03%	227,258	1.41%	30,103	0.19%	130,900	0.81%	0	0.00%
Overweight: 25.0 - 29.9	15,692,750	12,404,802	79.05%	1,983,421	12.64%	884,424	5.64%	204,312	1.30%	215,793	1.38%	0	0.00%	0	0.00%
Obese: 30 or higher	22,767,675	17,990,252	79.02%	2,174,072	9.55%	1,542,451	6.77%	623,583	2.74%	394,049	1.73%	15,300	0.07%	27,966	0.12%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,536,929	1,283,751	83.53%	48,051	3.13%	89,697	5.84%	72,162	4.70%	0	0.00%	15,300	1.00%	27,966	1.82%
Glycohemoglobin < 5.7%	33,413,569	27,233,391	81.50%	3,728,698	11.16%	1,566,869	4.69%	554,216	1.66%	299,142	0.90%	31,253	0.09%	0	0.00%
Glycohemoglobin 5.7% - 6.4%	15,105,548	11,894,021	78.74%	1,762,044	11.66%	749,374	4.96%	388,589	2.57%	228,124	1.51%	83,395	0.55%	0	0.00%
Glycohemoglobin 6.5% or higher	5,198,947	3,593,450	69.12%	831,729	16.00%	560,983	10.79%	70,060	1.35%	112,679	2.17%	30,046	0.58%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	6,970,907	4,979,878	71.44%	1,056,917	15.16%	511,868	7.34%	279,519	4.01%	112,679	1.62%	30,046	0.43%	0	0.00%
No	48,284,086	39,024,735	80.82%	5,313,605	11.00%	2,455,056	5.08%	805,509	1.67%	527,266	1.09%	129,948	0.27%	27,966	0.06%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	24,409,633	18,638,057	76.36%	3,020,543	12.37%	1,533,571	6.28%	687,527	2.82%	445,034	1.82%	84,900	0.35%	0	0.00%
No	30,845,360	25,366,556	82.24%	3,349,979	10.86%	1,433,353	4.65%	397,500	1.29%	194,911	0.63%	75,095	0.24%	27,966	0.09%
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	22,774,299	17,674,313	77.61%	2,628,059	11.54%	1,409,720	6.19%	681,701	2.99%	256,263	1.13%	124,242	0.55%	0	0.00%
No	32,480,694	26,330,300	81.06%	3,742,463	11.52%	1,557,204	4.79%	403,326	1.24%	383,682	1.18%	35,753	0.11%	27,966	0.09%
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,426,918	5,154,827	69.41%	1,388,845	18.70%	521,010	7.02%	165,870	2.23%	182,571	2.46%	13,795	0.19%	0	0.00%
Mobility limitations	7,358,320	5,165,791	70.20%	1,042,491	14.17%	643,571	8.75%	296,339	4.03%	71,715	0.97%	110,447	1.50%	27,966	0.38%
No mobility limitations	12,909,086	10,779,624	83.50%	1,168,252	9.05%	357,995	2.77%	245,361	1.90%	322,101	2.50%	35,753	0.28%	0	0.00%
N/A - Respondent not asked mobility limitation questions	27,560,669	22,904,372	83.11%	2,770,934	10.05%	1,444,348	5.24%	377,457	1.37%	63,558	0.23%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	4,870,121	3,508,682	72.05%	518,210	10.64%	363,148	7.46%	275,198	5.65%	204,882	4.21%	0	0.00%	0	0.00%
No	50,295,493	40,422,430	80.37%	5,836,433	11.60%	2,603,776	5.18%	809,830	1.61%	435,063	0.87%	159,995	0.32%	27,966	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	382,322	252,668	66.09%	54,046	14.14%	0	0.00%	0	0.00%	0	0.00%	47,642	12.46%	27,966	7.31%
2 or more times a day	6,277,306	4,780,680	76.16%	772,923	12.31%	484,260	7.71%	156,766	2.50%	82,677	1.32%	0	0.00%	0	0.00%
Once a day	4,903,241	3,919,659	79.94%	369,991	7.55%	500,101	10.20%	113,491	2.31%	0	0.00%	0	0.00%	0	0.00%
2 or more time a week	4,905,793	3,521,476	71.78%	694,688	14.16%	506,509	10.32%	141,299	2.88%	41,821	0.85%	0	0.00%	0	0.00%
Once a week	4,625,573	3,959,471	85.60%	527,642	11.41%	54,347	1.17%	84,113	1.82%	0	0.00%	0	0.00%	0	0.00%
1-3 times a month	8,831,478	6,548,784	74.15%	1,353,029	15.32%	543,320	6.15%	363,372	4.11%	22,973	0.26%	0	0.00%	0	0.00%
Never	25,216,053	20,977,312	83.19%	2,573,906	10.21%	864,067	3.43%	225,987	0.90%	492,474	1.95%	82,306	0.33%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	382,322	252,668	66.09%	54,046	14.14%	0	0.00%	0	0.00%	0	0.00%	47,642	12.46%	27,966	7.31%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	1,328,473	961,797	72.40%	103,057	7.76%	230,253	17.33%	21,959	1.65%	11,408	0.86%	0	0.00%	0	0.00%
Never	52,751,589	42,337,920	80.26%	6,068,508	11.50%	2,659,132	5.04%	1,044,146	1.98%	595,330	1.13%	46,553	0.09%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,553,160	1,068,138	68.77%	170,809	11.00%	114,403	7.37%	184,510	11.88%	0	0.00%	15,300	0.99%	0	0.00%
30 to 34	1,880,705	1,328,261	70.63%	285,718	15.19%	194,232	10.33%	35,311	1.88%	37,183	1.98%	0	0.00%	0	0.00%
35 to 39	3,535,465	2,608,360	73.78%	594,354	16.81%	254,136	7.19%	78,614	2.22%	0	0.00%	0	0.00%	0	0.00%
40 to 44	5,262,758	4,048,707	76.93%	880,206	16.73%	190,483	3.62%	107,609	2.04%	0	0.00%	35,753	0.68%	0	0.00%
45 to 49	7,787,025	6,129,954	78.72%	892,610	11.46%	477,686	6.13%	148,951	1.91%	76,525	0.98%	61,300	0.79%	0	0.00%
50 to 54	6,764,134	5,518,399	81.58%	711,133	10.51%	358,799	5.30%	53,957	0.80%	121,847	1.80%	0	0.00%	0	0.00%
55 or older	3,975,633	3,252,621	81.81%	592,520	14.90%	27,939	0.70%	41,637	1.05%	60,915	1.53%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	24,229,111	19,830,813	81.85%	2,243,173	9.26%	1,349,246	5.57%	434,437	1.79%	343,475	1.42%	0	0.00%	27,966	0.12%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	6,302,817	5,107,409	81.03%	905,620	14.37%	156,273	2.48%	11,425	0.18%	94,123	1.49%	0	0.00%	27,966	0.44%
1	6,110,529	4,994,914	81.74%	719,343	11.77%	6,466	0.11%	166,289	2.72%	187,764	3.07%	35,753	0.59%	0	0.00%
2	12,563,352	10,231,444	81.44%	1,208,290	9.62%	703,851	5.60%	316,575	2.52%	39,298	0.31%	63,894	0.51%	0	0.00%
More than 2	30,220,672	23,613,222	78.14%	3,537,269	11.70%	2,100,334	6.95%	590,738	1.95%	318,760	1.05%	60,348	0.20%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	13,145,375	10,622,108	80.80%	1,798,585	13.68%	470,886	3.58%	69,941	0.53%	120,137	0.91%	35,753	0.27%	27,966	0.21%
1	9,225,483	7,238,806	78.47%	1,148,244	12.45%	204,453	2.22%	378,855	4.11%	225,078	2.44%	30,046	0.33%	0	0.00%
2	14,193,456	11,272,388	79.42%	1,458,315	10.27%	947,804	6.68%	317,041	2.23%	150,267	1.06%	47,642	0.34%	0	0.00%
More than 2	18,349,130	14,586,332	79.49%	1,923,128	10.48%	1,329,462	7.25%	319,191	1.74%	144,464	0.79%	46,553	0.25%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	364,303	322,052	88.40%	42,250	11.60%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
None	15,099,244	11,806,932	78.20%	1,821,290	12.06%	938,703	6.22%	262,726	1.74%	194,498	1.29%	75,095	0.50%	0	0.00%
1	5,006,103	4,025,074	80.40%	489,634	9.78%	298,497	5.96%	131,397	2.62%	25,749	0.51%	35,753	0.71%	0	0.00%
2	2,687,078	1,973,497	73.44%	481,355	17.91%	135,768	5.05%	84,109	3.13%	12,349	0.46%	0	0.00%	0	0.00%
More than 2	1,662,174	1,230,966	74.06%	187,026	11.25%	167,336	10.07%	50,832	3.06%	26,014	1.57%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Vaginal delivery/deliveries only	30,421,771	24,646,092	81.01%	3,348,967	11.01%	1,412,300	4.64%	555,964	1.83%	381,335	1.25%	49,147	0.16%	27,966	0.09%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,490,183	6,918,330	81.49%	1,237,502	14.58%	200,837	2.37%	11,425	0.13%	94,123	1.11%	0	0.00%	27,966	0.33%
Yes	8,532,270	6,845,604	80.23%	810,065	9.49%	635,559	7.45%	108,053	1.27%	99,142	1.16%	33,847	0.40%	0	0.00%
No	38,178,210	30,225,698	79.17%	4,283,607	11.22%	2,130,528	5.58%	965,549	2.53%	446,681	1.17%	126,148	0.33%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,544,513	6,933,311	81.14%	1,276,851	14.94%	200,837	2.35%	11,425	0.13%	94,123	1.10%	0	0.00%	27,966	0.33%
35 years old or younger	7,821,671	6,185,977	79.09%	766,078	9.79%	628,573	8.04%	108,053	1.38%	99,142	1.27%	33,847	0.43%	0	0.00%
36 years or older	702,686	659,627	93.87%	36,073	5.13%	6,986	0.99%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have baby weighing 9 lbs or more	38,178,210	30,225,698	79.17%	4,283,607	11.22%	2,130,528	5.58%	965,549	2.53%	446,681	1.17%	126,148	0.33%	0	0.00%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,187,367	1,810,921	82.79%	331,882	15.17%	44,564	2.04%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
29 years old or younger	34,586,909	27,190,020	78.61%	3,693,749	10.68%	2,641,319	7.64%	660,677	1.91%	320,744	0.93%	80,401	0.23%	0	0.00%
30 - 40 years old	3,268,792	2,828,851	86.54%	364,092	11.14%	54,097	1.65%	21,752	0.67%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	6,302,817	5,107,409	81.03%	905,620	14.37%	156,273	2.48%	11,425	0.18%	94,123	1.49%	0	0.00%	27,966	0.44%
Only 1 live birth - see age at last live birth	8,746,482	6,918,580	79.10%	1,075,180	12.29%	70,671	0.81%	391,174	4.47%	225,078	2.57%	65,799	0.75%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,875,976	2,292,708	79.72%	446,359	15.52%	44,564	1.55%	15,820	0.55%	76,525	2.66%	0	0.00%	0	0.00%
29 years old or younger	26,428,836	21,006,352	79.48%	2,763,369	10.46%	1,651,511	6.25%	564,312	2.14%	332,845	1.26%	110,447	0.42%	0	0.00%
30 - 40 years old	18,150,685	14,440,043	79.56%	1,976,299	10.89%	1,077,996	5.94%	484,142	2.67%	136,453	0.75%	35,753	0.20%	0	0.00%
41 years or older	1,135,527	848,065	74.68%	267,645	23.57%	10,490	0.92%	9,327	0.82%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	258,179	207,063	80.20%	11,231	4.35%	26,091	10.11%	0	0.00%	0	0.00%	13,795	5.34%	0	0.00%
N/A - Never pregnant	6,302,817	5,107,409	81.03%	905,620	14.37%	156,273	2.48%	11,425	0.18%	94,123	1.49%	0	0.00%	27,966	0.44%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	14,948,548	11,327,768	75.78%	1,890,370	12.65%	1,041,734	6.97%	402,704	2.69%	220,873	1.48%	65,101	0.44%	0	0.00%
No	40,268,951	32,676,845	81.15%	4,442,660	11.03%	1,925,191	4.78%	682,324	1.69%	419,072	1.04%	94,894	0.24%	27,966	0.07%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35 years old or younger	3,434,280	2,296,418	66.87%	509,087	14.82%	384,700	11.20%	206,892	6.02%	37,183	1.08%	0	0.00%	0	0.00%
36 - 50 years old	9,424,613	7,472,346	79.29%	1,120,586	11.89%	558,718	5.93%	162,591	1.73%	76,525	0.81%	33,847	0.36%	0	0.00%
51 years or older	1,775,979	1,381,624	77.80%	169,974	9.57%	83,997	4.73%	33,220	1.87%	107,165	6.03%	0	0.00%	0	0.00%
Refused/Don't know	313,677	177,380	56.55%	90,723	28.92%	14,320	4.57%	0	0.00%	0	0.00%	31,253	9.96%	0	0.00%
N/A - Did not have procedure	40,268,951	32,676,845	81.15%	4,442,660	11.03%	1,925,191	4.78%	682,324	1.69%	419,072	1.04%	94,894	0.24%	27,966	0.07%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	834,063	737,956	88.48%	42,250	5.07%	29,597	3.55%	24,260	2.91%	0	0.00%	0	0.00%	0	0.00%
Yes	8,428,117	6,314,712	74.92%	1,198,676	14.22%	586,003	6.95%	153,123	1.82%	144,348	1.71%	31,253	0.37%	0	0.00%
No	45,666,685	36,695,896	80.36%	5,093,364	11.15%	2,351,324	5.15%	907,644	1.99%	495,597	1.09%	94,894	0.21%	27,966	0.06%
Don't know	326,128	256,048	78.51%	36,232	11.11%	0	0.00%	0	0.00%	0	0.00%	33,847	10.38%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,160,191	994,005	85.68%	78,482	6.76%	29,597	2.55%	24,260	2.09%	0	0.00%	33,847	2.92%	0	0.00%
35 years old or younger	1,147,976	779,926	67.94%	185,421	16.15%	117,207	10.21%	28,238	2.46%	37,183	3.24%	0	0.00%	0	0.00%
36 - 50 years old	5,268,764	3,927,317	74.54%	841,689	15.98%	421,692	8.00%	78,066	1.48%	0	0.00%	0	0.00%	0	0.00%
51 years or older	1,814,685	1,493,517	82.30%	160,335	8.84%	32,784	1.81%	20,884	1.15%	107,165	5.91%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	45,666,685	36,695,896	80.36%	5,093,364	11.15%	2,351,324	5.15%	907,644	1.99%	495,597	1.09%	94,894	0.21%	27,966	0.06%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2007 - 2008

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	55,254,993	44,004,613	79.64%	6,370,523	11.53%	2,966,924	5.37%	1,085,027	1.96%	639,945	1.16%	159,995	0.29%	27,966	0.05%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	14,751,624	11,165,481	75.69%	1,861,007	12.62%	1,041,734	7.06%	397,429	2.69%	220,873	1.50%	65,101	0.44%	0	0.00%
No	40,465,875	32,839,132	81.15%	4,472,023	11.05%	1,925,191	4.76%	687,598	1.70%	419,072	1.04%	94,894	0.23%	27,966	0.07%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Age at screening	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-19	262,709	215,580	82.06%	15,510	5.90%	31,619	12.04%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
20-29	4,065,787	3,382,894	83.20%	428,965	10.55%	164,159	4.04%	6,385	0.16%	83,384	2.05%	0	0.00%	0	0.00%
30-39	6,839,684	5,923,820	86.61%	616,044	9.01%	172,158	2.52%	107,286	1.57%	20,376	0.30%	0	0.00%	0	0.00%
40-49	10,250,083	7,977,519	77.83%	1,412,774	13.78%	396,129	3.86%	350,367	3.42%	113,295	1.11%	0	0.00%	0	0.00%
50-59	12,355,481	9,948,654	80.52%	1,685,550	13.64%	515,830	4.17%	136,088	1.10%	43,931	0.36%	0	0.00%	25,427	0.21%
60-64	5,026,629	4,280,276	85.15%	482,291	9.59%	240,538	4.79%	12,610	0.25%	10,914	0.22%	0	0.00%	0	0.00%
65-69	3,883,820	3,106,811	79.99%	645,657	16.62%	99,529	2.56%	26,002	0.67%	5,822	0.15%	0	0.00%	0	0.00%
70-74	3,780,684	3,218,173	85.12%	209,039	5.53%	256,676	6.79%	74,160	1.96%	0	0.00%	22,636	0.60%	0	0.00%
75-79	2,933,187	2,304,007	78.55%	411,955	14.04%	86,771	2.96%	64,052	2.18%	66,402	2.26%	0	0.00%	0	0.00%
80+	3,722,204	2,621,664	70.43%	561,723	15.09%	263,777	7.09%	149,606	4.02%	97,382	2.62%	28,052	0.75%	0	0.00%
Race/ethnicity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican American	4,069,163	2,929,129	71.98%	696,650	17.12%	202,479	4.98%	201,035	4.94%	39,869	0.98%	0	0.00%	0	0.00%
Other Hispanic	2,732,072	2,062,002	75.47%	451,747	16.53%	141,112	5.17%	71,507	2.62%	5,705	0.21%	0	0.00%	0	0.00%
Non-Hispanic White	37,988,402	31,219,619	82.18%	4,443,860	11.70%	1,416,070	3.73%	459,441	1.21%	395,932	1.04%	28,052	0.07%	25,427	0.07%
Non-Hispanic Black	5,747,915	4,743,523	82.53%	585,480	10.19%	295,873	5.15%	123,039	2.14%	0	0.00%	0	0.00%	0	0.00%
Other Race - Including Multi-Racial	2,582,715	2,025,125	78.41%	291,769	11.30%	171,650	6.65%	71,535	2.77%	0	0.00%	22,636	0.88%	0	0.00%
Education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,313,679	1,184,926	90.20%	62,351	4.75%	66,402	5.05%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Less Than 9th Grade	3,531,136	2,376,250	67.29%	809,062	22.91%	256,609	7.27%	47,995	1.36%	18,585	0.53%	22,636	0.64%	0	0.00%
9-11th Grade	6,443,993	4,716,461	73.19%	891,839	13.84%	436,591	6.78%	242,327	3.76%	156,776	2.43%	0	0.00%	0	0.00%
High School Grad/GED or Equivalent	41,666,441	34,581,355	83.00%	4,667,668	11.20%	1,467,582	3.52%	630,211	1.51%	266,145	0.64%	28,052	0.07%	25,427	0.06%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Don't Know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Marital status	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	262,709	215,580	82.06%	15,510	5.90%	31,619	12.04%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Married	31,320,097	25,974,599	82.93%	3,680,590	11.75%	1,080,400	3.45%	431,599	1.38%	104,846	0.33%	22,636	0.07%	25,427	0.08%
Widowed	5,725,689	4,028,808	70.36%	912,036	15.93%	518,932	9.06%	161,373	2.82%	76,488	1.34%	28,052	0.49%	0	0.00%
Divorced	5,876,548	4,825,843	82.12%	689,346	11.73%	149,239	2.54%	130,813	2.23%	81,307	1.38%	0	0.00%	0	0.00%
Separated	1,156,763	741,716	64.12%	234,245	20.25%	117,101	10.12%	47,508	4.11%	16,193	1.40%	0	0.00%	0	0.00%
Never Married	5,312,504	4,410,405	83.02%	499,016	9.39%	140,445	2.64%	99,967	1.88%	162,672	3.06%	0	0.00%	0	0.00%
Living with Partner	3,263,310	2,606,711	79.88%	438,764	13.45%	162,537	4.98%	55,298	1.69%	0	0.00%	0	0.00%	0	0.00%
Refused	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Poverty income ratio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,461,346	2,681,139	77.46%	564,094	16.30%	107,582	3.11%	108,531	3.14%	0	0.00%	0	0.00%	0	0.00%
Poverty income ratio less than 1	7,420,707	5,138,891	69.25%	1,515,073	20.42%	408,189	5.50%	244,347	3.29%	91,571	1.23%	22,636	0.31%	0	0.00%
Poverty income ratio 1 or greater	42,238,215	35,159,367	83.24%	4,390,340	10.39%	1,711,414	4.05%	573,680	1.36%	349,935	0.83%	28,052	0.07%	25,427	0.06%
Body mass index	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	293,341	136,158	46.42%	100,071	34.11%	0	0.00%	0	0.00%	57,113	19.47%	0	0.00%	0	0.00%
Normal: less than 25	14,584,986	12,712,452	87.16%	1,244,128	8.53%	418,102	2.87%	128,757	0.88%	58,911	0.40%	22,636	0.16%	0	0.00%
Overweight: 25.0 - 29.9	14,911,333	12,141,511	81.42%	2,090,457	14.02%	362,065	2.43%	241,857	1.62%	47,392	0.32%	28,052	0.19%	0	0.00%
Obese: 30 or higher	23,330,608	17,989,277	77.11%	3,034,852	13.01%	1,447,019	6.20%	555,944	2.38%	278,089	1.19%	0	0.00%	25,427	0.11%
Glycohemoglobin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,668,099	1,427,316	85.57%	112,174	6.72%	67,693	4.06%	24,180	1.45%	36,737	2.20%	0	0.00%	0	0.00%
Glycohemoglobin < 5.7%	30,602,649	25,202,761	82.35%	3,788,963	12.38%	918,701	3.00%	511,613	1.67%	155,183	0.51%	0	0.00%	25,427	0.08%
Glycohemoglobin 5.7% - 6.4%	16,073,315	12,813,745	79.72%	1,962,372	12.21%	924,487	5.75%	222,383	1.38%	127,693	0.79%	22,636	0.14%	0	0.00%
Glycohemoglobin 6.5% or higher	4,776,203	3,535,574	74.02%	605,999	12.69%	316,304	6.62%	168,381	3.53%	121,893	2.55%	28,052	0.59%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KIQ.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	6,380,242	4,573,540	71.68%	843,691	13.22%	457,694	7.17%	332,461	5.21%	172,856	2.71%	0	0.00%	0	0.00%
No	46,740,025	38,405,857	82.17%	5,625,816	12.04%	1,769,491	3.79%	594,096	1.27%	268,650	0.57%	50,687	0.11%	25,427	0.05%
Smoked at least 100 cigarettes in life	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	21,778,096	17,047,350	78.28%	3,161,422	14.52%	1,032,872	4.74%	350,727	1.61%	160,298	0.74%	0	0.00%	25,427	0.12%
No	31,342,171	25,932,048	82.74%	3,308,085	10.55%	1,194,313	3.81%	575,831	1.84%	281,207	0.90%	50,687	0.16%	0	0.00%
High blood pressure	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	20,351,258	15,471,952	76.02%	3,017,012	14.82%	1,023,950	5.03%	479,950	2.36%	304,915	1.50%	28,052	0.14%	25,427	0.12%
No	32,736,151	27,474,587	83.93%	3,452,494	10.55%	1,203,235	3.68%	446,608	1.36%	136,591	0.42%	22,636	0.07%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Mobility limitation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	7,647,500	5,376,261	70.30%	1,110,135	14.52%	580,773	7.59%	287,462	3.76%	242,182	3.17%	50,687	0.66%	0	0.00%
Mobility limitations	6,972,640	4,797,695	68.81%	1,139,845	16.35%	657,264	9.43%	274,485	3.94%	77,923	1.12%	0	0.00%	25,427	0.36%
No mobility limitations	12,437,902	10,325,597	83.02%	1,581,976	12.72%	372,803	3.00%	92,793	0.75%	64,733	0.52%	0	0.00%	0	0.00%
N/A - Respondent not asked mobility limitation questions	26,062,226	22,479,845	86.25%	2,637,551	10.12%	616,346	2.36%	271,817	1.04%	56,667	0.22%	0	0.00%	0	0.00%
Sleep disorder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	5,143,753	3,450,164	67.07%	913,467	17.76%	401,053	7.80%	224,776	4.37%	154,294	3.00%	0	0.00%	0	0.00%
No	47,900,575	39,529,234	82.52%	5,487,014	11.46%	1,826,132	3.81%	694,870	1.45%	287,211	0.60%	50,687	0.11%	25,427	0.05%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Bowel leakage - gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	307,782	231,319	75.16%	0	0.00%	12,527	4.07%	10,457	3.40%	0	0.00%	28,052	9.11%	25,427	8.26%
2 or more times a day	5,686,523	4,015,719	70.62%	1,167,741	20.54%	345,885	6.08%	141,590	2.49%	15,587	0.27%	0	0.00%	0	0.00%
Once a day	5,070,887	4,310,325	85.00%	467,814	9.23%	182,556	3.60%	62,379	1.23%	47,813	0.94%	0	0.00%	0	0.00%
2 or more time a week	5,295,409	4,159,239	78.54%	595,686	11.25%	257,095	4.86%	140,852	2.66%	142,538	2.69%	0	0.00%	0	0.00%
Once a week	3,199,487	2,451,995	76.64%	523,095	16.35%	171,586	5.36%	0	0.00%	52,811	1.65%	0	0.00%	0	0.00%
1-3 times a month	7,825,512	6,102,216	77.98%	1,033,615	13.21%	504,698	6.45%	184,983	2.36%	0	0.00%	0	0.00%	0	0.00%
Never	25,655,477	21,672,406	84.47%	2,681,556	10.45%	752,838	2.93%	386,297	1.51%	162,381	0.63%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bowel leakage - stool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	364,879	288,416	79.04%	0	0.00%	12,527	3.43%	10,457	2.87%	0	0.00%	28,052	7.69%	25,427	6.97%
2 or more times a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a day	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2 or more time a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Once a week	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1-3 times a month	1,098,379	736,007	67.01%	209,293	19.05%	83,346	7.59%	63,912	5.82%	5,822	0.53%	0	0.00%	0	0.00%
Never	50,874,001	41,676,392	81.92%	6,104,919	12.00%	1,966,793	3.87%	808,527	1.59%	317,370	0.62%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Age of patient at last menstruation period	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Younger than 30	1,713,383	1,282,551	74.85%	98,641	5.76%	289,537	16.90%	21,581	1.26%	21,072	1.23%	0	0.00%	0	0.00%
30 to 34	1,802,726	1,097,236	60.87%	400,830	22.23%	105,869	5.87%	75,903	4.21%	122,889	6.82%	0	0.00%	0	0.00%
35 to 39	2,569,168	1,608,840	62.62%	692,239	26.94%	146,013	5.68%	122,075	4.75%	0	0.00%	0	0.00%	0	0.00%
40 to 44	5,071,108	4,137,069	81.58%	672,867	13.27%	166,710	3.29%	59,808	1.18%	34,654	0.68%	0	0.00%	0	0.00%
45 to 49	6,526,244	5,272,175	80.78%	705,274	10.81%	348,209	5.34%	98,916	1.52%	101,671	1.56%	0	0.00%	0	0.00%
50 to 54	9,200,275	7,699,549	83.69%	1,118,392	12.16%	141,109	1.53%	212,886	2.31%	5,705	0.06%	22,636	0.25%	0	0.00%
55 or older	3,421,372	2,532,918	74.03%	524,950	15.34%	301,307	8.81%	12,409	0.36%	49,786	1.46%	0	0.00%	0	0.00%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Had period in last 12 months	22,444,285	19,051,330	84.88%	2,210,388	9.85%	728,432	3.25%	322,979	1.44%	105,729	0.47%	0	0.00%	25,427	0.11%
Total number of pregnancies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	5,537,317	4,754,337	85.86%	462,359	8.35%	209,173	3.78%	32,160	0.58%	79,288	1.43%	0	0.00%	0	0.00%
1	5,977,406	4,985,535	83.41%	560,844	9.38%	404,866	6.77%	26,161	0.44%	0	0.00%	0	0.00%	0	0.00%
2	13,552,903	11,131,178	82.13%	1,739,308	12.83%	408,374	3.01%	217,172	1.60%	31,443	0.23%	0	0.00%	25,427	0.19%
More than 2	27,978,806	22,034,512	78.75%	3,706,995	13.25%	1,204,772	4.31%	651,064	2.33%	330,775	1.18%	50,687	0.18%	0	0.00%
Number of vaginal deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
None	12,945,501	11,018,464	85.11%	1,106,817	8.55%	551,349	4.26%	136,138	1.05%	107,306	0.83%	0	0.00%	25,427	0.20%
1	8,115,599	6,520,958	80.35%	1,078,966	13.29%	353,269	4.35%	74,431	0.92%	87,975	1.08%	0	0.00%	0	0.00%
2	14,716,051	12,056,786	81.93%	1,880,294	12.78%	340,395	2.31%	345,731	2.35%	92,844	0.63%	0	0.00%	0	0.00%
More than 2	17,104,005	13,170,036	77.00%	2,377,471	13.90%	982,172	5.74%	370,257	2.16%	153,381	0.90%	50,687	0.30%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Number of cesarean deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	568,872	521,515	91.68%	25,959	4.56%	0	0.00%	21,398	3.76%	0	0.00%	0	0.00%	0	0.00%
None	15,677,793	12,655,827	80.72%	1,923,086	12.27%	636,625	4.06%	317,366	2.02%	119,462	0.76%	0	0.00%	25,427	0.16%
1	5,360,090	4,286,109	79.96%	695,621	12.98%	202,318	3.77%	154,970	2.89%	21,072	0.39%	0	0.00%	0	0.00%
2	2,754,921	2,329,933	84.57%	131,514	4.77%	192,483	6.99%	15,883	0.58%	85,108	3.09%	0	0.00%	0	0.00%
More than 2	1,252,718	988,452	78.90%	126,964	10.14%	38,850	3.10%	44,068	3.52%	54,383	4.34%	0	0.00%	0	0.00%
N/A - Vaginal delivery/deliveries only	27,505,875	22,197,562	80.70%	3,566,363	12.97%	1,156,909	4.21%	372,873	1.36%	161,480	0.59%	50,687	0.18%	0	0.00%
Gave birth to any babies 9lb or more	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,351,508	6,995,909	83.77%	861,827	10.32%	312,871	3.75%	76,186	0.91%	79,288	0.95%	0	0.00%	25,427	0.30%
Yes	8,918,445	6,915,872	77.55%	1,459,098	16.36%	382,871	4.29%	111,976	1.26%	48,627	0.55%	0	0.00%	0	0.00%
No	35,572,114	28,900,819	81.25%	4,106,396	11.54%	1,531,443	4.31%	725,687	2.04%	307,769	0.87%	0	0.00%	0	0.00%
Don't know	278,200	166,797	59.96%	42,185	15.16%	0	0.00%	12,709	4.57%	5,822	2.09%	50,687	18.22%	0	0.00%
Age of patient when she had 9 lb or more baby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	8,629,708	7,162,706	83.00%	904,013	10.48%	312,871	3.63%	88,895	1.03%	85,109	0.99%	50,687	0.59%	25,427	0.29%
35 years old or younger	8,040,593	6,305,647	78.42%	1,250,858	15.56%	355,665	4.42%	79,795	0.99%	48,627	0.60%	0	0.00%	0	0.00%
36 years or older	859,571	591,944	68.87%	208,240	24.23%	27,206	3.17%	32,181	3.74%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have baby weighing 9 lbs or more	35,572,114	28,900,819	81.25%	4,106,396	11.54%	1,531,443	4.31%	725,687	2.04%	307,769	0.87%	0	0.00%	0	0.00%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Age of patient at 1st live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	2,814,191	2,241,572	79.65%	399,468	14.19%	103,698	3.68%	44,026	1.56%	0	0.00%	0	0.00%	25,427	0.90%
29 years old or younger	33,379,414	26,503,773	79.40%	4,416,411	13.23%	1,361,357	4.08%	716,410	2.15%	330,775	0.99%	50,687	0.15%	0	0.00%
30 - 40 years old	3,223,916	2,665,731	82.69%	367,761	11.41%	180,053	5.58%	0	0.00%	10,371	0.32%	0	0.00%	0	0.00%
N/A - Never pregnant	5,537,317	4,754,337	85.86%	462,359	8.35%	209,173	3.78%	32,160	0.58%	79,288	1.43%	0	0.00%	0	0.00%
Only 1 live birth - see age at last live birth	7,853,343	6,501,899	82.79%	823,508	10.49%	372,903	4.75%	133,962	1.71%	21,072	0.27%	0	0.00%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Age of patient at last live birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	3,438,662	2,686,076	78.11%	559,422	16.27%	123,711	3.60%	44,026	1.28%	0	0.00%	0	0.00%	25,427	0.74%
29 years old or younger	23,775,404	19,157,735	80.58%	3,099,707	13.04%	890,706	3.75%	507,642	2.14%	119,614	0.50%	0	0.00%	0	0.00%
30 - 40 years old	18,682,784	15,036,048	80.48%	2,058,647	11.02%	1,003,594	5.37%	317,524	1.70%	216,284	1.16%	50,687	0.27%	0	0.00%
41 years or older	1,231,955	930,468	75.53%	276,281	22.43%	0	0.00%	25,206	2.05%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Never pregnant	5,537,317	4,754,337	85.86%	462,359	8.35%	209,173	3.78%	32,160	0.58%	79,288	1.43%	0	0.00%	0	0.00%
No pregnancies resulting in live births	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
**Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	13,766,152	10,330,503	75.04%	2,082,877	15.13%	771,138	5.60%	350,974	2.55%	230,660	1.68%	0	0.00%	0	0.00%
No	39,326,063	32,648,894	83.02%	4,386,630	11.15%	1,456,047	3.70%	575,584	1.46%	210,845	0.54%	22,636	0.06%	25,427	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
Age at time of hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
35 years old or younger	3,420,124	2,407,103	70.38%	470,958	13.77%	326,938	9.56%	97,484	2.85%	117,641	3.44%	0	0.00%	0	0.00%
36 - 50 years old	7,582,176	5,808,215	76.60%	1,232,083	16.25%	333,128	4.39%	127,872	1.69%	80,878	1.07%	0	0.00%	0	0.00%
51 years or older	2,488,392	1,917,806	77.07%	364,407	14.64%	81,652	3.28%	118,706	4.77%	5,822	0.23%	0	0.00%	0	0.00%
Refused/Don't know	275,460	197,379	71.65%	15,429	5.60%	29,420	10.68%	6,912	2.51%	26,320	9.55%	0	0.00%	0	0.00%
N/A - Did not have procedure	39,326,063	32,648,894	83.02%	4,386,630	11.15%	1,456,047	3.70%	575,584	1.46%	210,845	0.54%	22,636	0.06%	25,427	0.06%
Had ovaries removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,291,214	1,243,857	96.33%	25,959	2.01%	0	0.00%	21,398	1.66%	0	0.00%	0	0.00%	0	0.00%
Yes	6,929,756	5,385,577	77.72%	959,447	13.85%	341,290	4.92%	141,667	2.04%	101,775	1.47%	0	0.00%	0	0.00%
No	44,393,514	35,935,012	80.95%	5,452,495	12.28%	1,860,984	4.19%	734,999	1.66%	333,909	0.75%	50,687	0.11%	25,427	0.06%
Don't know	505,783	414,951	82.04%	31,605	6.25%	24,912	4.93%	28,494	5.63%	5,822	1.15%	0	0.00%	0	0.00%
Age when ovaries were removed	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missing	1,796,997	1,658,808	92.31%	57,564	3.20%	24,912	1.39%	49,892	2.78%	5,822	0.32%	0	0.00%	0	0.00%
35 years old or younger	1,438,027	966,478	67.21%	219,755	15.28%	154,819	10.77%	75,903	5.28%	21,072	1.47%	0	0.00%	0	0.00%
36 - 50 years old	3,788,018	3,078,611	81.27%	500,882	13.22%	126,556	3.34%	27,586	0.73%	54,383	1.44%	0	0.00%	0	0.00%
51 years or older	1,523,012	1,224,286	80.39%	238,810	15.68%	59,915	3.93%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Refused/Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
N/A - Did not have procedure	44,393,514	35,935,012	80.95%	5,452,495	12.28%	1,860,984	4.19%	734,999	1.66%	333,909	0.75%	50,687	0.11%	25,427	0.06%

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.

Table F07 - Extent to which daily activities were affected, 2009 - 2010

	Total	Not at all (N)	Not at all (%)	Only a little (N)	Only a little (%)	Somewhat (N)	Somewhat (%)	Very much (N)	Very much (%)	Greatly (N)	Greatly (%)	Refused to Answer or Don't Know (N)	Refused to Answer or Don't Know (%)	Missing (N)	Missing (%)
Total	53,120,267	42,979,397	80.91%	6,469,507	12.18%	2,227,185	4.19%	926,557	1.74%	441,506	0.83%	50,687	0.10%	25,427	0.05%
***Had hysterectomy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yes	13,714,084	10,299,217	75.10%	2,082,877	15.19%	750,356	5.47%	350,974	2.56%	230,660	1.68%	0	0.00%	0	0.00%
No	39,378,131	32,680,180	82.99%	4,386,630	11.14%	1,476,829	3.75%	575,584	1.46%	210,845	0.54%	22,636	0.06%	25,427	0.06%
Don't know	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Source: National Health and Nutrition Examination Survey 2001-2010

NOTE: CI stands for Confidence Interval.

NOTE: * Represents that the figure does not meet the standard for reliability of precision

NOTE: The data in this table are based on question KI.Q.052: During the past 12 months, how much did your/his/her leakage of urine affect your/his/her day-to-day activities?

NOTE: **The question asking whether the respondent had a hysterectomy was only asked of women who reported not having at least 1 or a regular period prior to survey administration.

NOTE: *** Those who reported having at least 1 or regular periods in the last 12 months were categorized as not having had a hysterectomy in this table. This table represents an alternative definition for "no" or missing hysterectomy data responses.