

Table M05 - Physician Office Visits by Privately Insured Males with Any Diagnosis of Other Urinary Incontinence,
2002 - 2004

	2002		2003		2004	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	45	1,551	106	2,339	121	1,955
Age	-	-	-	-	-	-
18-24	2	1,835	4	2,485 *	10	5,181
25-34	7	3,535	7	2,096 *	7	1,691
35-39	2	1,361 ^R	13	5,000 ^R	8	2,353 ^R
40-44	6	2,740 *	4	1,209 *	8	1,709 *
45-54	5	646 *	27	2,012 *	35	1,904 *
55-64	23	1,581 *	51	2,424 *	53	1,804 *
Region	-	-	-	-	-	-
Northeast	3	1,083	10	2,024	21	3,266 *
South	20	1,729	46	2,536	66	2,310 *
Midwest	16	1,515 ^R	16	1,287 ^R	18	1,144 ^R
West	6	1,456 *	34	3,466 *	16	1,431 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by privately insured male adults with any diagnosis of other urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had a physician office visit for any diagnosis of other urinary incontinence.

Table M05 - Physician Office Visits by Privately Insured Males with Any Diagnosis of Other Urinary Incontinence,
2005 - 2007

	2005		2006		2007	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	171	2,325	213	2,113	229	1,927
Age	-	-	-	-	-	-
18-24	6	2,765	13	4,025	10	2,817
25-34	19	3,755	21	2,869	14	1,667
35-39	11	2,828 ^R	11	2,018 ^R	13	2,067 ^R
40-44	15	2,560 [*]	26	3,394 [*]	22	2,211 [*]
45-54	43	1,886 [*]	58	1,807 [*]	86	2,169 [*]
55-64	77	2,280 [*]	84	1,865 [*]	84	1,647 [*]
Region	-	-	-	-	-	-
Northeast	32	3,641 [*]	32	2,721	36	2,786 [*]
South	74	2,208	105	2,085	131	2,188 [*]
Midwest	37	2,066 ^R	52	1,963 ^R	42	1,349 ^R
West	28	2,099 [*]	24	1,967 [*]	20	1,341 [*]

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by privately insured male adults with any diagnosis of other urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had a physician office visit for any diagnosis of other urinary incontinence.

Table M05 - Physician Office Visits by Privately Insured Males with Any Diagnosis of Other Urinary Incontinence,
2008 - 2010

	2008		2009		2010	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	350	2,045	432	1,968	420	2,114
Age	-	-	-	-	-	-
18-24	15	2,863	18	2,951	22	4,314
25-34	42	3,593	35	2,262	32	2,254 *
35-39	27	2,775 ^R	28	2,316 ^R	43	4,053 ^R
40-44	24	1,822 *	23	1,344 *	43	2,676 *
45-54	113	2,056 *	176	2,325 *	142	1,996 *
55-64	129	1,689 *	152	1,633 *	138	1,692 *
Region	-	-	-	-	-	-
Northeast	97	2,682 *	52	1,397	63	1,509
South	149	2,147	223	2,389 *	180	2,329 *
Midwest	66	1,544 ^R	93	1,693 ^R	81	1,844 ^R
West	38	1,662 *	64	1,880 *	96	2,688 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by privately insured male adults with any diagnosis of other urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had a physician office visit for any diagnosis of other urinary incontinence.

Table M05 - Physician Office Visits by Privately Insured Males with Any Diagnosis of Other Urinary Incontinence,
2011

	2011	
	Count of X	Rate per 100,000 Patients
Total	498	2,089
Age	-	-
18-24	21	3,000
25-34	31	1,930 *
35-39	44	3,377 ^R
40-44	42	2,204 *
45-54	162	1,973 *
55-64	198	1,958 *
Region	-	-
Northeast	87	1,401 *
South	230	2,657 *
Midwest	93	1,823 ^R
West	88	2,273 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by privately insured male adults with any diagnosis of other urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had a physician office visit for any diagnosis of other urinary incontinence.