

Table M08 - Ambulatory Visits (Other than Physician Visits) by Privately Insured Males with Any Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002		2003		2004	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	147	5,275	221	5,135	302	5,132
Age	-	-	-	-	-	-
18-24	3	2,830	11	7,097	8	4,420
25-34	8	4,189	18	5,573	23	5,736
35-39	9	6,475 ^R	12	4,800 ^R	15	4,573 ^R
40-44	14	6,604 [*]	32	10,031 [*]	20	4,425 [*]
45-54	47	6,326 [*]	68	5,354 [*]	90	5,181 [*]
55-64	66	4,728 [*]	80	4,026 [*]	146	5,241 [*]
Region	-	-	-	-	-	-
Northeast	15	5,556	25	5,241	20	3,242 [*]
South	46	4,182 [*]	94	5,440	159	5,846
Midwest	73	7,171 ^R	75	6,245 ^R	87	5,812 ^R
West	13	3,258 [*]	27	3,007 [*]	36	3,425 [*]

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by privately insured male adults with any diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Privately Insured Males with Any Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005		2006		2007	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	319	4,536	403	4,149	488	4,289
Age	-	-	-	-	-	-
18-24	9	4,225	8	2,572 *	17	5,060
25-34	27	5,544	32	4,520 *	23	2,861 *
35-39	13	3,533 ^R	41	7,692 ^R	28	4,590 ^R
40-44	19	3,411 *	25	3,420 *	44	4,666 *
45-54	117	5,402 *	110	3,562 *	164	4,312 *
55-64	134	4,133 *	187	4,307 *	212	4,343 *
Region	-	-	-	-	-	-
Northeast	42	4,953	46	4,032	50	3,990
South	163	5,076	225	4,663 *	300	5,226 *
Midwest	70	4,067 ^R	93	3,639 ^R	108	3,659 ^R
West	44	3,512 *	39	3,275 *	30	2,095 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by privately insured male adults with any diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Privately Insured Males with Any Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008		2009		2010	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	698	4,272	1,036	4,893	803	4,180
Age	-	-	-	-	-	-
18-24	14	2,800	17	2,906	8	1,629
25-34	33	2,944	68	4,573	60	4,386
35-39	31	3,326 ^R	69	5,913 ^R	25	2,446 ^R
40-44	60	4,728	83	5,058	56	3,604
45-54	239	4,564	337	4,613	280	4,063
55-64	321	4,410	462	5,140	374	4,742
Region	-	-	-	-	-	-
Northeast	131	3,757	173	4,779	172	4,237
South	308	4,643	468	5,186	299	3,987
Midwest	193	4,771 ^R	292	5,567 ^R	220	5,236 ^R
West	66	3,039	103	3,136	112	3,245

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by privately insured male adults with any diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Privately Insured Males with Any Diagnosis of Urge Urinary Incontinence, 2011

	2011	
	Count of X	Rate per 100,000 Patients
Total	925	4,018
Age	-	-
18-24	23	3,464
25-34	64	4,111
35-39	39	3,118 ^R
40-44	89	4,855 [*]
45-54	329	4,153 [*]
55-64	381	3,890 [*]
Region	-	-
Northeast	228	3,789 [*]
South	311	3,705 [*]
Midwest	244	4,992 ^R
West	142	3,814 [*]

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by privately insured male adults with any diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.