

Table M12 - Hospitalizations by Privately Insured Males with a Primary Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002		2003		2004	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	0	0	3	70	0	0
Age	-	-	-	-	-	-
18-24	0	0 *	0	0 *	0	0 *
25-34	0	0 *	0	0 *	0	0 *
35-39	0	0 ^R	0	0 ^R	0	0 ^R
40-44	0	0 *	0	0 *	0	0 *
45-54	0	0 *	1	79 *	0	0 *
55-64	0	0 *	2	101 *	0	0 *
Region	-	-	-	-	-	-
Northeast	0	0 *	2	419 *	0	0 *
South	0	0 *	1	58	0	0 *
Midwest	0	0 ^R	0	0 ^R	0	0 ^R
West	0	0 *	0	0 *	0	0 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of hospitalizations by privately insured male adults with a primary diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Privately Insured Males with a Primary Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005		2006		2007	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	0	0	0	0	0	0
Age	-	-	-	-	-	-
18-24	0	0 *	0	0 *	0	0 *
25-34	0	0 *	0	0 *	0	0 *
35-39	0	0 ^R	0	0 ^R	0	0 ^R
40-44	0	0 *	0	0 *	0	0 *
45-54	0	0 *	0	0 *	0	0 *
55-64	0	0 *	0	0 *	0	0 *
Region	-	-	-	-	-	-
Northeast	0	0 *	0	0 *	0	0 *
South	0	0 *	0	0 *	0	0 *
Midwest	0	0 ^R	0	0 ^R	0	0 ^R
West	0	0 *	0	0 *	0	0 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of hospitalizations by privately insured male adults with a primary diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Privately Insured Males with a Primary Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008		2009		2010	
	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients	Count of X	Rate per 100,000 Patients
Total	2	12	0	0	0	0
Age	-	-	-	-	-	-
18-24	1	200	0	0 *	0	0 *
25-34	0	0 *	0	0 *	0	0 *
35-39	0	0 ^R	0	0 ^R	0	0 ^R
40-44	0	0 *	0	0 *	0	0 *
45-54	0	0 *	0	0 *	0	0 *
55-64	1	14 *	0	0 *	0	0 *
Region	-	-	-	-	-	-
Northeast	0	0 *	0	0 *	0	0 *
South	1	15	0	0 *	0	0 *
Midwest	0	0 ^R	0	0 ^R	0	0 ^R
West	1	46 *	0	0 *	0	0 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of hospitalizations by privately insured male adults with a primary diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Privately Insured Males with a Primary Diagnosis of Urge Urinary Incontinence, 2011

	2011	
	Count of X	Rate per 100,000 Patients
Total	1	4
Age	-	-
18-24	0	0 *
25-34	0	0 *
35-39	0	0 ^R
40-44	0	0 *
45-54	1	13 *
55-64	0	0 *
Region	-	-
Northeast	0	0
South	0	0
Midwest	1	21 ^R
West	0	0 *

Source: Truven Health MarketScan Research Database, 2002 - 2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of hospitalizations by privately insured male adults with a primary diagnosis of urge urinary incontinence.

NOTE: Rate is per 100,000 privately insured male adults who were hospitalized for a primary diagnosis of urge urinary incontinence.