Table F01 - Total Number of Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	828,220	4,992	837,360	4,977	839,860	4,965
Age	-	-	-	-	-	-
65-69	153,320	3,795 ₽	156,120	3,759 ₽	161,460	3,770 R
70-74	178,980	4,683 *	172,620	4,547 *	168,900	4,544 *
75-79	188,900	5,438 *	191,500	5,461 *	188,720	5,421 *
80-84	156,320	5,943 *	161,740	5,983 *	162,460	5,937 *
85+	150,700	5,740 *	155,380	5,830 *	158,320	5,867 *
Race	-	-	-	-	-	-
White	746,420	5,180 R	750,420	5,147 R	742,340	5,073 R
Black	45,300	3,243 *	46,440	3,265 *	49,700	3,465 *
Hispanic	10,220	3,678 *	11,420	3,981 *	13,840	4,741 *
Asian	6,360	2,551 *	7,420	2,790 *	10,360	3,726 *
Other	16,220	7,539 *	18,480	7,979 *	20,200	8,327 *
Unknown	3,700	8,455 *	3,180	7,974 *	3,420	9,140 *
Region	-	-	-	-	-	-
Northeast	146,680	4,286 *	148,000	4,311 *	150,800	4,413 *
South	323,900	5,129 *	329,720	5,144 *	324,300	5,019 *
Midwest	215,140	4,988 R	209,480	4,818 <sup>R</sup>	213,900	4,919 R
West	142,500	5,605 *	150,160	5,701 *	150,860	5,607 *

NOTE: X represents the number of female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

<sup>&</sup>lt;sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

Table F01 - Total Number of Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	864,860	5,157	865,080	5,315	838,280	5,253
Age	-	-	-[	-	-	-
65-69	164,740	3,838 R	169,820	4,042 R	161,340	3,866 R
70-74	172,740	4,742 *	169,500	4,853 *	165,520	4,871 *
75-79	190,980	5,665 *	186,680	5,779 *	174,340	5,633 *
80-84	171,320	6,206 *	168,280	6,309 *	163,440	6,338 *
85+	165,080	6,107 *	170,800	6,362 *	173,640	6,400 *
Race	-	-	-	-	-	-
White	767,040	5,297 R	772,580	5,493 R	753,400	5,464 R
Black	49,620	3,526 *	47,780	3,567 *	42,880	3,350 *
Hispanic	15,760	5,333 *	15,500	5,437 *	14,420	5,026 *
Asian	10,000	3,397 *	9,420	3,185 *	9,660	3,138 *
Other	18,900	7,323 *	17,020	6,575 *	15,320	5,758 *
Unknown	3,540	10,120 *	2,780	8,580 *	2,600	8,719 *
Region	-	-	-	-	-	-
Northeast	151,440	4,508 *	153,980	4,726 *	152,000	4,749 *
South	337,420	5,288 *	339,780	5,483 *	329,920	5,423 *
Midwest	216,620	5,033 R	218,880	5,270 R	208,740	5,223 R
West	159,380	5,845 *	152,440	5,713 *	147,620	5,511 *

NOTE: X represents the number of female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

<sup>&</sup>lt;sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

Table F01 - Total Number of Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	849,380	5,391	887,800	5,640	910,180	5,722
Age	-	-	-	-	-	-
65-69	167,720	3,962 ₽	177,020	4,109 R	181,100	4,073 R
70-74	170,640	5,116 *	176,600	5,235 *	181,680	5,340 *
75-79	169,280	5,739 *	179,480	6,319 *	181,860	6,464 *
80-84	164,580	6,534 *	168,880	6,813 *	169,140	6,937 *
85+	177,160	6,518 *	185,820	6,783 *	196,400	6,999 *
Race	-	-	-	-	-	-
White	761,580	5,604 R	793,660	5,867 R	812,020	5,964 R
Black	44,520	3,537 *	49,140	3,833 *	50,260	3,823 *
Hispanic	13,980	4,912 *	15,480	5,309 *	16,240	5,357 *
Asian	10,960	3,442 *	11,760	3,593 *	13,360	3,926 *
Other	16,160	5,884 *	15,560	5,520 *	16,240	5,497 *
Unknown	2,180	7,481 *	2,200	7,101 *	2,060	5,453 *
Region	-	-	-	-	-	-
Northeast	151,400	4,859 *	156,060	5,077 *	161,880	5,251 *
South	339,600	5,579 *	354,940	5,787 *	361,040	5,817 *
Midwest	208,520	5,421 R	216,860	5,705 R	220,220	5,759 R
West	149,860	5,537 *	159,940	5,857 *	167,040	5,979 *

NOTE: X represents the number of female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

<sup>&</sup>lt;sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

Table F01 - Total Number of Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients	
Total	912,620	5,703	
Age	-	-	
65-69	183,600	4,046 <sup>R</sup>	
70-74	187,860	5,467 *	
75-79	176,460	6,341 *	
80-84	168,420	6,993 *	
85+	196,280	6,919 *	
Race	-	-	
White	810,280	5,933 R	
Black	52,020	3,889 *	
Hispanic	16,500	5,349 *	
Asian	14,600	4,166 *	
Other	16,660	5,563 *	
Unknown	2,560	5,235 *	
Region	-	-	
Northeast	160,500	5,184 *	
South	363,460	5,773 *	
Midwest	218,300	5,814 R	
West	170,360	5,965 *	

NOTE: X represents the number of female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

<sup>&</sup>lt;sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group