

Table F02 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence,  
2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
<b>Total</b>	960,760	116,003	969,560	115,788	976,000	116,210
<b>Age</b>	-	-	-	-	-	-
65-69	187,140	122,058 <sup>R</sup>	186,780	119,639 <sup>R</sup>	191,580	118,655 <sup>R</sup>
70-74	217,680	121,623 <sup>*</sup>	209,060	121,110 <sup>*</sup>	207,060	122,593 <sup>*</sup>
75-79	228,640	121,038 <sup>*</sup>	233,000	121,671 <sup>*</sup>	233,040	123,485 <sup>*</sup>
80-84	182,920	117,016 <sup>*</sup>	187,540	115,952 <sup>*</sup>	189,340	116,546 <sup>*</sup>
85+	144,380	95,806 <sup>*</sup>	153,180	98,584 <sup>*</sup>	154,980	97,890 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	874,880	117,210 <sup>R</sup>	880,220	117,297 <sup>R</sup>	875,120	117,887 <sup>R</sup>
Black	44,260	97,704 <sup>*</sup>	44,460	95,736 <sup>*</sup>	47,180	94,930 <sup>*</sup>
Hispanic	11,340	110,959 <sup>*</sup>	14,500	126,970 <sup>*</sup>	15,820	114,306 <sup>*</sup>
Asian	7,320	115,094 <sup>*</sup>	7,860	105,930 <sup>*</sup>	11,280	108,880 <sup>*</sup>
Other	18,840	116,153 <sup>*</sup>	19,100	103,355 <sup>*</sup>	22,640	112,079 <sup>*</sup>
Unknown	4,120	111,351 <sup>*</sup>	3,420	107,547 <sup>*</sup>	3,960	115,789 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	170,140	115,994 <sup>*</sup>	170,840	115,432 <sup>*</sup>	176,620	117,122 <sup>*</sup>
South	383,000	118,246 <sup>*</sup>	395,860	120,059 <sup>*</sup>	390,640	120,456 <sup>*</sup>
Midwest	234,140	108,831 <sup>R</sup>	225,900	107,838 <sup>R</sup>	228,560	106,854 <sup>R</sup>
West	173,480	121,740 <sup>*</sup>	176,960	117,848 <sup>*</sup>	180,180	119,435 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table F02 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
<b>Total</b>	1,011,360	116,939	1,015,000	117,330	997,580	119,003
<b>Age</b>	-	-	-	-	-	-
65-69	196,260	119,133 <sup>R</sup>	201,600	118,714 <sup>R</sup>	194,940	120,826 <sup>R</sup>
70-74	207,420	120,076 <sup>*</sup>	209,260	123,457 <sup>*</sup>	206,140	124,541 <sup>*</sup>
75-79	236,360	123,762 <sup>*</sup>	229,760	123,077 <sup>*</sup>	219,020	125,628 <sup>*</sup>
80-84	204,880	119,589 <sup>*</sup>	203,840	121,131 <sup>*</sup>	200,580	122,724 <sup>*</sup>
85+	166,440	100,824 <sup>*</sup>	170,540	99,848 <sup>*</sup>	176,900	101,877 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	914,160	119,180 <sup>R</sup>	918,960	118,947 <sup>R</sup>	905,940	120,247 <sup>R</sup>
Black	43,920	88,513 <sup>*</sup>	45,300	94,810 <sup>*</sup>	42,320	98,694 <sup>*</sup>
Hispanic	17,800	112,944 <sup>*</sup>	17,480	112,774 <sup>*</sup>	17,500	121,359 <sup>*</sup>
Asian	11,580	115,800 <sup>*</sup>	11,480	121,868 <sup>*</sup>	12,400	128,364 <sup>*</sup>
Other	20,340	107,619 <sup>*</sup>	18,380	107,991 <sup>*</sup>	16,400	107,050 <sup>*</sup>
Unknown	3,560	100,565 <sup>*</sup>	3,400	122,302 <sup>*</sup>	3,020	116,154 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	178,180	117,657 <sup>*</sup>	181,280	117,730 <sup>*</sup>	181,500	119,408 <sup>*</sup>
South	409,180	121,267 <sup>*</sup>	418,380	123,133 <sup>*</sup>	407,660	123,563 <sup>*</sup>
Midwest	232,300	107,238 <sup>R</sup>	233,460	106,661 <sup>R</sup>	226,620	108,566 <sup>R</sup>
West	191,700	120,279 <sup>*</sup>	181,880	119,313 <sup>*</sup>	181,800	123,154 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table F02 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
<b>Total</b>	1,014,940	119,492	1,087,200	122,460	1,136,420	124,857
<b>Age</b>	-	-	-	-	-	-
65-69	202,640	120,820 <sup>R</sup>	218,180	123,252 <sup>R</sup>	226,520	125,080 <sup>R</sup>
70-74	209,640	122,855 <sup>*</sup>	221,460	125,402 <sup>*</sup>	237,480	130,713 <sup>*</sup>
75-79	210,860	124,563 <sup>*</sup>	231,120	128,772 <sup>*</sup>	240,260	132,113 <sup>*</sup>
80-84	205,540	124,888 <sup>*</sup>	213,780	126,587 <sup>*</sup>	214,460	126,794 <sup>*</sup>
85+	186,260	105,137 <sup>*</sup>	202,660	109,063 <sup>*</sup>	217,700	110,845 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	917,280	120,444 <sup>R</sup>	982,480	123,791 <sup>R</sup>	1,024,900	126,216 <sup>R</sup>
Black	44,580	100,135 <sup>*</sup>	49,700	101,140 <sup>*</sup>	51,340	102,149 <sup>*</sup>
Hispanic	18,140	129,757 <sup>*</sup>	18,620	120,284 <sup>*</sup>	20,300	125,000 <sup>*</sup>
Asian	14,680	133,942 <sup>*</sup>	15,900	135,204 <sup>*</sup>	17,400	130,240 <sup>*</sup>
Other	17,960	111,139 <sup>*</sup>	17,220	110,668 <sup>*</sup>	19,680	121,182 <sup>*</sup>
Unknown	2,300	105,505 <sup>*</sup>	3,280	149,091 <sup>*</sup>	2,800	135,922 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	183,320	121,083 <sup>*</sup>	191,280	122,568 <sup>*</sup>	203,760	125,871 <sup>*</sup>
South	418,500	123,233 <sup>*</sup>	456,260	128,546 <sup>*</sup>	478,000	132,395 <sup>*</sup>
Midwest	227,220	108,968 <sup>R</sup>	237,000	109,287 <sup>R</sup>	245,200	111,343 <sup>R</sup>
West	185,900	124,049 <sup>*</sup>	202,660	126,710 <sup>*</sup>	209,460	125,395 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table F02 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
<b>Total</b>	1,128,720	123,679
<b>Age</b>	-	-
65-69	223,060	121,492 <sup>R</sup>
70-74	239,820	127,659 *
75-79	234,620	132,959 *
80-84	212,120	125,947 *
85+	219,100	111,626 *
<b>Race</b>	-	-
White	1,012,080	124,905 <sup>R</sup>
Black	53,940	103,691 *
Hispanic	20,560	124,606 *
Asian	19,200	131,507 *
Other	19,680	118,127 *
Unknown	3,260	127,344 *
<b>Region</b>	-	-
Northeast	200,220	124,748 *
South	473,040	130,149 *
Midwest	237,880	108,969 <sup>R</sup>
West	217,580	127,718 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

\* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.