

Table F04 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence,  
2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
<b>Total</b>	172,920	20,879	182,300	21,771	195,340	23,259
<b>Age</b>	-	-	-	-	-	-
65-69	29,420	19,189 <sup>R</sup>	30,280	19,395 <sup>R</sup>	32,540	20,154 <sup>R</sup>
70-74	37,560	20,986 <sup>*</sup>	39,520	22,894 <sup>*</sup>	41,680	24,677 <sup>*</sup>
75-79	42,880	22,700 <sup>*</sup>	46,500	24,282 <sup>*</sup>	47,960	25,413 <sup>*</sup>
80-84	36,080	23,081 <sup>*</sup>	36,660	22,666 <sup>*</sup>	40,600	24,991 <sup>*</sup>
85+	26,980	17,903 <sup>*</sup>	29,340	18,883 <sup>*</sup>	32,560	20,566 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	158,760	21,270 <sup>R</sup>	166,640	22,206 <sup>R</sup>	177,140	23,862 <sup>R</sup>
Black	9,040	19,956 <sup>*</sup>	9,640	20,758 <sup>*</sup>	10,460	21,046 <sup>*</sup>
Hispanic	1,340	13,112 <sup>*</sup>	1,500	13,135 <sup>*</sup>	1,680	12,139 <sup>*</sup>
Asian	800	12,579 <sup>*</sup>	1,080	14,555 <sup>*</sup>	1,540	14,865 <sup>*</sup>
Other	2,440	15,043 <sup>*</sup>	2,760	14,935 <sup>*</sup>	3,580	17,723 <sup>*</sup>
Unknown	540	14,595 <sup>*</sup>	680	21,384 <sup>*</sup>	940	27,485 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	34,320	23,398 <sup>*</sup>	35,900	24,257 <sup>*</sup>	39,140	25,955 <sup>*</sup>
South	69,340	21,408 <sup>*</sup>	72,820	22,085 <sup>*</sup>	77,540	23,910 <sup>*</sup>
Midwest	41,200	19,150 <sup>R</sup>	43,080	20,565 <sup>R</sup>	45,500	21,272 <sup>R</sup>
West	28,060	19,691 <sup>*</sup>	30,500	20,312 <sup>*</sup>	33,160	21,981 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table F04 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
<b>Total</b>	218,460	25,260	229,960	26,583	229,160	27,337
<b>Age</b>	-	-	-	-	-	-
65-69	34,580	20,991 <sup>R</sup>	39,940	23,519 <sup>R</sup>	37,700	23,367 <sup>R</sup>
70-74	44,940	26,016 <sup>*</sup>	46,580	27,481 <sup>*</sup>	46,220	27,924 <sup>*</sup>
75-79	53,740	28,139 <sup>*</sup>	53,480	28,648 <sup>*</sup>	52,860	30,320 <sup>*</sup>
80-84	48,680	28,415 <sup>*</sup>	50,700	30,128 <sup>*</sup>	49,500	30,286 <sup>*</sup>
85+	36,520	22,123 <sup>*</sup>	39,260	22,986 <sup>*</sup>	42,880	24,695 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	199,900	26,061 <sup>R</sup>	209,500	27,117 <sup>R</sup>	208,700	27,701 <sup>R</sup>
Black	9,960	20,073 <sup>*</sup>	11,700	24,487 <sup>*</sup>	10,820	25,233 <sup>*</sup>
Hispanic	2,400	15,228 <sup>*</sup>	2,480	16,000 <sup>*</sup>	2,700	18,724 <sup>*</sup>
Asian	1,800	18,000 <sup>*</sup>	2,260	23,992 <sup>*</sup>	2,820	29,193 <sup>*</sup>
Other	3,520	18,624 <sup>*</sup>	3,320	19,506 <sup>*</sup>	3,480	22,715 <sup>*</sup>
Unknown	880	24,859 <sup>*</sup>	700	25,180 <sup>*</sup>	640	24,615 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	41,440	27,364 <sup>*</sup>	44,060	28,614 <sup>*</sup>	44,880	29,526 <sup>*</sup>
South	89,720	26,590 <sup>*</sup>	95,580	28,130 <sup>*</sup>	92,780	28,122 <sup>*</sup>
Midwest	49,940	23,054 <sup>R</sup>	51,860	23,693 <sup>R</sup>	52,140	24,978 <sup>R</sup>
West	37,360	23,441 <sup>*</sup>	38,460	25,230 <sup>*</sup>	39,360	26,663 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table F04 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
<b>Total</b>	237,660	27,980	267,760	30,160	284,200	31,225
<b>Age</b>	-	-	-	-	-	-
65-69	41,140	24,529 <sup>R</sup>	46,380	26,200 <sup>R</sup>	48,500	26,781 <sup>R</sup>
70-74	49,040	28,739 <sup>*</sup>	53,080	30,057 <sup>*</sup>	58,000	31,924 <sup>*</sup>
75-79	50,560	29,868 <sup>*</sup>	58,600	32,650 <sup>*</sup>	63,220	34,763 <sup>*</sup>
80-84	50,200	30,502 <sup>*</sup>	57,820	34,237 <sup>*</sup>	59,940	35,438 <sup>*</sup>
85+	46,720	26,372 <sup>*</sup>	51,880	27,919 <sup>*</sup>	54,540	27,770 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	216,920	28,483 <sup>R</sup>	243,580	30,691 <sup>R</sup>	258,760	31,866 <sup>R</sup>
Black	11,640	26,146 <sup>*</sup>	14,560	29,630 <sup>*</sup>	14,580	29,009 <sup>*</sup>
Hispanic	2,800	20,029 <sup>*</sup>	3,080	19,897 <sup>*</sup>	3,160	19,458 <sup>*</sup>
Asian	2,500	22,810 <sup>*</sup>	2,800	23,810 <sup>*</sup>	3,560	26,647 <sup>*</sup>
Other	3,380	20,916 <sup>*</sup>	2,960	19,023 <sup>*</sup>	3,780	23,276 <sup>*</sup>
Unknown	420	19,266 <sup>*</sup>	780	35,455 <sup>*</sup>	360	17,476 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	44,700	29,524 <sup>*</sup>	47,260	30,283 <sup>*</sup>	50,920	31,455 <sup>*</sup>
South	99,680	29,352 <sup>*</sup>	115,280	32,479 <sup>*</sup>	120,040	33,248 <sup>*</sup>
Midwest	52,040	24,957 <sup>R</sup>	57,780	26,644 <sup>R</sup>	63,200	28,699 <sup>R</sup>
West	41,240	27,519 <sup>*</sup>	47,440	29,661 <sup>*</sup>	50,040	29,957 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table F04 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
<b>Total</b>	288,340	31,595
<b>Age</b>	-	-
65-69	50,040	27,255 <sup>R</sup>
70-74	59,660	31,758 <sup>*</sup>
75-79	63,860	36,190 <sup>*</sup>
80-84	58,460	34,711 <sup>*</sup>
85+	56,320	28,694 <sup>*</sup>
<b>Race</b>	-	-
White	261,360	32,256 <sup>R</sup>
Black	15,140	29,104 <sup>*</sup>
Hispanic	3,660	22,182 <sup>*</sup>
Asian	3,540	24,247 <sup>*</sup>
Other	4,080	24,490 <sup>*</sup>
Unknown	560	21,875 <sup>*</sup>
<b>Region</b>	-	-
Northeast	53,360	33,246 <sup>*</sup>
South	122,080	33,588 <sup>*</sup>
Midwest	62,520	28,639 <sup>R</sup>
West	50,380	29,573 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.