

Table F06 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	15,420	1,862	15,560	1,858	15,160	1,805
Age	-	-	-	-	-	-
65-69	2,280	1,487 ^R	2,460	1,576 ^R	2,660	1,648 ^R
70-74	3,160	1,766 [*]	2,360	1,367 [*]	2,700	1,599 [*]
75-79	3,480	1,842 [*]	3,960	2,068 [*]	3,660	1,939 [*]
80-84	3,640	2,329 [*]	3,240	2,003 [*]	3,240	1,994 [*]
85+	2,860	1,898 [*]	3,540	2,278 [*]	2,900	1,832 [*]
Race	-	-	-	-	-	-
White	13,600	1,822 ^R	13,520	1,802 ^R	13,120	1,767 ^R
Black	860	1,899 [*]	820	1,766 [*]	820	1,650 [*]
Hispanic	460	4,501 [*]	680	5,955 [*]	440	3,179 [*]
Asian	180	2,830 [*]	160	2,156 [*]	220	2,124 [*]
Other	300	1,850 [*]	340	1,840 [*]	480	2,376 [*]
Unknown	20	541 [*]	40	1,258 [*]	80	2,339 [*]
Region	-	-	-	-	-	-
Northeast	3,460	2,359 [*]	2,800	1,892	3,360	2,228 [*]
South	6,440	1,988	7,040	2,135	6,580	2,029 [*]
Midwest	3,660	1,701 ^R	3,620	1,728 ^R	2,780	1,300 ^R
West	1,860	1,305 [*]	2,100	1,399 [*]	2,440	1,617 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of other urinary incontinence.

Table F06 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	14,740	1,704	15,460	1,787	15,220	1,816
Age	-	-	-	-	-	-
65-69	2,320	1,408 ^R	2,120	1,248 ^R	2,480	1,537 ^R
70-74	2,580	1,494 [*]	2,680	1,581 [*]	2,160	1,305 [*]
75-79	3,440	1,801 [*]	3,780	2,025 [*]	3,480	1,996 [*]
80-84	3,140	1,833 [*]	3,000	1,783 [*]	3,680	2,252 [*]
85+	3,260	1,975 [*]	3,880	2,272 [*]	3,420	1,970 [*]
Race	-	-	-	-	-	-
White	12,900	1,682 ^R	13,600	1,760 ^R	13,540	1,797 ^R
Black	740	1,491 [*]	800	1,674 [*]	820	1,912 [*]
Hispanic	260	1,650 [*]	420	2,710 [*]	360	2,497 [*]
Asian	240	2,400 [*]	280	2,972 [*]	240	2,485 [*]
Other	520	2,751 [*]	280	1,645 [*]	220	1,436 [*]
Unknown	80	2,260 [*]	80	2,878 [*]	40	1,539 [*]
Region	-	-	-	-	-	-
Northeast	3,340	2,206 [*]	2,800	1,818	3,620	2,382 [*]
South	6,160	1,826 [*]	6,400	1,884	6,820	2,067 [*]
Midwest	3,220	1,487 ^R	3,480	1,590 ^R	2,480	1,188 ^R
West	2,020	1,267 [*]	2,780	1,824 [*]	2,300	1,558 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of other urinary incontinence.

Table F06 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	16,420	1,933	20,200	2,275	20,940	2,301
Age	-	-	-	-	-	-
65-69	2,940	1,753 ^R	3,500	1,977 ^R	3,600	1,988 ^R
70-74	2,860	1,676 [*]	3,280	1,857 [*]	3,980	2,191 [*]
75-79	3,280	1,938 [*]	3,720	2,073 [*]	4,080	2,244 [*]
80-84	3,760	2,285 [*]	4,880	2,890 [*]	4,300	2,542 [*]
85+	3,580	2,021 [*]	4,820	2,594 [*]	4,980	2,536 [*]
Race	-	-	-	-	-	-
White	14,500	1,904 ^R	17,960	2,263 ^R	18,320	2,256 ^R
Black	880	1,977 [*]	880	1,791 [*]	1,100	2,189 [*]
Hispanic	360	2,575 [*]	400	2,584 [*]	560	3,448 [*]
Asian	400	3,650 [*]	640	5,442 [*]	480	3,593 [*]
Other	200	1,238 [*]	200	1,285 [*]	320	1,970 [*]
Unknown	80	3,670 [*]	120	5,455 [*]	160	7,767 [*]
Region	-	-	-	-	-	-
Northeast	3,220	2,127 [*]	2,980	1,910	3,420	2,113
South	7,200	2,120 [*]	9,460	2,665 [*]	9,660	2,676 [*]
Midwest	3,240	1,554 ^R	4,240	1,955 ^R	4,340	1,971 ^R
West	2,760	1,842 [*]	3,520	2,201 [*]	3,520	2,107 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of other urinary incontinence.

Table F06 - Physician Office Visits by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	21,480	2,354
Age	-	-
65-69	3,440	1,874 ^R
70-74	3,900	2,076 *
75-79	4,540	2,573 *
80-84	4,780	2,838 *
85+	4,820	2,456 *
Race	-	-
White	19,320	2,384 ^R
Black	840	1,615 *
Hispanic	580	3,515 *
Asian	440	3,014 *
Other	260	1,561 *
Unknown	40	1,563 *
Region	-	-
Northeast	3,480	2,168 *
South	10,320	2,839 *
Midwest	3,780	1,732 ^R
West	3,900	2,289 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of physician office visits by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had a physician office visit for any diagnosis of other urinary incontinence.