

Table F09 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
<b>Total</b>	20,960	2,531	21,340	2,549	21,060	2,508
<b>Age</b>	-	-	-	-	-	-
65-69	3,940	2,570 <sup>R</sup>	3,740	2,396 <sup>R</sup>	3,640	2,254 <sup>R</sup>
70-74	4,020	2,246 <sup>*</sup>	4,780	2,769 <sup>*</sup>	4,800	2,842 <sup>*</sup>
75-79	5,320	2,816 <sup>*</sup>	5,340	2,789 <sup>*</sup>	4,920	2,607 <sup>*</sup>
80-84	4,180	2,674 <sup>*</sup>	4,100	2,535 <sup>*</sup>	4,120	2,536 <sup>*</sup>
85+	3,500	2,323 <sup>*</sup>	3,380	2,175 <sup>*</sup>	3,580	2,261 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	18,420	2,468 <sup>R</sup>	18,120	2,415 <sup>R</sup>	17,740	2,390 <sup>R</sup>
Black	1,520	3,355 <sup>*</sup>	2,280	4,910 <sup>*</sup>	2,200	4,427 <sup>*</sup>
Hispanic	300	2,935 <sup>*</sup>	280	2,452 <sup>*</sup>	240	1,734 <sup>*</sup>
Asian	140	2,201 <sup>*</sup>	180	2,426 <sup>*</sup>	120	1,158 <sup>*</sup>
Other	540	3,329 <sup>*</sup>	440	2,381 <sup>*</sup>	740	3,663 <sup>*</sup>
Unknown	40	1,081 <sup>*</sup>	40	1,258 <sup>*</sup>	20	585 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	5,320	3,627 <sup>*</sup>	4,900	3,311 <sup>*</sup>	4,680	3,103 <sup>*</sup>
South	6,160	1,902 <sup>*</sup>	6,640	2,014 <sup>*</sup>	5,740	1,770 <sup>*</sup>
Midwest	6,420	2,984 <sup>R</sup>	6,540	3,122 <sup>R</sup>	6,700	3,132 <sup>R</sup>
West	3,060	2,147 <sup>*</sup>	3,260	2,171 <sup>*</sup>	3,940	2,612 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table F09 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
<b>Total</b>	23,960	2,770	26,440	3,056	25,040	2,987
<b>Age</b>	-	-	-	-	-	-
65-69	4,120	2,501 <sup>R</sup>	4,420	2,603 <sup>R</sup>	4,140	2,566 <sup>R</sup>
70-74	5,300	3,068 <sup>*</sup>	5,640	3,327 <sup>*</sup>	5,540	3,347 <sup>*</sup>
75-79	6,060	3,173 <sup>*</sup>	6,160	3,300 <sup>*</sup>	5,320	3,052 <sup>*</sup>
80-84	4,660	2,720 <sup>*</sup>	5,300	3,150 <sup>*</sup>	4,520	2,766 <sup>*</sup>
85+	3,820	2,314 <sup>*</sup>	4,920	2,881 <sup>*</sup>	5,520	3,179 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	20,280	2,644 <sup>R</sup>	23,240	3,008 <sup>R</sup>	22,400	2,973 <sup>R</sup>
Black	2,380	4,797 <sup>*</sup>	2,280	4,772 <sup>*</sup>	1,340	3,125 <sup>*</sup>
Hispanic	400	2,538 <sup>*</sup>	160	1,032 <sup>*</sup>	420	2,913 <sup>*</sup>
Asian	160	1,600 <sup>*</sup>	140	1,486 <sup>*</sup>	220	2,277 <sup>*</sup>
Other	680	3,598 <sup>*</sup>	520	3,055 <sup>*</sup>	500	3,264 <sup>*</sup>
Unknown	60	1,695 <sup>*</sup>	100	3,597 <sup>*</sup>	160	6,154 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	5,260	3,473	5,600	3,637 <sup>*</sup>	5,620	3,697 <sup>*</sup>
South	6,500	1,926 <sup>*</sup>	7,220	2,125 <sup>*</sup>	6,600	2,001 <sup>*</sup>
Midwest	7,740	3,573 <sup>R</sup>	8,540	3,902 <sup>R</sup>	8,420	4,034 <sup>R</sup>
West	4,460	2,798 <sup>*</sup>	5,080	3,333 <sup>*</sup>	4,400	2,981 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table F09 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
<b>Total</b>	25,380	2,988	30,040	3,384	31,660	3,478
<b>Age</b>	-	-	-	-	-	-
65-69	5,540	3,303 <sup>R</sup>	5,140	2,904 <sup>R</sup>	6,500	3,589 <sup>R</sup>
70-74	5,480	3,211 <sup>*</sup>	6,400	3,624 <sup>*</sup>	6,020	3,314 <sup>*</sup>
75-79	5,560	3,285 <sup>*</sup>	6,320	3,521 <sup>*</sup>	6,620	3,640 <sup>*</sup>
80-84	4,760	2,892 <sup>*</sup>	6,140	3,636 <sup>*</sup>	6,900	4,080 <sup>*</sup>
85+	4,040	2,280 <sup>*</sup>	6,040	3,251 <sup>*</sup>	5,620	2,862 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	22,460	2,949 <sup>R</sup>	26,600	3,352 <sup>R</sup>	27,480	3,384 <sup>R</sup>
Black	1,620	3,639 <sup>*</sup>	2,400	4,884 <sup>*</sup>	2,920	5,810 <sup>*</sup>
Hispanic	440	3,147 <sup>*</sup>	360	2,326 <sup>*</sup>	340	2,094 <sup>*</sup>
Asian	240	2,190 <sup>*</sup>	160	1,361 <sup>*</sup>	240	1,796 <sup>*</sup>
Other	560	3,465 <sup>*</sup>	500	3,213 <sup>*</sup>	620	3,818 <sup>*</sup>
Unknown	60	2,752 <sup>*</sup>	20	909 <sup>*</sup>	60	2,913 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	5,320	3,514 <sup>*</sup>	6,600	4,229 <sup>*</sup>	6,000	3,706 <sup>*</sup>
South	7,480	2,203 <sup>*</sup>	7,640	2,153 <sup>*</sup>	8,980	2,487 <sup>*</sup>
Midwest	8,220	3,942 <sup>R</sup>	9,680	4,464 <sup>R</sup>	9,940	4,514 <sup>R</sup>
West	4,360	2,909 <sup>*</sup>	6,120	3,826 <sup>*</sup>	6,740	4,035 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.

Table F09 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
<b>Total</b>	36,200	3,967
<b>Age</b>	-	-
65-69	7,060	3,845 <sup>R</sup>
70-74	8,040	4,280 *
75-79	7,840	4,443 *
80-84	6,240	3,705 *
85+	7,020	3,577 *
<b>Race</b>	-	-
White	31,640	3,905 <sup>R</sup>
Black	3,060	5,882 *
Hispanic	400	2,424 *
Asian	400	2,740 *
Other	620	3,722 *
Unknown	80	3,125 *
<b>Region</b>	-	-
Northeast	7,060	4,399 *
South	10,660	2,933 *
Midwest	11,260	5,158 <sup>R</sup>
West	7,220	4,238 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

\* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of urge urinary incontinence.