

Table F11 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	2,680	324	2,200	263	2,880	343
Age	-	-	-	-	-	-
65-69	460	300 ^R	620	397 ^R	580	359 ^R
70-74	660	369 [*]	320	185 [*]	480	284 [*]
75-79	620	328 [*]	440	230 [*]	660	350 [*]
80-84	380	243 [*]	460	284 [*]	680	419 [*]
85+	560	372 [*]	360	232 [*]	480	303 [*]
Race	-	-	-	-	-	-
White	2,160	289 ^R	1,660	221 ^R	2,240	302 ^R
Black	280	618 [*]	160	345 [*]	200	402 [*]
Hispanic	100	979 [*]	40	350 [*]	60	434 [*]
Asian	20	315 [*]	40	539 [*]	40	386 [*]
Other	100	617 [*]	280	1,515 [*]	320	1,584 [*]
Unknown	20	541 [*]	20	629 [*]	20	585 [*]
Region	-	-	-	-	-	-
Northeast	700	477 [*]	420	284 [*]	560	371
South	820	253 [*]	940	285 [*]	980	302 [*]
Midwest	720	335 ^R	380	181 ^R	800	374 ^R
West	440	309 [*]	460	306 [*]	540	358 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of other urinary incontinence.

Table F11 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	2,820	326	2,840	328	3,420	408
Age	-	-	-	-	-	-
65-69	540	328 ^R	700	412 ^R	520	322 ^R
70-74	540	313 [*]	500	295 [*]	620	375 [*]
75-79	540	283 [*]	500	268 [*]	720	413 [*]
80-84	640	374 [*]	740	440 [*]	760	465 [*]
85+	560	339 [*]	400	234 [*]	800	461 [*]
Race	-	-	-	-	-	-
White	2,400	313 ^R	2,220	287 ^R	2,840	377 ^R
Black	200	403 [*]	200	419 [*]	380	886 [*]
Hispanic	20	127 [*]	120	774 [*]	80	555 [*]
Asian	40	400 [*]	20	212 [*]	20	207 [*]
Other	140	741 [*]	260	1,528 [*]	100	653 [*]
Unknown	20	565 [*]	20	719 [*]	0	0 [*]
Region	-	-	-	-	-	-
Northeast	580	383	680	442 [*]	1,060	697 [*]
South	1,060	314 [*]	700	206 [*]	1,180	358 [*]
Midwest	780	360 ^R	680	311 ^R	680	326 ^R
West	400	251 [*]	780	512 [*]	500	339 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of other urinary incontinence.

Table F11 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	3,560	419	3,740	421	3,460	380
Age	-	-	-	-	-	-
65-69	740	441 ^R	780	441 ^R	820	453 ^R
70-74	900	527 [*]	740	419 [*]	880	484 [*]
75-79	660	390 [*]	820	457 [*]	600	330 [*]
80-84	620	377 [*]	700	415 [*]	500	296 [*]
85+	640	361 [*]	700	377 [*]	660	336 [*]
Race	-	-	-	-	-	-
White	3,080	404 ^R	3,020	381 ^R	2,860	352 ^R
Black	240	539 [*]	460	936 [*]	300	597 [*]
Hispanic	100	715 [*]	120	775 [*]	180	1,108 [*]
Asian	60	547 [*]	20	170 [*]	0	0 [*]
Other	80	495 [*]	100	643 [*]	120	739 [*]
Unknown	0	0 [*]	20	909 [*]	0	0 [*]
Region	-	-	-	-	-	-
Northeast	1,280	845 [*]	1,300	833 [*]	960	593 [*]
South	1,060	312 [*]	1,220	344 [*]	1,000	277 [*]
Midwest	740	355 ^R	580	268 ^R	760	345 ^R
West	480	320 [*]	640	400 [*]	740	443 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of other urinary incontinence.

Table F11 - Ambulatory Visits (Other than Physician Visits) by Female Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	4,120	451
Age	-	-
65-69	860	468 ^R
70-74	920	490 *
75-79	660	374 *
80-84	740	439 *
85+	940	479 *
Race	-	-
White	3,120	385 ^R
Black	580	1,115 *
Hispanic	240	1,455 *
Asian	40	274 *
Other	140	840 *
Unknown	0	0 *
Region	-	-
Northeast	880	548 *
South	1,320	363 *
Midwest	940	431 ^R
West	980	575 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of ambulatory visits (other than physician visits) by female adult Medicare beneficiaries with any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 female adult Medicare beneficiaries who had an ambulatory visit (other than a physician visit) for any diagnosis of other urinary incontinence.