

Table M01 - Total Number of Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	263,480	2,244	283,780	2,359	299,860	2,457
Age	-	-	-	-	-	-
65-69	40,260	1,113 ^R	42,520	1,134 ^R	48,140	1,245 ^R
70-74	54,220	1,764 [*]	58,580	1,901 [*]	61,440	2,005 [*]
75-79	65,020	2,658 [*]	70,060	2,812 [*]	71,820	2,884 [*]
80-84	55,500	3,563 [*]	61,280	3,786 [*]	62,300	3,759 [*]
85+	48,480	4,624 [*]	51,340	4,709 [*]	56,160	4,975 [*]
Race	-	-	-	-	-	-
White	230,320	2,236 ^R	245,480	2,330 ^R	256,960	2,408 ^R
Black	19,720	2,272 [*]	20,900	2,344 [*]	22,440	2,492 [*]
Hispanic	4,460	2,205 [*]	5,420	2,597 [*]	6,120	2,891 [*]
Asian	3,480	1,948 [*]	4,680	2,472 [*]	6,240	3,133 [*]
Other	4,720	2,682 [*]	6,420	3,345 [*]	6,900	3,334 [*]
Unknown	780	4,319 [*]	880	5,263 [*]	1,200	7,509 [*]
Region	-	-	-	-	-	-
Northeast	53,980	2,360 [*]	56,760	2,448 [*]	59,820	2,569 [*]
South	97,460	2,189 [*]	103,340	2,262 [*]	109,480	2,354 [*]
Midwest	67,060	2,217 ^R	70,960	2,308 ^R	73,020	2,359 ^R
West	44,980	2,272 [*]	52,720	2,548 [*]	57,540	2,699 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

Table M01 - Total Number of Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	315,280	2,587	321,460	2,685	301,340	2,539
Age	-	-	-	-	-	-
65-69	50,720	1,302 ^R	51,980	1,352 ^R	46,780	1,221 ^R
70-74	63,200	2,085 [*]	61,620	2,097 [*]	60,040	2,071 [*]
75-79	74,960	3,080 [*]	73,440	3,100 [*]	68,340	2,969 [*]
80-84	66,320	3,946 [*]	70,120	4,238 [*]	65,140	4,000 [*]
85+	60,080	5,243 [*]	64,300	5,519 [*]	61,040	5,065 [*]
Race	-	-	-	-	-	-
White	269,820	2,536 ^R	277,960	2,660 ^R	263,140	2,543 ^R
Black	24,860	2,801 [*]	25,480	2,959 [*]	22,160	2,634 [*]
Hispanic	6,920	3,236 [*]	6,100	2,953 [*]	5,500	2,686 [*]
Asian	6,380	3,053 [*]	4,920	2,332 [*]	4,540	2,057 [*]
Other	6,440	2,907 [*]	6,140	2,685 [*]	5,380	2,225 [*]
Unknown	860	5,803 [*]	860	6,342 [*]	620	4,836 [*]
Region	-	-	-	-	-	-
Northeast	61,880	2,681 [*]	63,540	2,800 [*]	60,260	2,684 [*]
South	115,700	2,501 [*]	124,660	2,743 [*]	117,240	2,596 [*]
Midwest	75,940	2,468 ^R	77,680	2,587 ^R	70,020	2,400 ^R
West	61,760	2,836 [*]	55,580	2,579 [*]	53,820	2,461 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

Table M01 - Total Number of Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	312,260	2,632	324,680	2,711	331,640	2,716
Age	-	-	-	-	-	-
65-69	50,460	1,288 ^R	53,660	1,332 ^R	55,340	1,327 ^R
70-74	64,940	2,257 *	64,580	2,229 *	65,720	2,237 *
75-79	67,660	3,035 *	70,540	3,225 *	70,760	3,229 *
80-84	66,900	4,159 *	69,060	4,327 *	70,060	4,401 *
85+	62,300	5,045 *	66,840	5,268 *	69,760	5,281 *
Race	-	-	-	-	-	-
White	273,320	2,647 ^R	282,580	2,720 ^R	287,280	2,721 ^R
Black	22,480	2,682 *	23,560	2,738 *	24,420	2,743 *
Hispanic	5,060	2,467 *	6,140	2,890 *	6,560	2,975 *
Asian	4,740	2,074 *	5,740	2,443 *	6,380	2,628 *
Other	5,940	2,338 *	5,780	2,173 *	5,980	2,159 *
Unknown	720	5,643 *	880	5,906 *	1,020	4,074 *
Region	-	-	-	-	-	-
Northeast	64,180	2,902 *	64,800	2,934 *	65,680	2,933 *
South	120,520	2,641 *	125,080	2,695 *	127,840	2,699 *
Midwest	72,900	2,556 ^R	75,140	2,639 ^R	77,120	2,670 ^R
West	54,660	2,443 *	59,660	2,616 *	61,000	2,599 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

Table M01 - Total Number of Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	337,700	2,719
Age	-	-
65-69	56,040	1,307 ^R
70-74	70,200	2,353 [*]
75-79	71,060	3,244 [*]
80-84	67,680	4,231 [*]
85+	72,720	5,352 [*]
Race	-	-
White	290,700	2,718 ^R
Black	25,840	2,820 [*]
Hispanic	6,540	2,880 [*]
Asian	6,860	2,757 [*]
Other	6,400	2,243 [*]
Unknown	1,360	3,021 [*]
Region	-	-
Northeast	66,360	2,908 [*]
South	131,760	2,720 [*]
Midwest	74,920	2,611 ^R
West	64,660	2,668 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries with any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries with any diagnosis of urinary incontinence.