

Table M02 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence,
2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	280,240	106,361	302,080	106,449	315,840	105,329
Age	-	-	-	-	-	-
65-69	42,980	106,756 ^R	43,740	102,869 ^R	48,520	100,789 ^R
70-74	58,180	107,304 [*]	63,920	109,116 [*]	65,180	106,087 [*]
75-79	72,180	111,012 [*]	73,600	105,053 [*]	76,520	106,544 [*]
80-84	60,940	109,802 [*]	66,640	108,747 [*]	67,600	108,507 [*]
85+	45,960	94,802 [*]	54,180	105,532 [*]	58,020	103,312 [*]
Race	-	-	-	-	-	-
White	245,140	106,435 ^R	263,600	107,381 ^R	274,100	106,670 ^R
Black	19,840	100,609 [*]	20,780	99,426 [*]	22,340	99,554 [*]
Hispanic	4,460	100,000 [*]	5,580	102,952 [*]	6,140	100,327 [*]
Asian	4,220	121,264 [*]	4,640	99,145 [*]	5,140	82,372 [*]
Other	5,620	119,068 [*]	6,240	97,196 [*]	6,820	98,841 [*]
Unknown	960	123,077 [*]	1,240	140,909 [*]	1,300	108,333 [*]
Region	-	-	-	-	-	-
Northeast	58,760	108,855 [*]	62,080	109,373 [*]	65,240	109,061 [*]
South	106,680	109,460 [*]	113,280	109,619 [*]	120,220	109,810 [*]
Midwest	65,820	98,151 ^R	71,160	100,282 ^R	69,940	95,782 ^R
West	48,980	108,893 [*]	55,560	105,387 [*]	60,440	105,040 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table M02 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	342,020	108,481	354,540	110,291	342,040	113,506
Age	-	-	-	-	-	-
65-69	53,800	106,073 ^R	55,440	106,656 ^R	51,980	111,116 ^R
70-74	68,020	107,627 *	70,200	113,924 *	68,500	114,091 *
75-79	83,840	111,846 *	84,820	115,496 *	82,640	120,925 *
80-84	72,180	108,836 *	76,340	108,871 *	74,340	114,123 *
85+	64,180	106,824 *	67,740	105,350 *	64,580	105,799 *
Race	-	-	-	-	-	-
White	298,120	110,488 ^R	309,500	111,347 ^R	299,920	113,977 ^R
Black	24,240	97,506 *	25,660	100,706 *	24,220	109,296 *
Hispanic	6,640	95,954 *	6,300	103,279 *	5,240	95,273 *
Asian	5,760	90,282 *	5,700	115,854 *	5,540	122,026 *
Other	6,360	98,758 *	6,540	106,515 *	6,360	118,216 *
Unknown	900	104,651 *	840	97,674 *	760	122,581 *
Region	-	-	-	-	-	-
Northeast	69,040	111,571 *	71,940	113,220 *	68,740	114,072 *
South	131,060	113,276 *	143,040	114,744 *	137,300	117,110 *
Midwest	76,240	100,395 ^R	77,640	99,949 ^R	72,260	103,199 ^R
West	65,680	106,347 *	61,920	111,407 *	63,740	118,432 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table M02 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	358,880	114,930	375,380	115,615	390,080	117,622
Age	-	-	-	-	-	-
65-69	57,640	114,229 ^R	60,000	111,815 ^R	62,720	113,336 ^R
70-74	76,780	118,232 *	77,100	119,387 *	78,620	119,629 *
75-79	80,900	119,568 *	84,720	120,102 *	86,240	121,877 *
80-84	77,020	115,127 *	81,980	118,708 *	84,140	120,097 *
85+	66,540	106,806 *	71,580	107,092 *	78,360	112,328 *
Race	-	-	-	-	-	-
White	314,580	115,096 ^R	328,540	116,264 ^R	338,160	117,711 ^R
Black	23,540	104,715 *	24,820	105,348 *	28,780	117,854 *
Hispanic	5,860	115,810 *	5,940	96,743 *	7,260	110,671 *
Asian	6,480	136,709 *	7,520	131,010 *	7,780	121,944 *
Other	7,580	127,609 *	7,180	124,221 *	7,220	120,736 *
Unknown	840	116,667 *	1,380	156,818 *	880	86,275 *
Region	-	-	-	-	-	-
Northeast	74,540	116,142 *	75,140	115,957 *	77,460	117,935 *
South	142,880	118,553 *	153,180	122,466 *	160,400	125,469 *
Midwest	75,940	104,170 ^R	77,560	103,221 ^R	79,700	103,345 ^R
West	65,520	119,868 *	69,500	116,493 *	72,520	118,885 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

Table M02 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	398,800	118,093
Age	-	-
65-69	63,680	113,633 ^R
70-74	85,040	121,140 *
75-79	87,740	123,473 *
80-84	80,640	119,149 *
85+	81,700	112,349 *
Race	-	-
White	344,900	118,645 ^R
Black	29,720	115,015 *
Hispanic	7,180	109,786 *
Asian	7,980	116,327 *
Other	7,480	116,875 *
Unknown	1,540	113,235 *
Region	-	-
Northeast	76,880	115,853 *
South	168,680	128,021 *
Midwest	73,960	98,719 ^R
West	79,280	122,611 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urinary incontinence.