

Table M04 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
<b>Total</b>	83,280	31,608	90,460	31,877	97,560	32,535
<b>Age</b>	-	-	-	-	-	-
65-69	11,740	29,160 <sup>R</sup>	12,680	29,821 <sup>R</sup>	13,020	27,046 <sup>R</sup>
70-74	17,000	31,354 <sup>*</sup>	18,780	32,059 <sup>*</sup>	19,580	31,868 <sup>*</sup>
75-79	22,120	34,020 <sup>*</sup>	22,480	32,087 <sup>*</sup>	24,620	34,280 <sup>*</sup>
80-84	18,300	32,973 <sup>*</sup>	20,200	32,963 <sup>*</sup>	21,900	35,152 <sup>*</sup>
85+	14,120	29,125 <sup>*</sup>	16,320	31,788 <sup>*</sup>	18,440	32,835 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	74,040	32,147 <sup>R</sup>	80,760	32,899 <sup>R</sup>	87,820	34,177 <sup>R</sup>
Black	5,400	27,383 <sup>*</sup>	5,540	26,507 <sup>*</sup>	5,480	24,421 <sup>*</sup>
Hispanic	820	18,386 <sup>*</sup>	1,320	24,354 <sup>*</sup>	1,580	25,817 <sup>*</sup>
Asian	860	24,713 <sup>*</sup>	960	20,513 <sup>*</sup>	800	12,821 <sup>*</sup>
Other	1,760	37,288 <sup>*</sup>	1,680	26,168 <sup>*</sup>	1,500	21,739 <sup>*</sup>
Unknown	400	51,282	200	22,727 <sup>*</sup>	380	31,667 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	19,660	36,421 <sup>*</sup>	19,480	34,320 <sup>*</sup>	21,820	36,476 <sup>*</sup>
South	31,340	32,157 <sup>*</sup>	36,900	35,707 <sup>*</sup>	39,040	35,659 <sup>*</sup>
Midwest	18,120	27,021 <sup>R</sup>	19,860	27,988 <sup>R</sup>	19,840	27,171 <sup>R</sup>
West	14,160	31,481 <sup>*</sup>	14,220	26,973 <sup>*</sup>	16,860	29,301 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table M04 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
<b>Total</b>	109,580	34,756	116,960	36,384	117,440	38,973
<b>Age</b>	-	-	-	-	-	-
65-69	15,720	30,994 <sup>R</sup>	15,900	30,589 <sup>R</sup>	15,080	32,236 <sup>R</sup>
70-74	20,780	32,880 *	22,420	36,384 *	22,340	37,209 *
75-79	26,760	35,699 *	28,560	38,889 *	28,940	42,347 *
80-84	24,580	37,063 *	26,860	38,306 *	27,200	41,756 *
85+	21,740	36,185 *	23,220	36,112 *	23,880	39,122 *
<b>Race</b>	-	-	-	-	-	-
White	97,640	36,187 <sup>R</sup>	103,060	37,077 <sup>R</sup>	104,240	39,614 <sup>R</sup>
Black	7,500	30,169 *	8,160	32,025 *	7,720	34,838 *
Hispanic	1,360	19,653 *	1,620	26,557 *	1,660	30,182 *
Asian	1,260	19,749 *	1,800	36,585 *	1,420	31,278 *
Other	1,660	25,776 *	2,100	34,202 *	2,200	40,892
Unknown	160	18,605 *	220	25,581 *	200	32,258
<b>Region</b>	-	-	-	-	-	-
Northeast	23,380	37,783 *	23,500	36,985 *	23,960	39,761 *
South	43,840	37,891 *	48,600	38,986 *	47,940	40,890 *
Midwest	23,160	30,498 <sup>R</sup>	24,340	31,334 <sup>R</sup>	23,240	33,191 <sup>R</sup>
West	19,200	31,088 *	20,520	36,920 *	22,300	41,434 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

\* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table M04 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
<b>Total</b>	125,240	40,108	132,340	40,760	138,540	41,774
<b>Age</b>	-	-	-	-	-	-
65-69	16,820	33,333 <sup>R</sup>	18,040	33,619 <sup>R</sup>	18,380	33,213 <sup>R</sup>
70-74	25,700	39,575 *	24,820	38,433 *	24,740	37,645 *
75-79	29,500	43,600 *	30,780	43,635 *	32,240	45,562 *
80-84	28,640	42,810 *	32,480	47,032	32,700	46,674 *
85+	24,580	39,454 *	26,220	39,228 *	30,480	43,693 *
<b>Race</b>	-	-	-	-	-	-
White	111,120	40,656 <sup>R</sup>	116,720	41,305 <sup>R</sup>	121,760	42,384 <sup>R</sup>
Black	7,580	33,719 *	8,500	36,078 *	10,020	41,032 *
Hispanic	1,680	33,202 *	1,440	23,453 *	2,220	33,841 *
Asian	2,340	49,367	3,120	54,355	2,080	32,602 *
Other	2,300	38,721	2,220	38,408 *	2,160	36,120 *
Unknown	220	30,556 *	340	38,636	300	29,412
<b>Region</b>	-	-	-	-	-	-
Northeast	26,140	40,729 *	27,760	42,840 *	29,900	45,524 *
South	51,240	42,516 *	54,740	43,764 *	56,540	44,227 *
Midwest	25,380	34,815 <sup>R</sup>	27,200	36,199 <sup>R</sup>	28,220	36,592 <sup>R</sup>
West	22,480	41,127 *	22,640	37,948 *	23,880	39,148 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

\* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

Table M04 - Physician Office Visits by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
<b>Total</b>	138,600	41,042
<b>Age</b>	-	-
65-69	17,940	32,013 <sup>R</sup>
70-74	27,320	38,917 *
75-79	31,860	44,835 *
80-84	31,620	46,720 *
85+	29,860	41,062 *
<b>Race</b>	-	-
White	120,840	41,569 <sup>R</sup>
Black	10,420	40,325 *
Hispanic	2,100	32,110 *
Asian	2,720	39,650
Other	1,940	30,313 *
Unknown	580	42,647
<b>Region</b>	-	-
Northeast	29,300	44,153 *
South	57,300	43,488 *
Midwest	24,600	32,835 <sup>R</sup>
West	27,400	42,376 *

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

\* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had a physician office visit for any diagnosis of urge urinary incontinence.