

Table M08 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	5,620	2,133	5,620	1,980	6,020	2,008
Age	-	-	-	-	-	-
65-69	1,000	2,484 ^R	960	2,258 ^R	940	1,953 ^R
70-74	1,200	2,213 [*]	1,160	1,980 [*]	1,560	2,539 [*]
75-79	1,260	1,938 [*]	1,360	1,941 [*]	1,200	1,671 [*]
80-84	1,400	2,523 [*]	1,120	1,828 [*]	1,240	1,990 [*]
85+	760	1,568 [*]	1,020	1,987 [*]	1,080	1,923 [*]
Race	-	-	-	-	-	-
White	4,700	2,041 ^R	4,900	1,996 ^R	5,140	2,000 ^R
Black	620	3,144 [*]	440	2,105 [*]	500	2,228 [*]
Hispanic	80	1,794 [*]	40	738 [*]	120	1,961 [*]
Asian	80	2,299 [*]	80	1,709 [*]	40	641 [*]
Other	120	2,542 [*]	160	2,492 [*]	220	3,188 [*]
Unknown	20	2,564 [*]	0	0 [*]	0	0 [*]
Region	-	-	-	-	-	-
Northeast	1,160	2,149 [*]	1,360	2,396	1,140	1,906 [*]
South	1,980	2,032 [*]	1,600	1,548 [*]	2,080	1,900 [*]
Midwest	1,780	2,654 ^R	1,760	2,480 ^R	1,760	2,410 ^R
West	700	1,556 [*]	900	1,707 [*]	1,040	1,807 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	6,700	2,125	8,020	2,495	7,680	2,549
Age	-	-	-	-	-	-
65-69	1,280	2,524 ^R	1,180	2,270 ^R	1,380	2,950 ^R
70-74	1,460	2,310 [*]	1,720	2,791 [*]	1,540	2,565 [*]
75-79	1,380	1,841 [*]	2,080	2,832 [*]	1,860	2,722 [*]
80-84	1,480	2,232 [*]	1,600	2,282 [*]	1,700	2,610 [*]
85+	1,100	1,831 [*]	1,440	2,240 [*]	1,200	1,966 [*]
Race	-	-	-	-	-	-
White	5,900	2,187 ^R	7,020	2,526 ^R	6,620	2,516 ^R
Black	520	2,092 [*]	760	2,983 [*]	680	3,069 [*]
Hispanic	100	1,445 [*]	100	1,639 [*]	100	1,818 [*]
Asian	40	627 [*]	100	2,033 [*]	120	2,643 [*]
Other	140	2,174 [*]	40	652 [*]	160	2,974 [*]
Unknown	0	0 [*]	0	0 [*]	0	0
Region	-	-	-	-	-	-
Northeast	1,660	2,683 [*]	2,380	3,746 [*]	2,180	3,618 [*]
South	1,800	1,556 [*]	1,980	1,588 [*]	2,260	1,928 [*]
Midwest	2,220	2,923 ^R	2,560	3,296 ^R	2,060	2,942 ^R
West	1,020	1,652 [*]	1,100	1,979 [*]	1,180	2,193 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	8,420	2,697	8,760	2,698	9,700	2,925
Age	-	-	-	-	-	-
65-69	1,340	2,656 ^R	1,200	2,236 ^R	1,580	2,855 ^R
70-74	1,880	2,895 [*]	2,040	3,159 [*]	2,200	3,348 [*]
75-79	1,580	2,335 [*]	1,960	2,779 [*]	2,040	2,883 [*]
80-84	2,280	3,408 [*]	2,140	3,099 [*]	2,140	3,055 [*]
85+	1,340	2,151 [*]	1,420	2,125 [*]	1,740	2,494 [*]
Race	-	-	-	-	-	-
White	7,640	2,795 ^R	7,400	2,619 ^R	8,640	3,008 ^R
Black	480	2,135 [*]	840	3,565 [*]	620	2,539 [*]
Hispanic	100	1,976 [*]	180	2,932 [*]	220	3,354 [*]
Asian	120	2,532 [*]	200	3,484 [*]	120	1,881 [*]
Other	80	1,347 [*]	80	1,384 [*]	100	1,672 [*]
Unknown	0	0 [*]	60	6,818 [*]	0	0 [*]
Region	-	-	-	-	-	-
Northeast	2,020	3,147 [*]	2,020	3,117 [*]	2,280	3,471
South	1,820	1,510 [*]	2,280	1,823 [*]	2,700	2,112 [*]
Midwest	2,880	3,951 ^R	2,780	3,700 ^R	2,780	3,605 ^R
West	1,700	3,110 [*]	1,680	2,816 [*]	1,940	3,180 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

Table M08 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Urge Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	12,280	3,636
Age	-	-
65-69	2,000	3,569 ^R
70-74	2,620	3,732 [*]
75-79	3,120	4,391 [*]
80-84	2,580	3,812 [*]
85+	1,960	2,695 [*]
Race	-	-
White	11,000	3,784 ^R
Black	860	3,328 [*]
Hispanic	80	1,223 [*]
Asian	80	1,166 [*]
Other	240	3,750 [*]
Unknown	20	1,471 [*]
Region	-	-
Northeast	2,920	4,400 [*]
South	3,760	2,854 [*]
Midwest	3,640	4,859 ^R
West	1,960	3,031 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of urge urinary incontinence.