

Table M09 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
Total	1,620	615	1,520	536	1,780	594
Age	-	-	-	-	-	-
65-69	500	1,242 ^R	340	800 ^R	360	748 ^R
70-74	300	553 [*]	180	307 [*]	380	619 [*]
75-79	380	584 [*]	460	657 [*]	320	446 [*]
80-84	240	432 [*]	220	359 [*]	360	578 [*]
85+	200	413 [*]	320	623 [*]	360	641 [*]
Race	-	-	-	-	-	-
White	1,360	591 ^R	1,260	513 ^R	1,540	599 ^R
Black	180	913 [*]	200	957 [*]	140	624 [*]
Hispanic	20	448 [*]	20	369 [*]	20	327 [*]
Asian	0	0 [*]	0	0 [*]	20	321 [*]
Other	60	1,271 [*]	40	623 [*]	60	870 [*]
Unknown	0	0 [*]	0	0 [*]	0	0 [*]
Region	-	-	-	-	-	-
Northeast	460	852 [*]	580	1,022 [*]	420	702
South	500	513 [*]	420	406	440	402 [*]
Midwest	420	626 ^R	260	366 ^R	500	685 ^R
West	240	534 [*]	260	493 [*]	420	730 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

Table M09 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
Total	1,920	609	1,720	535	1,580	524
Age	-	-	-	-	-	-
65-69	460	907 ^R	420	808 ^R	240	513 ^R
70-74	380	601 [*]	240	390 [*]	360	600 [*]
75-79	380	507 [*]	280	381 [*]	240	351 [*]
80-84	340	513 [*]	480	685 [*]	460	706 [*]
85+	360	599 [*]	300	467 [*]	280	459 [*]
Race	-	-	-	-	-	-
White	1,560	578 ^R	1,440	518 ^R	1,320	502 ^R
Black	240	965 [*]	200	785 [*]	200	903 [*]
Hispanic	20	289 [*]	20	328 [*]	0	0 [*]
Asian	20	314 [*]	40	813 [*]	20	441 [*]
Other	80	1,242 [*]	20	326 [*]	20	372 [*]
Unknown	0	0 [*]	0	0 [*]	20	3,226 [*]
Region	-	-	-	-	-	-
Northeast	480	776 [*]	320	504 [*]	320	531 [*]
South	620	536 [*]	440	353 [*]	440	375 [*]
Midwest	480	632 ^R	560	721 ^R	460	657 ^R
West	340	551 [*]	400	720 [*]	360	669 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

Table M09 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
Total	1,940	621	2,240	690	1,780	537
Age	-	-	-	-	-	-
65-69	300	595 ^R	280	522 ^R	280	506 ^R
70-74	420	647 [*]	660	1,022 [*]	500	761 [*]
75-79	320	473 [*]	500	709 [*]	320	452 [*]
80-84	380	568 [*]	440	637 [*]	280	400 [*]
85+	520	835 [*]	360	539 [*]	400	573 [*]
Race	-	-	-	-	-	-
White	1,680	615 ^R	1,780	630 ^R	1,480	515 ^R
Black	160	712 [*]	240	1,019 [*]	120	491 [*]
Hispanic	20	395 [*]	20	326 [*]	60	915 [*]
Asian	0	0 [*]	40	697 [*]	40	627 [*]
Other	80	1,347 [*]	120	2,076 [*]	60	1,003 [*]
Unknown	0	0 [*]	40	4,546 [*]	20	1,961 [*]
Region	-	-	-	-	-	-
Northeast	420	654 [*]	760	1,173 [*]	400	609
South	460	382 [*]	400	320 [*]	580	454 [*]
Midwest	400	549 ^R	480	639 ^R	440	571 ^R
West	660	1,208 [*]	600	1,006 [*]	360	590 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

* Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

Table M09 - Ambulatory Visits (Other than Physician Visits) by Male Medicare Beneficiaries with Any Diagnosis of Other Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
Total	2,500	740
Age	-	-
65-69	440	785 ^R
70-74	720	1,026 [*]
75-79	640	901 [*]
80-84	300	443 [*]
85+	400	550 [*]
Race	-	-
White	2,080	716 ^R
Black	280	1,084 [*]
Hispanic	40	612 [*]
Asian	60	875 [*]
Other	40	625 [*]
Unknown	0	0 [*]
Region	-	-
Northeast	820	1,236 [*]
South	720	546 [*]
Midwest	320	427 ^R
West	640	990 [*]

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

^R Indicates the reference group

^{*} Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who had an ambulatory visit (other than physician visits) for any diagnosis of other urinary incontinence.