

Table M12 - Hospitalizations by Male Medicare Beneficiaries with a Primary Diagnosis of Urge Urinary Incontinence, 2002 - 2004

	2002 Count of X	2002 Rate per 100,000 Patients	2003 Count of X	2003 Rate per 100,000 Patients	2004 Count of X	2004 Rate per 100,000 Patients
<b>Total</b>	440	167	420	148	320	107
<b>Age</b>	-	-	-	-	-	-
65-69	20	50 <sup>R</sup>	120	282 <sup>R</sup>	20	42 <sup>R</sup>
70-74	120	221 <sup>*</sup>	20	34 <sup>*</sup>	80	130 <sup>*</sup>
75-79	100	154 <sup>*</sup>	160	228 <sup>*</sup>	60	84 <sup>*</sup>
80-84	100	180 <sup>*</sup>	100	163 <sup>*</sup>	100	161 <sup>*</sup>
85+	100	206 <sup>*</sup>	20	39 <sup>*</sup>	60	107 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	380	165 <sup>R</sup>	340	139 <sup>R</sup>	300	117 <sup>R</sup>
Black	60	304 <sup>*</sup>	60	287 <sup>*</sup>	0	0 <sup>*</sup>
Hispanic	0	0 <sup>*</sup>	20	369 <sup>*</sup>	20	327 <sup>*</sup>
Asian	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Other	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Unknown	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	140	259 <sup>*</sup>	100	176 <sup>*</sup>	40	67 <sup>*</sup>
South	220	226 <sup>*</sup>	100	97 <sup>*</sup>	100	91 <sup>*</sup>
Midwest	40	60 <sup>R</sup>	200	282 <sup>R</sup>	120	164 <sup>R</sup>
West	40	89 <sup>*</sup>	20	38 <sup>*</sup>	60	104 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Male Medicare Beneficiaries with a Primary Diagnosis of Urge Urinary Incontinence, 2005 - 2007

	2005 Count of X	2005 Rate per 100,000 Patients	2006 Count of X	2006 Rate per 100,000 Patients	2007 Count of X	2007 Rate per 100,000 Patients
<b>Total</b>	380	121	340	106	220	73
<b>Age</b>	-	-	-	-	-	-
65-69	60	118 <sup>R</sup>	60	115 <sup>R</sup>	0	0 <sup>R</sup>
70-74	120	190 <sup>*</sup>	60	97 <sup>*</sup>	40	67 <sup>*</sup>
75-79	40	53 <sup>*</sup>	40	55 <sup>*</sup>	80	117 <sup>*</sup>
80-84	60	91 <sup>*</sup>	40	57 <sup>*</sup>	60	92 <sup>*</sup>
85+	100	166 <sup>*</sup>	140	218 <sup>*</sup>	40	66 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	340	126 <sup>R</sup>	320	115 <sup>R</sup>	200	76 <sup>R</sup>
Black	40	161 <sup>*</sup>	20	79 <sup>*</sup>	20	90 <sup>*</sup>
Hispanic	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Asian	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Other	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Unknown	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	100	162	140	220 <sup>*</sup>	60	100 <sup>*</sup>
South	140	121	140	112 <sup>*</sup>	80	68
Midwest	100	132 <sup>R</sup>	20	26 <sup>R</sup>	40	57 <sup>R</sup>
West	40	65 <sup>*</sup>	40	72 <sup>*</sup>	40	74 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Male Medicare Beneficiaries with a Primary Diagnosis of Urge Urinary Incontinence, 2008 - 2010

	2008 Count of X	2008 Rate per 100,000 Patients	2009 Count of X	2009 Rate per 100,000 Patients	2010 Count of X	2010 Rate per 100,000 Patients
<b>Total</b>	360	115	200	62	80	24
<b>Age</b>	-	-	-	-	-	-
65-69	20	40 <sup>R</sup>	20	37 <sup>R</sup>	0	0 <sup>R</sup>
70-74	100	154 <sup>*</sup>	80	124 <sup>*</sup>	20	30 <sup>*</sup>
75-79	60	89 <sup>*</sup>	40	57 <sup>*</sup>	0	0 <sup>*</sup>
80-84	80	120 <sup>*</sup>	60	87 <sup>*</sup>	20	29 <sup>*</sup>
85+	100	161 <sup>*</sup>	0	0 <sup>*</sup>	40	57 <sup>*</sup>
<b>Race</b>	-	-	-	-	-	-
White	360	132 <sup>R</sup>	180	64 <sup>R</sup>	80	28 <sup>R</sup>
Black	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Hispanic	0	0 <sup>*</sup>	20	326 <sup>*</sup>	0	0 <sup>*</sup>
Asian	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Other	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
Unknown	0	0 <sup>*</sup>	0	0 <sup>*</sup>	0	0 <sup>*</sup>
<b>Region</b>	-	-	-	-	-	-
Northeast	100	156	60	93	40	61 <sup>*</sup>
South	100	83 <sup>*</sup>	60	48 <sup>*</sup>	40	31 <sup>*</sup>
Midwest	140	192 <sup>R</sup>	60	80 <sup>R</sup>	0	0 <sup>R</sup>
West	20	37 <sup>*</sup>	20	34 <sup>*</sup>	0	0 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

Table M12 - Hospitalizations by Male Medicare Beneficiaries with a Primary Diagnosis of Urge Urinary Incontinence, 2011

	2011 Count of X	2011 Rate per 100,000 Patients
<b>Total</b>	420	124
<b>Age</b>	-	-
65-69	60	107 <sup>R</sup>
70-74	40	57 <sup>*</sup>
75-79	160	225 <sup>*</sup>
80-84	60	89 <sup>*</sup>
85+	100	138 <sup>*</sup>
<b>Race</b>	-	-
White	360	124 <sup>R</sup>
Black	20	77 <sup>*</sup>
Hispanic	20	306 <sup>*</sup>
Asian	20	292 <sup>*</sup>
Other	0	0 <sup>*</sup>
Unknown	0	0 <sup>*</sup>
<b>Region</b>	-	-
Northeast	140	211
South	120	91 <sup>*</sup>
Midwest	140	187 <sup>R</sup>
West	20	31 <sup>*</sup>

Source: Centers for Medicare and Medicaid Services, 5% Claims Files, 2002-2011

<sup>R</sup> Indicates the reference group

<sup>\*</sup> Indicates that the rate is significantly different from the reference group

NOTE: X represents the number of male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.

NOTE: Unweighted counts have been multiplied by 20 to arrive at the number of counts for this table.

NOTE: Counts less than 600 should be interpreted with caution.

NOTE: Rate is per 100,000 male adult Medicare beneficiaries who were hospitalized for a primary diagnosis of urge urinary incontinence.